





Therma-Tru. You're in expert hands.

Choosing a Therma-Tru® door means designing an inspired entrance with the confidence that it will perform for years to come.

Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers a wide selection to complement the architecture of a home and a homeowner's sense of style.


But it's more than beauty that makes Therma-Tru the brand building professionals prefer most.* With a complete door system engineered with craftsman precision and backed by more than 50 years of industry experience, you can be confident that it will perform as exceptionally as it looks.

That's where the beauty of choosing Therma-Tru begins.

*Brand Use Study, 2018 *Builder* magazine.

Top: Classic-Craft American Style Collection, Geometric Glass with SDLs, Door – CCA2300XG, Sidelites – CCA2400XGSL, Finish – Shale
Right Page: Classic-Craft American Style Collection Door – CCA1125, Finish – Mulberry

Table of Contents



Uncompromising
quality, inside and out.

Introduction	2–35
NEW Products	4–10, 12–15
Curb Appeal Inspiration	11, 16
Door Selections	17–25
Door System Components	26–27
Decorative & Specialty Glass	28–33
Impact Products	34–35
Classic-Craft	36–115
Decorative & Specialty Glass	36–44
Accessories	45
American Style Collection™	46–59
Mahogany Collection™	60–71
Rustic Collection™	72–87
Oak Collection™	88–99
Canvas Collection®	100–115
Fiber-Classic® & Smooth-Star	116–205
Decorative & Specialty Glass	120–127
Accessories.....	128
Steel	206–229
Profiles™	206, 208–224
Traditions	207–210, 225–229
Decorative & Specialty Glass	209–210
Fire Doors	230–235
Pulse®	236–249
Hinged Patio	250–257
Door System Components	258–267
PrismaGuard™ Stain	268
Same-Day® Stain Kit	269
Special Quote Program	270
3'6" Width Options Chart	271
7'0" & 6'6" Height Options Charts	272–273
Product Details	274–275
Index	276–290
Trade Resources	291

ELEVATE 2019

Humble Roots | CONFIDENT FOCUS | TIMELESS TWIST

Humble Roots

RELAXED | NATURAL | SIMPLE




Unplugged Lifestyles

Love of Local

Informal Surroundings



Casual and comfortable
with a clean edge.



Celebrate Style with Our New Products

As homeowners focus on bringing their own personal style to life, Therma-Tru is elevating its product portfolio. After extensive research, we've uncovered the latest home design trends and have tailored our new product assortment accordingly.

Download the Elevate 2019 New Products brochure and explore new products at thermatru.com.


CONFIDENT FOCUS

BOLD | INDIVIDUAL | EVOLVING



Confident Creativity
Visually Inspired
Touching Senses

Modern design with a soft, livable touch.



TIMELESS TWIST

CHARMING | YOUTHFUL | TAILORED



Heritage Values
New Traditions
21st Century Style



A fresh, playful twist
on traditional.





NEW Door Styles
for Classic-Craft® American Style Collection™ Shaker-Style Doors

Discover a wide range of relaxed entryway styles created with premium flat profile divider bars and Shaker-style doors within the Classic-Craft American Style Collection. The portfolio expands to include a variety of casual looks designed to complement a variety of architectural styles, including High-Fashion Farmhouse, Simple Barn, and more.

Available in Classic-Craft, starting on page 46.



Note: See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Classic-Craft American Style Collection, Clear Glass with SDLs, Doors – CCA4940



Satin Etch Privacy & Textured Glass

NEW for Classic-Craft® Premium Entryways

With a pure, simple design aesthetic, Satin Etch glass welcomes natural light into the home while maintaining a high level of privacy. This fine-textured pearlescent glass makes a style statement and is ideal for a wide range of home styles with a modern or contemporary twist, including Mid-Century Modern, Simple Barn, High-Fashion Farmhouse and more.

Available in Classic-Craft, starting on page 46. Also available in Fiber-Classic and Smooth-Star, starting on page 116, Profiles and Traditions, starting on page 206 and Pulse, starting on page 236.



Privacy Rating



Note: See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Classic-Craft American Style Collection, Satin Etch Glass with SDLs, Doors – CCA82320XE, Finish – Raven



NEW

Simulated Divided Lites

For Fiber-Classic®, Smooth-Star®, Profiles™ & Traditions Doors

Create an entry tailored to the home's overall look. Simulated divided lites now have endless color and finishing options, thanks to a new durable composite material. Explore new contemporary grid patterns, as well as classic looks, all with limitless color options for paint and stain and approved for use behind storm doors.

Available in Fiber-Classic and Smooth-Star, starting on page 116, and Profiles and Traditions, starting on page 206.

NEW Grid Patterns



Note: See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass with SDLs, Door – S8691



NEW EnLiten™ Flush-Glazed Internal Blinds for Smooth-Star® Doors

Smooth-Star® doors with internal blinds featuring EnLiten™ flush-glazed designs deliver simplicity and convenience with contemporary appeal. Discover attractive, durable entry solutions for around the house, including patio, side and back doors allowing for optimal daylight and outdoor views, or complete privacy.

Available in Smooth-Star, starting on page 117.



Seamless style. Controllable privacy.



Note: See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Internal Blinds, Doors – S2600

Discover casual elegance with the latest home design trends.



Modern Prairie



High-Fashion Farmhouse



Modern Craftsman



Colonial Ranch



Bring out the best of a home's style with a Therma-Tru® door.

With a wide array of door styles, Therma-Tru has something for everyone. From Traditional to Modern, the Architectural Home Styles Guide pairs stylish Therma-Tru doors with popular home design trends, giving you confidence that your door selection will add curb appeal while enhancing the home's overall style.

■ View our interactive Architectural Home Styles Guide at homestyles.thermatru.com.



NEW Therma-Tru® Door Surrounds



Add a beautiful, finished look to the entry with stylish, low-maintenance door surrounds from Therma-Tru. Discover a hand-selected assortment designed to complement the architectural details of virtually any home style. Create a cohesive look in the entry with authentic details for enhanced curb appeal.



Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.
 Top: Classic-Craft Canvas Collection, Homeward Glass, Door – CCV89922, Door Surround – TDS-CCCFLT
 Right Page Left: Door – Pulse Linea, Satin Etch Glass with Flat Lite Frame, Door – S1RXE, Sidelite – S601XESL, Finish – Ruby Red, Door Surround – TDS-FLTFLT
 Right Page Top Right: Smooth-Star, Clear Glass with GBGs, Door – S1211, Sidelites – S1211SL, Door Surround – TDS-TRDFLT
 Right Page Bottom Right: Smooth-Star, Sedona Glass, Door – S2650, Sidelites – S139SL; Clear Glass, Transom – 19220T, Door Surround – TDS-CRSFLT

Polished style for the entryway.

- Features a low-maintenance, durable and trimmable polyurethane construction that resists moisture and insects, and won't rot, warp, crack or split like wood. And, it won't expand or contract in extreme temperatures.
- Available in smooth, paintable styles, as well as wood-grained options that can be painted or stained to complement the entry.
- Designed as part of Therma-Tru's complete fiberglass door system and backed by the industry's most comprehensive lifetime limited warranty.



Door Surrounds

Traditional Crossheads



TDS-TRDPLN
Plain Pilaster

	Option A	Option B
Side	5"	7"
Header	6"	9"



TDS-TRDPLN-K
Plain Pilaster – with Keystone

	Option A	Option B
Side	5"	7"
Header	6"	9"



TDS-TRDFLU
Fluted Pilaster

	Option A	Option B
Side	5"	7"
Header	6"	9"



TDS-TRDFLU-K
Fluted Pilaster – with Keystone

	Option A	Option B
Side	5"	7"
Header	6"	9"



TDS-TRDFLT
Flat Trim

	Option A	Option B
Side	6"	6"
Header	6"	9"



TDS-TRDFLT-K
Flat Trim – with Keystone

	Option A	Option B
Side	6"	6"
Header	6"	9"

Craftsman Cove Crossheads



TDS-CCCPLN
Plain Pilaster – with End Cap

	Option A
Side	5"
Header	9"

TDS-CRCPLN
Plain Pilaster

	Option A
Side	5"
Header	9"

TDS-CCFLT
Flat Trim – with End Cap

	Option A	Option B
Side	4"	6"
Header	9"	9"

TDS-CRCFLT
Flat Trim

	Option A	Option B
Side	4"	6"
Header	9"	9"


Craftsman Step Crosshead



TDS-CRSFLT
Flat Trim

	Option A	Option B	Option C	Option D
Side	4"	4"	6"	6"
Header	6"	8"	6"	8"

Smooth Flat Trim



TDS-FLTFLT
Flat Trim

	Option A	Option B	Option C	Option D
Side	4"	4"	6"	6"
Header	4"	6"	4"	6"

Woodgrain Flat Trim



TDG-FLTFLT
Flat Trim

	Option A	Option B	Option C	Option D
Side	4"	4"	6"	6"
Header	4"	6"	4"	6"

The Power of Curb Appeal

Open the door to increased value with a stylish new Therma-Tru door. A new entry door can pay for itself – and then some – giving you and your customers more bang for your buck. Learn more at thermatru.com/curbappeal.



Perceived Value

A smart investment, a new Therma-Tru® entry door can increase a home's perceived value by **4.2%** or **\$18,750** on average.*



Return On Investment

Homeowners who choose a stylish new Therma-Tru® entry door can see **more than 2 times** the return on their investment.*



A smart investment.

Lifetime Limited Warranty

We stand behind more parts and for longer than other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranty.



Energy Efficiency

In any region or climate, energy efficiency is key. More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.



Quality Testing

Our doors, glass and components are held to high standards. We conduct thorough testing to help ensure that our products will live up to a homeowner's toughest quality and performance expectations.

*Not based on actual home sales. Not a guarantee of investment returns, increase in value or selling price. Based on a nationwide survey of consumers' estimates of perceived home value based on exterior appearance. Results may vary based on region and home style. Therma-Tru's "National Home Valuation Study" was commissioned by Therma-Tru in 2015 and conducted by TNS, an independent provider of internet-based research.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top Right: Smooth-Star, Axis Glass, Door – S1652, Sidelite – S1652SL

Right Page: Classic-Craft American Style Collection, Chinchilla Glass with SDLs, Door – CCA82310XJ, Finish – Raven

The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 26–27.



Decorative & Specialty Glass

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 28–33.



Door Selections

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 18–25.



Finish Options

Complete the desired look with stain or paint. Explore 16 popular stain colors from PrismaGuard™ finish and Same-Day® Stain on pages 268–269.

Selecting a Door System

Therma-Tru pays close attention to regional and consumer trends to deliver choices designed to inspire. Keep these considerations in mind when choosing from our portfolio of door system products:

- What is the size of the doorway?
- What is the style of the home?
- Does the homeowner want to stain or paint the door?
- How much light or privacy is desired?

Also consider:

- Building codes specific to applications, such as house-to-garage, as well as regional weather conditions.



Door Selections

Choose from our many door selections to complement the architectural style of the home. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

Classic-Craft® Collections Pages 36-115

Find the right style for any personality. Choose from premium fiberglass entryways in four wood grains or a smooth surface that all rival custom wood.



Both Classic-Craft and Fiber-Classic are rated a *Consumers Digest* Best Buy in the fiberglass entry doors category.

Fiber-Classic® Collections Pages 116–205

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.



Mahogany Collection™



Oak Collection™



Smooth-Star® Pages 117–205

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.



Smooth-Star.



Steel Pages 206–229

Bring style and affordability together to create very attractive results with our steel doors.



Profiles™




Traditions



Pulse® Pages 236–249


A contemporary series of door styles and glass designs that can be combined to make a bold statement.



Ari



Linea



Echo

Classic-Craft® Premium Entryways

A premium entryway that's truly unique and uncompromising in every detail. One that blends precision-engineered features with architecturally correct details to produce an entryway that performs as exceptionally as it looks – instilling confidence and peace of mind. And Classic-Craft entry doors are rated a *Consumers Digest* Best Buy for their exceptional warranty, quality of materials and construction, and resemblance to a real wood door.



See the difference.

Discover architecturally correct designs, exclusive glass options and rich, authentic finishes.



Classic-Craft® Premium Glass

- An exclusive collection of 12 decorative glass families, starting on page 36.
- Close attention to detail produces truly distinctive designs you won't find anywhere else.
- More than 10% wider glass* welcomes more light into the home and creates a distinctive entryway.
- Fiberglass lite frames are made with the same material as the door to blend seamlessly with the rest of the entryway when stained or painted.
- All sidelites are made with flush-glazed glass for a truly seamless, consistent appearance.
- All clear glass options are Low-E, providing long-term energy efficiency.

*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details. Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Compare for yourself.

Architecturally correct for true classic beauty.

Doors designed to be architecturally correct, with proportions modeled after classic architectural principles, to create a more premium entryway.

Up to
25% wider
panels*



Classic-Craft Premium Door



Standard Fiberglass Door



Premium – right down to the edge.

A solid hardwood square edge delivers a genuine wood appearance.



Standard fiberglass bullnose edge.

The bullnose profile, typical of other fiberglass doors, detracts from the authentic wood look.



The look of real wood.

Realistic wood grains that are virtually indistinguishable from high-grade wood doors, thanks to Therma-Tru's AccuGrain® technology.



Details that define a custom door.

Crisp, handcrafted elegance creates embossments that are deeper than standard fiberglass doors.



Feel the difference.

Experience the integrity of a solid, precision-engineered entryway built for long-term durability, stability and peace of mind.

Classic-Craft® Door Construction

Classic-Craft® doors offer the authentic look of wood. It's virtually impossible to tell the difference. But the beauty goes beyond skin deep. Discover the craftsmanship and innovation of a premium entryway that performs as exceptionally as it looks, offering long-lasting energy efficiency, durability and security.



1 Enhanced Weather Resistance

No more worries about rotting, warping or twisting. Classic-Craft premium entryways are tested and designed to resist extreme weather conditions and the damaging effects of moisture. Both the top and bottom of the door are protected by composite rails for a longer-lasting entryway.

2 Solid Security

Classic-Craft premium entryways feel solid and close with authority. A 4" wide beam of engineered lumber runs from the top to the bottom of the locking side of the door to add mass and rigidity, giving the door weight and a natural wood feel.

3 Excellent Durability

Built to stand up to the elements and years of wear, Classic-Craft's fiberglass skins are thicker than other standard fiberglass doors to provide added durability and better long-term performance.

4 Higher R-Values

Classic-Craft premium entryways contribute to an energy-efficient home. A polyurethane foam core provides up to four times the insulating R-Value of wood.*

5 Edge-to-Edge Moisture Protection

Resist moisture at every turn – and along every edge. Classic-Craft premium entryways have hardwood and composite edges that help prevent moisture penetration.

*Comparison of fiberglass to wood doors (both without glass).

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Right Page Left: Fiber-Classic Oak Collection, Salinas Glass, Door – 81955P, Sidelites – 81955PSL

Right Page Top Right: Smooth-Star, Clear Glass, Door – S8140

Right Page Bottom Right: Smooth-Star Door – S4800

Fiber-Classic® & Smooth-Star® Doors

Bring home the authentic look of wood with the low-maintenance benefits of fiberglass. From front entry to patio, you will find flexible options to fit virtually every entrance with beautiful, energy-efficient, durable and secure fiberglass doors. Choose from a wide range of door styles and sizes, glass designs, and options to meet building codes. And Fiber-Classic entry doors are rated a *Consumers Digest* Best Buy for their exceptional warranty, breadth of style options and wood-grained texture.



Find options to fit every entrance.

Fiber-Classic® & Smooth-Star®

Portfolio versatility.

With many door styles in common and interchangeable glass designs between collections, it allows flexibility to find the right door, in the right texture, without compromises.




On-trend surfaces.

Available in a variety of textures, including grain choices with the look of real wood or a smooth, paintable alternative to steel. (Wood-grained images shown in Driftwood stain.)



High-definition panel embossments.

High-definition panel embossments are standard on all doors and sidelites.



Fiber-Classic® & Smooth-Star® Glass

- A portfolio of 15 interchangeable decorative glass designs, starting on page 120.
- Invite light into the home for a more brilliant interior with 22" wide glass in a Lip-lite frame, as well as flush-glazed options with 25–27" wide glass – starting on page 170.
- Lite frames are heat and fade resistant, and suitable for use with a storm door.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Door Construction

Fiber-Classic® and Smooth-Star® doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security

An enhanced lock block combined with a 1- $\frac{1}{4}$ " engineered lumber lock stile increases rigidity and stability.

3 Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.


4 R-Values

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood*, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.


*Comparison of fiberglass to wood doors (both without glass).

Engineered to Work Together


Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.




- 1 Sill and bottom sweep** form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. **Sill pan** (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




- 2 Corner seal pads** (inswing only) complete the seal between the **sill cap**, **bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




- 3 Hinges** position the **door** to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.



- 4 Weatherstrip** is specifically engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the **door and frame**.



5 Multi-point locking system (recommended) engages the **door** and **frame** at three points from top to bottom, helping to preserve the **weatherstrip's** seal even under wind pressure.



6 Lip-lite frame (shown right) features a **compression seal** against weather on the outside of the **door** and an **adhesive seal** against weather on the outside of the **glass**. **Flush-glazed glass** (shown left) is built directly into the door without a Lip-lite frame, featuring a **high-performance adhesive weather seal** inside and out.

A Complete Door System

More than beautiful doors and glass; a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru® genuine components shown here are our premium options for long-lasting durability.



Composite Adjustable Sills ❖

Inswing and outswing composite sills resist rotting and insects. Inswing adjustable sills help to maintain a tight seal over time.



Multi-Point Locking Systems ❖ (Recommended)

Increased engagement between door and frame enhances stability and the homeowner's sense of security. (Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.)



Dual-Bulb / Dual-Fin Bottom Sweeps ❖ (Inswing Only)

A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



Ball-Bearing Hinges ❖

Hinges with ball bearings protecting each hinge pivot, or "knuckle", offer added support and stability. (Recommended for Classic-Craft doors, 8'0" doors, doors with glass, and Impact- and Fire-rated fiberglass doors.)



7-Shape Corner Seal Pads ❖ (Inswing Only)

Innovative options include our patented jamb assembly, featuring the 7-shape corner seal pad which creates an air pocket that helps prevent a vacuum from wicking moisture up the weatherstrip.



Frame Components

Check with your Therma-Tru seller for options to complete the door system, including rot-resistant brickmould, jambs, mullions and coil cladding manufactured to our specifications.



Removable Weatherstrip ❖

Resilient design compresses when closed and springs back when open, protected by a durable jacket, for long-lasting sealing power.

For more, including these additional component options, see pages 259-267:

Sill Pans ❖, Rain Protection ❖, Strike Plate and Astragals ❖.

Tru-Defense: The Ultimate Protection

Therma-Tru fiberglass doors are available with our exclusive Tru-Defense system as an option. It integrates specific components engineered and tested to deliver outstanding protection in all kinds of weather conditions. And it's backed by a Warranty Rider that provides for cash reimbursement that may be used toward secondary damage to flooring and trim, and the labor to make repairs if water infiltration occurs.* Look for the (❖) icon. For details, visit www.thermatru.com/trudefense.

Water Infiltration Cash Reimbursement Limit

Latch and Deadbolt Lock with Standard Assembly: with a Therma-Tru Sill Pan:	\$250 \$500
Multi-Point Lock with Standard Assembly: with a Therma-Tru Sill Pan:	\$750 \$1,500
Multi-Point Lock with NAFS-Certified Door System: with a Therma-Tru Sill Pan:	\$1,000 \$2,000

*The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, nor any damages caused by improper handling, assembly or installation.

Decorative & Specialty Glass

A Therma-Tru door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Numerous glass colors, textures, shapes and coming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on ENERGY STAR qualified products.

Bottom: Classic-Craft Rustic Collection, Borrassa Glass, Door – CCR822215, Sidelites – CCR8000XHSL



Contributes to an energy-efficient home.



Triple-Pane Construction

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



Our decorative glass is handcrafted and built with all-glass bevels for premium quality.

From small to large, Therma-Tru offers various glass sizes and shapes. Explore options to meet homeowners' needs for natural light without compromising their privacy.



Special Quote Program

Don't sacrifice the look you want. With thousands of standard glass choices and additional glass options available through special quote, we can help you find the right look for virtually any home.

EnLiten™ Flush-Glazed Designs

For Classic-Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten flush-glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the (🔥) icon.



Front Entry

See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass



Lip-Lite Frame

Maximum views.

Create an airy, open feeling in the home with larger daylight openings. EnLiten™ flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames.



Flush-Glazed Glass



Lip-Lite Frame

*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.

Top: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA2340, Sidelites – CCA2400SL, Finish – Rustic Clay, ©TheHouseDesigners.com

Right Page Top Left: Fiber-Classic Oak Collection, Low-E Glass with GBGs, Door – 2150

Right Page Bottom Left: Smooth-Star, Internal Blinds, Doors – S2600

Right Page Right: Smooth-Star, Clear Glass with SDLs, Door – S4814, Sidelites – S4812SL



Utility Door



Front Entry



Patio Doors

Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*



Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)

Warranty riders for peace of mind.

EnLiten™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.



Convenient choices for more light.

Privacy & Textured Glass

Therma-Tru® doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- Category includes diverse textures for individual design expression.
- Varying opacity levels range from 7–10.
- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic-Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse® doors and sidelites.




Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic-Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (☀️) icon.



In cold weather, Low-E glass can help reduce the loss of heat by reflecting the heat back inside the home.



In warm weather, Low-E glass reflects the sun's rays off of the glass, helping to keep the interior of the home cool.



Top: Classic-Craft American Style Collection, Geometric Glass with SDLs, Doors – CCA2300XG, Finish – Raven
 Right Page Top: Smooth-Star, Internal Blinds, Door – S2600
 Right Page Bottom: Smooth-Star, Clear Glass with Fixed Grills, Door – S262

Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Choose Low-E glass for improved energy efficiency or standard clear glass.
- **NEW** EnLiten™ flush-glazed designs and Impact-rated options available.

Available in Fiber-Classic®, Smooth-Star®, Profiles™ and Traditions doors and sidelites.



Divided Lites

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices. See pages 126–127 for more.

- Coordinate with the home's window patterns for a cohesive look and increased curb appeal.
- Choose from Colonial, Craftsman or Prairie styles to suit the home's architectural details.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.

Tough When You Need It. Beautiful Always.

High-Power Testing

Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.



■ Wind-Borne Debris Region (WBDR)
■ High Velocity Hurricane Zone (HVHZ)


Impact-Rated Products

Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

1 Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.*

2 Use the icons to find available Therma-Tru® product options in this catalog.



WBDR / HVHZ Options: Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.*

4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed. Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.*



Impact Doors

Feature a built-in 24-gauge steel plate lining.

Impact Glass

Features special laminated glass construction.



Impact-Rated Internal Blinds

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile aesthetic cover for a simple look.

NEW



Impact Lip-Lite Frame

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



Other Considerations

Fire Doors

We offer a stylish selection of 20-Minute Fire-rated fiberglass doors – with 20- and 90-Minute Fire-rated steel options available – for protection with a sense of style. See pages 230–235.

Noise Reduction Doors

Therma-Tru Sound Transmission Class- (STC) rated Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. See page 204.

Classic-Craft®

Decorative & Specialty Glass Designs




Villager™

Villager beautifully interprets the Craftsman chevron design with ① bronze waterglass, ② seeded glass, ③ clear bevels, ④ gray artique glass and coming. Artistically authentic in every detail.

Available in:
American Style Collection™
Canvas Collection®

1 5 10
Glass Privacy Rating



Black Nickel



Brushed Nickel


Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive ① clear bevels, ② seeded glass and ③ gray artique glass.

An ideal complement for a Transitional home design.

Available in:
 American Style Collection™
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection.



Black Nickel




Brushed Nickel

Arcadia™

With its timeless petal design, Arcadia combines ① gray baroque glass, ② seeded glass, ③ clear curved bevels and coming for a distinctive display that evokes a simpler time.

Available in:
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection.



Black Nickel



Brushed Nickel



Brass Only available in Mahogany and Oak collections.

Augustine

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and ① granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

Available in:
 Mahogany Collection™
 Rustic Collection™
 Canvas Collection®




Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 77 to see an example on a home.

Bella™

As its name suggests, Bella's design is delicate and appealing, bringing together ① clear bevels, ② clear baroque glass, ③ rainglass, ④ seeded glass, ⑤ bronze waterglass and coming.

Available in:
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection®



Black Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Thermo-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Arborwatch.

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines **1** narrow reed glass, **2** M-seedy glass, **3** waterglass and coming in a symmetrical arrangement accented by **4** pale amber glass, **5** amber artique glass and **6** clear bevels.

Available in:
 American Style Collection™
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection.



Black Nickel

Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 100 to see an example on a home.



Brushed Nickel

Borrassa.

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with **1** hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

Available in:
 Mahogany Collection™
 Rustic Collection™
 Canvas Collection.




Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 71 to see an example on a home.

Provincial[™]

A unique diamond-based motif features **1** double waterglass, **2** clear bevels and coming surrounded by a **3** gray baroque glass border. Provincial captivates with stunning clarity.

Available in:
 Rustic Collection[™]
 Oak Collection[™]
 Canvas Collection[®]



Black Nickel



Brushed Nickel




Brass Only available in Oak Collection.

Longford[™]

The traditional design of Longford integrates a hint of a Celtic knot with **1** seeded glass, **2** clear bevels, **3** granite glass and coming. A timeless design ideal for entries where modest privacy is desired.

Available in:
 Mahogany Collection[™]
 Rustic Collection[™]
 Canvas Collection[®]



Black Nickel



Brushed Nickel


Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Cambridge™

Ornate and enchanting, Cambridge exhibits a traditional 19th century-inspired elegance with modest privacy using **1** glue chip glass, **2** clear curved bevels, **3** double waterglass and coming.

Available in:
Rustic Collection™
Oak Collection™
Canvas Collection.

1 **8** 10
Glass Privacy Rating



Black Nickel



Brushed Nickel



Brass

Zaha®

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features **1** oceana and **2** seedy glass, **3** clear and **4** multifaceted bevels, and coming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

Available in:
Mahogany Collection™
Rustic Collection™
Canvas Collection.

1 **3** 10
Glass Privacy Rating



Black Nickel




Brushed Nickel

Lucerna®

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of ① curved, ② diamond and ③ rectangular bevels surrounded by smooth, swirling ④ barn wood and heavily textured ⑤ diamond border glass.

Available in:
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection®

1 ————— ⑦ ————— 10
 Glass Privacy Rating



Black Nickel



Brushed Nickel

Privacy & Textured Glass



Geometric

A sleek cubic texture with a unique multidimensional view and ever-changing perspectives.

1 ————— ⑦ ————— 10
 Glass Privacy Rating




NEW for Classic-Craft

Satin Etch

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

1 ————— ⑩ ————— 10
 Glass Privacy Rating

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.



Chord

A vertical flowing pattern reminiscent of waves on the water.



Glass Privacy Rating



Chinchilla

A free-flowing configuration, presenting quiet lines and curves.



Glass Privacy Rating



Rainglass

An elegantly fashioned glass, featuring ripples of cascading water.



Glass Privacy Rating



Granite

A coarse-grained arrangement with surface detail over the entirety of the glass.





Glass Privacy Rating

Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)



Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the () icon.

4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars (DDBs). Look for the () icon.





(40.64 mm / 1.6 in.)
Look for the () icon.





(107.95 mm / 4.25 in.)
Look for the ()
and () icons.



(139.70 mm / 5.5 in.)
Look for the ()
and () icons.



Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the () and () icons.



(40.64 mm / 1.6 in.)
Look for the () icon.

Classic-Craft® American Style Collection™

Classic-Craft® Canvas Collection.

Removable Wood Grilles

Removable wood grilles snap on and off the interior pane of tempered glass for easy cleaning. Can be stained or painted to complement the home décor.

Look for the () icon.



Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic-Craft. American Style Collection. 4-Block Dentil Shelf



Classic-Craft. American Style Collection. 4-Block Dentil Shelf*



Classic-Craft. American Style Collection. 16-Block Dentil Shelf



Classic-Craft. Canvas Collection. 4-Block Dentil Shelf



4-Block Dentil Shelf
Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf
Shown on 3'0" x 8'0" door.

*Pairs with 3'6" wide doors.



Featured Products

Popular looks designed to inspire.





Classic-Craft®

American Style Collection™

Vertical Fir grain.

The simple vertical lines and Shaker-style recessed panels of Classic-Craft American Style premium fiberglass entryways blend timeless looks with modern design for an entry that is the perfect complement to a variety of homes.

Classic-Craft® American Style Collection™

Features high-definition vertical Fir grain with Shaker styling, ideal for a variety of homes from Arts and Crafts to Contemporary and Modern.



Architectural Character

- Architecturally correct design – up to 25% wider panels.*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain™ technology.
- More than 10% wider glass.*
- EnLiten™ flush-glazed designs.
- Exclusive glass designs.
- Low-E glass standard.

Heavier Construction

- 20% heavier construction.*
- Top and bottom composite rails.
- 4" full-length engineered lumber lock stile for added weight and rigidity.
- Thicker fiberglass skins.

Available Sizes

- 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-½" of height trimmability allows flexibility to fit 80"–82-½" and 96"–98-½" rough openings.

Finish Options

Classic-Craft American Style entryways can be stained or painted any color.



See the difference stain can make.

Explore PrismaGuard™ finish and Same-Day®. Stain color options on pages 268–269.

Warranty Riders

- 🔥 See page 31 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.
- ⊕ Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on height trimmability, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

Top: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA210SL, Finish – Raven
Right Page: Classic-Craft American Style Collection Door – CCA1133; Low-E Glass, Sidelites – CCA2400SL, Finish – Wildflower Honey

Decorative Glass Designs



Villager™ Page 50
Glass Privacy Rating: **5**



Homeward™ Page 50
Glass Privacy Rating: **4**



Arborwatch® Page 51
Glass Privacy Rating: **6**

Also Available:

Privacy & Textured Glass

Page 52, 54

Low-E Glass Page 53, 56

Glass Privacy Rating Scale



Clear

Opaque

Caming Options

- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)

📖 Simulated divided lites (SDLs) available.

Sticking Profiles



Craftsman-Lite 2-Panel Flush-Glazed



1-Panel Shaker



Villager™ ◆

Classic-Craft®



CCA212
▲ 3'0" x 6'8"

CCA8212
▲ 3'0" x 8'0"




CCA222
▲ 3'0" x 6'8"

CCA8222
▲ 3'0" x 8'0"



CCA232
▲ 3'0" x 6'8"

CCA8232
▲ 3'0" x 8'0"



CCA3402SL
▲ 12" x 6'8"
14" x 6'8"

CCA3502SL
▲ 12" x 8'0"
14" x 8'0"



CCA212SL
▲ 12" x 6'8"
14" x 6'8"

Homeward™ ◆



CCA211
▲ 3'0" x 6'8"

CCA8211
▲ 3'0" x 8'0"



CCA87112
▲ 3'6" x 8'0"



CCA221
▲ 3'0" x 6'8"

CCA8221
▲ 3'0" x 8'0"



CCA87122
▲ 3'6" x 8'0"



CCA231
▲ 3'0" x 6'8"

CCA8231
▲ 3'0" x 8'0"



CCA87132
▲ 3'6" x 8'0"



CCA3401SL
▲ 12" x 6'8"
14" x 6'8"

CCA3501SL
▲ 12" x 8'0"
14" x 8'0"



CCA211SL
▲ 12" x 6'8"
14" x 6'8"



HWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



HW30T
3'0" Door Only

*Pairs with 3'6" wide doors.

Note: See page 275 for important product details that may help with your purchase decision.

Right Page: Classic-Craft American Style Collection, Arborwatch Glass with SDLs, Door – CCA9300, Sidelites – CCA9100SL

Arborwatch. ♦ ::



CCA9100
3'0" x 6'8"

CCA89100
3'0" x 8'0"



CCA87111
3'6" x 8'0"



CCA9200
3'0" x 6'8"

CCA89200
3'0" x 8'0"



CCA87121
3'6" x 8'0"



CCA9300
3'0" x 6'8"

CCA89300
3'0" x 8'0"



CCA87131
3'6" x 8'0"



CCA1423SL
12" x 6'8"
14" x 6'8"



CCA81423SL
12" x 8'0"
14" x 8'0"



CCA9100SL
12" x 6'8"
14" x 6'8"



ABRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



AB30T
3'0" Door Only



Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)

Optional Dentil Shelves



Privacy & Textured Glass



CCA210_
 3'0" x 6'8" | CCA8210_
 3'0" x 8'0"



CCA87100XG
 CCA87100XR
 3'6" x 8'0"



CCA220_ | CCA8220_
 3'0" x 6'8" | 3'0" x 8'0"



CCA87200XG
 CCA87200XR
 3'6" x 8'0"



CCA230_ | CCA8230_
 3'0" x 6'8" | 3'0" x 8'0"



CCA87300XG
 CCA87300XR
 3'6" x 8'0"



CCA240_ | CCA8240_
 3'0" x 6'8" | 3'0" x 8'0"



CCA87400XG
 CCA87400XR
 3'6" x 8'0"



CCA260_ | CCA8260_
 3'0" x 6'8" | 3'0" x 8'0"



CCA87600XG
 CCA87600XR
 3'6" x 8'0"



CCA3400_SL | CCA3500_SL
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



CCA3450_SL | CCA3560_SL
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



CCA210_SL
 12" x 6'8"
 14" x 6'8"



CCA220_SL
 12" x 6'8"
 14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 42-43.

XG = Geometric
 XC = Chord

XJ = Chinchilla
 XR = Rainglass

XN = Granite

*Pairs with 3'6" wide doors.

Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft American Style Collection, Chord Glass with SDLs, Door - CCA260XC, Sidelites - CCA220XCSSL, Dentil Shelf

Right Page: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door - CCA230, Sidelites - CCA3400SL, Transom - 19220T

Low-E Glass



CCA210
 ▲ * 3'0" x 6'8"

CCA8210
 ▲ * 3'0" x 8'0"



CCA87100
 ▲ * 3'6" x 8'0"



CCA220
 ▲ * 3'0" x 6'8"

CCA8220
 ▲ * 3'0" x 8'0"



CCA87200
 ▲ * 3'6" x 8'0"



CCA230
 ▲ * 3'0" x 6'8"

CCA8230
 ▲ * 3'0" x 8'0"



CCA87300
 ▲ * 3'6" x 8'0"



CCA240
 ▲ * 3'0" x 6'8"

CCA8240
 ▲ * 3'0" x 8'0"



CCA87400
 ▲ * 3'6" x 8'0"



CCA260
 ▲ * 3'0" x 6'8"

CCA8260
 ▲ * 3'0" x 8'0"



CCA87600
 ▲ * 3'6" x 8'0"



CCA3400SL
 ▲ * 12" x 6'8"
 14" x 6'8"



CCA3500SL
 ▲ * 12" x 8'0"
 14" x 8'0"



CCA3450SL
 ▲ * 12" x 6'8"
 14" x 6'8"



CCA3560SL
 ▲ * 12" x 8'0"
 14" x 8'0"



CCA210SL
 ▲ * 12" x 6'8"
 14" x 6'8"



CCA220SL
 ▲ * 12" x 6'8"
 14" x 6'8"



19220T
 * 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



19200T
 * 3'0" Door Only




19210T
 * 12" & 14" Sidelite Only

Key

- ▲ Flush-Glazed Glass (FG)
- * Low-E Glass (LE)
- Simulated Divided Lites (SDL)

Optional Dentil Shelves



4-Block Dentil Shelf


16-Block Dentil Shelf

4-Block Dentil Shelf*

American Style Collection™ Shaker Doors & Sidelites

Explore premium Shaker-style entries both with and without glass. Many feature premium fiberglass divider bars to create unique styles designed to complement a wide range of architectural elements.

Privacy & Textured Glass



CCA2400__
3'0" x 6'8"
CCA82400__
3'0" x 8'0"



CCA2300__
3'0" x 6'8"
CCA82300__
3'0" x 8'0"



CCA2310__
3'0" x 6'8"
CCA82310__
3'0" x 8'0"



CCA2320__
3'0" x 6'8"
CCA82320__
3'0" x 8'0"



CCA2330__
3'0" x 6'8"
CCA82330__
3'0" x 8'0"



CCA2340__
3'0" x 6'8"
CCA82340__
3'0" x 8'0"



CCA2350__
3'0" x 6'8"
CCA82350__
3'0" x 8'0"



CCA2360__
3'0" x 6'8"
CCA82360__
3'0" x 8'0"



CCA2380__
3'0" x 6'8"
CCA82380__
3'0" x 8'0"



CCA2370__
3'0" x 6'8"
CCA82370__
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 42–43.


XG = Geometric
NEW XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft American Style Collection, Chord Glass, Door – CCA82400XC, Finish – Driftwood



CCA2400_SL
 12" x 6'8"
 14" x 6'8"

CCA82400_SL
 12" x 8'0"
 14" x 8'0"



CCA2300_SL
 12" x 6'8"
 14" x 6'8"

CCA82300_SL
 12" x 8'0"
 14" x 8'0"



CCA2310_SL
 12" x 6'8"
 14" x 6'8"

CCA82310_SL
 12" x 8'0"
 14" x 8'0"



CCA2320_SL
 12" x 6'8"
 14" x 6'8"

CCA82320_SL
 12" x 8'0"
 14" x 8'0"



CCA2330_SL
 12" x 6'8"
 14" x 6'8"

CCA82330_SL
 12" x 8'0"
 14" x 8'0"



CCA2340_SL
 12" x 6'8"
 14" x 6'8"

CCA82340_SL
 12" x 8'0"
 14" x 8'0"




NEW CCA4900
 3'0" x 6'8"

NEW CCA84900
 3'0" x 8'0"




NEW CCA4910L
 3'0" x 6'8"

NEW CCA4910R
 3'0" x 6'8"




NEW CCA84910L
 3'0" x 8'0"

NEW CCA84910R
 3'0" x 8'0"



NEW CCA4920L
 3'0" x 6'8"

NEW CCA4920R
 3'0" x 6'8"



NEW CCA84920L
 3'0" x 8'0"

NEW CCA84920R
 3'0" x 8'0"



NEW CCA4930
 3'0" x 6'8"

NEW CCA84930
 3'0" x 8'0"




NEW CCA4940
 3'0" x 6'8"

NEW CCA84940
 3'0" x 8'0"

Key

- Flush-Glazed Glass (FG)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)

Low-E Glass



CCA2400
 3'0" x 6'8"
 CCA82400
 3'0" x 8'0"




CCA2300
 3'0" x 6'8"
 CCA82300
 3'0" x 8'0"




CCA2310
 3'0" x 6'8"
 CCA82310
 3'0" x 8'0"



CCA2320
 3'0" x 6'8"
 CCA82320
 3'0" x 8'0"



CCA2330
 3'0" x 6'8"
 CCA82330
 3'0" x 8'0"



CCA2340
 3'0" x 6'8"
 CCA82340
 3'0" x 8'0"



CCA2350
 3'0" x 6'8"
 CCA82350
 3'0" x 8'0"



CCA2360
 3'0" x 6'8"
 CCA82360
 3'0" x 8'0"



CCA2380
 3'0" x 6'8"
 CCA82380
 3'0" x 8'0"



CCA2370
 3'0" x 6'8"
 CCA82370
 3'0" x 8'0"

Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft American Style Collection, Satin Etch Glass with SDLs, Door – CCA4910RXE, Sidelite – CCA2400XESL



CCA2400SL
 ▲ *
 12" x 6'8"
 14" x 6'8"



CCA82400SL
 ▲ *
 12" x 8'0"
 14" x 8'0"



CCA2300SL
 ▲ * 2
 12" x 6'8"
 14" x 6'8"



CCA82300SL
 ▲ * 2
 12" x 8'0"
 14" x 8'0"



CCA2310SL
 ▲ * 2
 12" x 6'8"
 14" x 6'8"



CCA82310SL
 ▲ * 2
 12" x 8'0"
 14" x 8'0"



CCA2320SL
 ▲ * 3
 12" x 6'8"
 14" x 6'8"



CCA82320SL
 ▲ * 3
 12" x 8'0"
 14" x 8'0"



CCA2330SL
 ▲ * 3
 12" x 6'8"
 14" x 6'8"



CCA82330SL
 ▲ * 3
 12" x 8'0"
 14" x 8'0"



CCA2340SL
 ▲ * 3
 12" x 6'8"
 14" x 6'8"



CCA82340SL
 ▲ * 3
 12" x 8'0"
 14" x 8'0"



NEW
 CCA4900
 ▲ * 3
 3'0" x 6'8"



NEW
 CCA84900
 ▲ * 3
 3'0" x 8'0"



NEW
 CCA4910L
 ▲ * 3
 3'0" x 6'8"



NEW
 CCA4910R
 ▲ * 3
 3'0" x 6'8"



NEW
 CCA84910L
 ▲ * 3
 3'0" x 8'0"



NEW
 CCA84910R
 ▲ * 3
 3'0" x 8'0"



NEW
 CCA4920L
 ▲ * 3
 3'0" x 6'8"



NEW
 CCA4920R
 ▲ * 3
 3'0" x 6'8"



NEW
 CCA84920L
 ▲ * 3
 3'0" x 8'0"



NEW
 CCA84920R
 ▲ * 3
 3'0" x 8'0"



NEW
 CCA4930
 ▲ * 3
 3'0" x 6'8"



NEW
 CCA84930
 ▲ * 3
 3'0" x 8'0"



NEW
 CCA4940
 ▲ * 3
 3'0" x 6'8"



NEW
 CCA84940
 ▲ * 3
 3'0" x 8'0"

Key

▲ Flush-Glazed Glass (FG)

☀ Low-E Glass (LE)


3 Simulated Divided Lites (SDLF3)

4 Simulated Divided Lites (SDLF4)

5 Simulated Divided Lites (SDLF5)

Solid Panel

Classic-Craft[®]



CCA1100 3'0" x 6'8" | CCA81100 3'0" x 8'0"



CCA1133 3'0" x 6'8" | CCA81133 3'0" x 8'0"



CCA1145 3'0" x 6'8" | CCA81145 3'0" x 8'0"



CCA1150 3'0" x 6'8" | CCA81150 3'0" x 8'0"



CCA1125 3'0" x 6'8" | CCA81125 3'0" x 8'0"



CCA1149 3'0" x 6'8" | CCA81149 3'0" x 8'0"



CCA1147 3'0" x 6'8" | CCA81147 3'0" x 8'0"



CCA1166 3'0" x 6'8" | CCA81166 3'0" x 8'0"



CCA1158 3'0" x 6'8" | CCA81158 3'0" x 8'0"




CCA1127 3'0" x 6'8" | CCA81127 3'0" x 8'0"

Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft American Style Collection Door – CCA1100; Low-E Glass, Sidelites – CCA2310SL, Finish – Driftwood



CCA4905
3'0" x 6'8"
CCA84905
3'0" x 8'0"



CCA4915L
3'0" x 6'8"
CCA4915R
3'0" x 6'8"




CCA84915L
3'0" x 8'0"
CCA84915R
3'0" x 8'0"




CCA4925L
3'0" x 6'8"
CCA4925R
3'0" x 6'8"



CCA84925L
3'0" x 8'0"
CCA84925R
3'0" x 8'0"



CCA4935
3'0" x 6'8"
CCA84935
3'0" x 8'0"



CCA4945
3'0" x 6'8"
CCA84945
3'0" x 8'0"



CCA2430SL
12" x 6'8"
14" x 6'8"
CCA82430SL
12" x 8'0"
14" x 8'0"



CCA2420SL
12" x 6'8"
14" x 6'8"
CCA82420SL
12" x 8'0"
14" x 8'0"



CCA2410SL
12" x 6'8"
14" x 6'8"
CCA82410SL
12" x 8'0"
14" x 8'0"

Pair full-lite Shaker flush-glazed sidelites, also available in privacy and textured and Low-E glass, with solid-panel doors for natural light in the entry.

Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- 3 Door Divider Bars (DDBF3)
- 4 Door Divider Bars (DDBF4)
- 5 Door Divider Bars (DDBF5)





Classic-Craft[®]
Entry Doors

THERMA TRU
DOORS



Featured Products

Popular looks
designed to inspire.





Classic-Craft®

Mahogany

Collection™

Rich, warm Mahogany wood tones.

Especially suited for European, Victorian and Colonial home styles, Classic-Craft Mahogany premium fiberglass entryways are a sophisticated, elegant option for homeowners looking to make a statement by creating dramatic, grand entrances.

Classic-Craft® Mahogany Collection™

Offers rich, warm wood tones in authentic Honduran Mahogany, especially suited for European, Victorian and Colonial homes.



Architectural Character

- Architecturally correct design – up to 25% wider panels.*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.*
- EnLiten™ flush-glazed sidelites.
- Exclusive glass designs.
- Low-E glass standard.

Heavier Construction

- 20% heavier construction.*
- Top and bottom composite rails.
- 4" full-length engineered lumber lock stile for added weight and rigidity.
- Thicker fiberglass skins.

Available Sizes

- 3'0" wide doors in 6'8" and 8'0" heights.
- 2-½" of height trimmability allows flexibility to fit 80"–82-½" and 96"–98-½" rough openings.

Finish Options

Classic-Craft Mahogany entryways can be stained or painted any color.



See the difference stain can make.

Explore PrismaGuard™ finish and Same-Day®. Stain color options on pages 268–269.

Warranty Riders

✚ Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.

🌀 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.**

🔥 Fire-rated options available on solid-panel doors. See pages 230–235.



*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.

**Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Top: Classic-Craft Mahogany Collection, Zaha Glass, Door – CCM1851, Sidelites – CCM1851SL

Right Page: Classic-Craft Mahogany Collection, Lucerna Glass, Door – CCM702, Sidelites – CCM3412SL, Transom – LCET

Decorative Glass Designs



Homeward™ Page 64
Glass Privacy Rating: **4**



Arcadia™ Page 64
Glass Privacy Rating: **5**




Augustine™ Page 65
Glass Privacy Rating: **10**




Bella™ Page 65
Glass Privacy Rating: **6**



Arborwatch™ Page 66
Glass Privacy Rating: **6**



Borrassa™ Page 66
Glass Privacy Rating: **10**



Longford™ Page 67
Glass Privacy Rating: **8**



Zaha™ Page 67
Glass Privacy Rating: **3**



Lucerna™ Page 68
Glass Privacy Rating: **7**

Also Available:

Privacy & Textured Glass Page 68

Low-E Glass Page 69

Caming Options

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque



Homeward™

Classic-Craft®



CCM9925
3'0" x 6'8"



CCM9923
3'0" x 6'8"



CCM89922
3'0" x 8'0"



CCM9926
3'0" x 6'8"



CCM9925SL
12" x 6'8"
14" x 6'8"



CCM89925SL
12" x 8'0"
14" x 8'0"



HWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



HW30T
3'0" Door Only

Arcadia™



CCM109
3'0" x 6'8"



CCM209
3'0" x 6'8"



CCM894
3'0" x 8'0"



CCM309
3'0" x 6'8"



CCM609
3'0" x 6'8"



CCM709
3'0" x 6'8"



CCM809
3'0" x 6'8"



CCM3409SL
12" x 6'8"
14" x 6'8"



CCM8003SL
12" x 8'0"
14" x 8'0"



CCM3309SL
10" x 6'8"
12" x 6'8"
14" x 6'8"



CCM3509SL
12" x 6'8"
14" x 6'8"



ARHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



CC620T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC060T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC600T
3'0" Door Only

Augustine[®]x

Note: Product images show exterior side of door.



CCM30027
3'0" x 6'8"




CCM1485
3'0" x 6'8"



CCM805027
3'0" x 8'0"



CCM1495
3'0" x 6'8"



CCM3400XNSL
▲ 12" x 6'8"
14" x 6'8"

CCM8000XNSL
▲ 12" x 8'0"
14" x 8'0"

Note: Coordinating sidelites feature granite glass without wrought iron.

Bella[™]◆



CCM110B
3'0" x 6'8"



CCM210B
3'0" x 6'8"



CCM895B
3'0" x 8'0"



CCM310B
3'0" x 6'8"



CCM610B
3'0" x 6'8"



CCM710B
3'0" x 6'8"



CCM810B
3'0" x 6'8"



CCM3410BSL
▲ 12" x 6'8"
14" x 6'8"



CCM8004BSL
▲ 12" x 8'0"
14" x 8'0"



CCM3310BSL
▲ 10" x 6'8"
12" x 6'8"
14" x 6'8"



CCM3510BSL
▲ 10" x 6'8"
14" x 6'8"



BEBHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



BERT-B
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



BEET-B
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)


Arborwatch®



CCM1423
3'0" x 6'8"



CCM1419
3'0" x 6'8"



CCM81418
3'0" x 8'0"



CCM1424
3'0" x 6'8"



CCM1423SL CCM81423SL
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"




ABRT
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



AB30T
 3'0" Door Only

Borrassa®


Note: Product images show exterior side of door.



CCM1528
3'0" x 6'8"



CCM1475
3'0" x 6'8"



CCM81519
3'0" x 8'0"



CCM1465
3'0" x 6'8"




CCM3400XHSL CCM8000XHSL
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"

Note: Coordinating sidelites feature hammered glass without wrought iron.

Longford™ ◆◆

Note: Product images show exterior side of door.



CCM103
3'0" x 6'8"



CCM203
3'0" x 6'8"



CCM892
3'0" x 8'0"



CCM303
3'0" x 6'8"



CCM603
3'0" x 6'8"



CCM703
3'0" x 6'8"



CCM803
3'0" x 6'8"



CCM3403SL
▲ 12" x 6'8"
▲ 14" x 6'8"

CCM8001SL
▲ 12" x 8'0"
▲ 14" x 8'0"



CCM3303SL
▲ 10" x 6'8"
▲ 12" x 6'8"
▲ 14" x 6'8"



CCM3503SL
▲ 12" x 6'8"
▲ 14" x 6'8"



LFHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



LFRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LFET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LF30T
3'0" Door Only

Zaha® ◆◆

Note: Product images show exterior side of door.



CCM1851
3'0" x 6'8"



CCM1844
3'0" x 6'8"



CCM81843
3'0" x 8'0"



CCM1842
3'0" x 6'8"



CCM1851SL
▲ 12" x 6'8"
▲ 14" x 6'8"

CCM81851SL
▲ 12" x 8'0"
▲ 14" x 8'0"



CCM1843SL
▲ 10" x 6'8"
▲ 12" x 6'8"
▲ 14" x 6'8"



ZHHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



ZHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)

Lucerna


Classic-Craft[®]



CCM10022
3'0" x 6'8"



CCM204
3'0" x 6'8"



CCM898
3'0" x 8'0"



CCM302
3'0" x 6'8"



CCM612
3'0" x 6'8"



CCM702
3'0" x 6'8"



CCM822
3'0" x 6'8"



CCM3412SL
▲
12" x 6'8"
14" x 6'8"



CCM8102SL
▲
12" x 8'0"
14" x 8'0"



CCM3302SL
▲
10" x 6'8"
12" x 6'8"
14" x 6'8"



CCM3502SL
▲
12" x 6'8"
14" x 6'8"



LCHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



LCRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LCET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LC30T
3'0" Door Only

Privacy & Textured Glass



CCM200XC
CCM200XN
3'0" x 6'8"



CCM300XC
CCM300XN
3'0" x 6'8"



CCM600XE
3'0" x 6'8"



CCM3400XGSL
CCM3400XE
CCM3400XC
CCM3400XJSL
CCM3400XRSL
CCM3400XNSL
▲
12" x 6'8"
14" x 6'8"

CCM8000XGSL
CCM8000XC
CCM8000XJSL
CCM8000XRSL
CCM8000XNSL
▲
12" x 8'0"
14" x 8'0"

Privacy & Textured Glass Options

The underlined codes within the style numbers indicate the available privacy and textured glass options. For details on glass options, see pages 42-43.

XG = Geometric
NEW XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Note: See page 275 for important product details that may help with your purchase decision.

Right Page: Classic-Craft Mahogany Collection, Low-E Glass, Door – CCM200, Sidelites – CCM3300SL

Low-E Glass



CCM100
★
3'0" x 6'8"



CCM200
★
3'0" x 6'8"



CCM891
★
3'0" x 8'0"



CCM300
★
3'0" x 6'8"



CCM600
★
3'0" x 6'8"



CCM700
★
3'0" x 6'8"



CCM800
★
3'0" x 6'8"



CCM3400SL
▲★
12" x 6'8"
14" x 6'8"



CCM8000SL
▲★
12" x 8'0"
14" x 8'0"



CCM3300SL
▲★
10" x 6'8"
12" x 6'8"
14" x 6'8"



CCM3500SL
▲★
12" x 6'8"
14" x 6'8"



DLHRT
★
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19220T
★
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19020T
★
3'0" door + (2) 12" sidelites
Continuous Sill System Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19200T
★
3'0" Door Only



19210T
★
12" & 14"
Sidelite Only



Key

- ▲ Flush-Glazed Glass (FG)
- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Solid Panel



CCM890
3'0" x 8'0"



CCM60
3'0" x 6'8"



CCM701
3'0" x 6'8"



CCM801
3'0" x 6'8"



Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Mahogany Collection Door – CCM890; Low-E Glass, Sidelites – CCM8000SL

Right Page: Classic-Craft Mahogany Collection, Borrassa Glass, Door – CCM81519





Classic-Craft[®]
Entry Doors

THERMA TRU
DOORS



Featured Products

Popular looks
designed to inspire.





Classic-Craft®

Rustic

Collection™

Casually elegant wood graining.

Designed to complement American Southwest and European-inspired home styles, Classic-Craft Rustic premium fiberglass entryways feature casually elegant wood graining that can be coordinated with decorative glass and accessories to create enchanting entrances.

Classic-Craft® Rustic Collection™

Seamlessly blends Southwest and European styling with rustic wood grains to evoke Old World charm.



Architectural Character

- Architecturally correct design – up to 25% wider panels.*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.*
- EnLiten™ flush-glazed sidelites.
- Exclusive glass designs.
- Low-E glass standard.

Heavier Construction

- 20% heavier construction.*
- Top and bottom composite rails.
- 4" full-length engineered lumber lock stile for added weight and rigidity.
- Thicker fiberglass skins.

Available Sizes

- 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-½" of height trimmability allows flexibility to fit 80"–82-½" and 96"–98-½" rough openings.

Finish Options

Classic-Craft Rustic entryways can be stained or painted any color.



See the difference stain can make.

Explore PrismaGuard™ finish and Same-Day. Stain color options on pages 268–269.

Warranty Riders

✚ Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.

🌀 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.**

🔥 Fire-rated options available on solid-panel doors. See pages 230–235.



*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.

**Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Decorative Glass Designs



Homeward™
Page 76
Glass Privacy Rating: **4**



Arcadia™ Page 76
Glass Privacy Rating: **5**




Augustine® Page 77
Glass Privacy Rating: **10**



Bella™ Page 78
Glass Privacy Rating: **6**



Arborwatch®
Page 78
Glass Privacy Rating: **6**



Borrassa® Page 79
Glass Privacy Rating: **10**



Provincial™ Page 80
Glass Privacy Rating: **6**



Longford™ Page 81
Glass Privacy Rating: **8**



Cambridge™
Page 81
Glass Privacy Rating: **8**



Zaha® Page 82
Glass Privacy Rating: **3**



Lucerna® Page 83
Glass Privacy Rating: **7**

Also Available:

Privacy & Textured Glass
Page 84

Low-E Glass
Page 85

Caming Options

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◇ Brass Caming (1A)
- ✗ Wrought Iron (1W)

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Panel Embossments



2-Panel Square Top – WS



2-Panel Soft Arch
4-Panel Round Top
Arched 2-Panel Soft Arch
Radiused 4-Panel Round Top
2-Panel Round Top
Radiused 2-Panel Round Top



2-Panel Plank Soft Arch
Arched 2-Panel Plank Soft Arch
1-Panel Plank Soft Arch
2-Panel Plank Round Top
Radiused 2-Panel Plank Round Top



Arched Full Plank
Full Plank
Radiused Full Plank

Homeward™ ◆ ::



CCR9925
3'0" x 6'8"




CCR9921
3'0" x 6'8"



CCR9919
3'0" x 6'8"



CCR9918
3'0" x 6'8"



CCR822218
3'0" x 8'0"
3'6" x 8'0"

CCR89921
3'0" x 8'0"
3'6" x 8'0"

CCR89919
3'0" x 8'0"
3'6" x 8'0"

CCR89918
3'0" x 8'0"



CCR9925SL
▲
12" x 6'8"
14" x 6'8"

CCR89925SL
▲
12" x 8'0"
14" x 8'0"



HWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



HW30T
3'0" Door Only

Arcadia™ ◆ ::



CCR30029
3'0" x 6'8"



CCR804029
3'0" x 8'0"



CCR820529
3'0" x 8'0"



CCR820029
3'0" x 8'0"



CCR822229
3'0" x 8'0"



CCR3409SL
▲
12" x 6'8"
14" x 6'8"

CCR8009SL
▲
12" x 8'0"
14" x 8'0"



ARHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



CC060T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC620T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC600T
3'0" Door Only

Note: See page 275 for important product details that may help with your purchase decision.

Augustine[®]x

Note: Product images show exterior side of door.



CCR30027
3'0" x 6'8"



CCR04027 3'0" x 6'8" | CCR804027 3'0" x 8'0" / 3'6" x 8'0"



CCR04037 3'0" x 6'8" | CCR804037 3'0" x 8'0" / 3'6" x 8'0"



CCR04037A 3'0" x 6'8" | CCR804037A 3'0" x 8'0" / 3'6" x 8'0"



CCR20527 3'0" x 6'8" | CCR820527 3'0" x 8'0" / 3'6" x 8'0"



CCR20537 3'0" x 6'8" | CCR820537 3'0" x 8'0" / 3'6" x 8'0"



CCR20537A 3'0" x 6'8" | CCR820537A 3'0" x 8'0" / 3'6" x 8'0"



CCR20027 3'0" x 6'8" | CCR820027 3'0" x 8'0"



CCR822227 3'0" x 8'0" / 3'6" x 8'0"



CCR20037 3'0" x 6'8" | CCR820037 3'0" x 8'0"



CCR20037A 3'0" x 6'8" | CCR820037A 3'0" x 8'0"



CCR3400XNSL 12" x 6'8" / 14" x 6'8" | CCR8000XNSL 12" x 8'0" / 14" x 8'0"

Note: Coordinating sidelites feature granite glass without wrought iron.

Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)

Bella™



CCR30024B
3'0" x 6'8"



CCR804024B
3'0" x 8'0"



CCR820524B
3'0" x 8'0"



CCR820024B
3'0" x 8'0"



CCR822224B
3'0" x 8'0"



CCR3410BSL	CCR8010BSL
▲ 12" x 6'8"	▲ 12" x 8'0"
14" x 6'8"	14" x 8'0"



BEBHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



BEET-B
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



BERT-B
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Arborwatch™



CCR1423
3'0" x 6'8"



CCR1417
3'0" x 6'8"



CCR81417
3'0" x 8'0"
3'6" x 8'0"



CCR1415
3'0" x 6'8"



CCR81415
3'0" x 8'0"
3'6" x 8'0"



CCR1414
3'0" x 6'8"



CCR81414
3'0" x 8'0"



CCR822214
3'0" x 8'0"
3'6" x 8'0"



CCR1423SL	CCR81423SL
▲ 12" x 6'8"	▲ 12" x 8'0"
14" x 6'8"	14" x 8'0"



ABRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



AB30T
3'0" Door Only

Note: See page 275 for important product details that may help with your purchase decision.

Right Page: Classic-Craft Rustic Collection, Borrassa Glass, Door – CCR1515, Strap Hinges, Finish – Driftwood

Borrassa[®]x

Note: Product images show exterior side of door.



CCR1528
3'0" x 6'8"



CCR1518 | CCR81518
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



CCR1514 | CCR81514
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



CCR1514A | CCR81514A
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



CCR1516 | CCR81516
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



CCR1512 | CCR81512
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



CCR1512A | CCR81512A
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



CCR1515 | CCR81515
3'0" x 6'8" | 3'0" x 8'0"



CCR822215
3'0" x 8'0"
3'6" x 8'0"



CCR1511 | CCR81511
3'0" x 6'8" | 3'0" x 8'0"



CCR1511A | CCR81511A
3'0" x 6'8" | 3'0" x 8'0"



CCR3400XHSL | CCR8000XHSL
▲ 12" x 6'8" | ▲ 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Note: Coordinating sidelites feature hammered glass without wrought iron.

Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)

Provincial™

Classic-Craft®



CCR30028
3'0" x 6'8"



CCR804028
3'0" x 8'0"



CCR820528
3'0" x 8'0"



CCR820028
3'0" x 8'0"



CCR822228
3'0" x 8'0"



CCR3408SL
12" x 6'8"
14" x 6'8"

CCR8008SL
12" x 8'0"
14" x 8'0"



PRHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



CC040T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC420T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC400T
3'0" Door Only



Note: See page 275 for important product details that may help with your purchase decision.
Bottom: Classic-Craft Rustic Collection, Provincial Glass, Doors – CCR804028

Longford™

Note: Product images show exterior side of door.



CCR30023
3'0" x 6'8"



CCR04023 | CCR804023
3'0" x 6'8" | 3'0" x 8'0"



CCR20523 | CCR820523
3'0" x 6'8" | 3'0" x 8'0"



CCR20023 | CCR820023
3'0" x 6'8" | 3'0" x 8'0"



CCR822223
3'0" x 8'0"



CCR3407SL | CCR8007SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



LFHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



LFET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LFRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LF30T
3'0" Door Only

Cambridge™



CCR30026
3'0" x 6'8"



CCR804026
3'0" x 8'0"



CCR820526
3'0" x 8'0"



CCR820026
3'0" x 8'0"



CCR822226
3'0" x 8'0"



CCR3406SL | CCR8006SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



CBHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



CC090T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC920T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC900T
3'0" Door Only

Key

- 🔥 Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)

Note: Product images show exterior side of door.



CCR1851
3'0" x 6'8"



CCR1841
3'0" x 6'8"



CCR1841
3'0" x 8'0"



CCR81847
3'0" x 8'0"



CCR81847A
3'0" x 8'0"



CCR1839
3'0" x 6'8"



CCR81839
3'0" x 8'0"



CCR81846
3'0" x 8'0"



CCR81846A
3'0" x 8'0"



CCR1838
3'0" x 6'8"



CCR81838
3'0" x 8'0"



CCR822238
3'0" x 8'0"



CCR81845
3'0" x 8'0"



CCR81845A
3'0" x 8'0"



CCR1851SL
12" x 6'8"
14" x 6'8"



CCR81851SL
12" x 8'0"
14" x 8'0"



ZHHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



ZHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Rustic Collection, Zaha Glass, Door – CCR1851, Sidelites – CCR1851SL, Finish – New Earth
Right Page: Classic-Craft Rustic Collection, Lucerna Glass, Door – CCR820032, Finish – Raven

Lucerna



CCR10022
3'0" x 6'8"



CCR04022 3'0" x 6'8"
CCR804022 3'0" x 8'0"
3'6" x 8'0"



CCR20522 3'0" x 6'8"
CCR820522 3'0" x 8'0"
3'6" x 8'0"



CCR20022 3'0" x 6'8"
CCR820022 3'0" x 8'0"



CCR822222 3'0" x 8'0"
3'6" x 8'0"



CCR820532 3'0" x 8'0"



CCR820532A 3'0" x 8'0"



CCR820032 3'0" x 8'0"



CCR820032A 3'0" x 8'0"



CCR804032 3'0" x 8'0"



CCR804032A 3'0" x 8'0"



CCR3412SL
▲ 12" x 6'8"
14" x 6'8"

CCR8102SL
▲ 12" x 8'0"
14" x 8'0"



LCHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



LCET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LCRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LC30T
3'0" Door Only

Key

-  Flush-Glazed Glass (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)

Privacy & Textured Glass



CCR04020XC | CCR804020XC
 CCR04020XN | CCR804020XN
 3'0" x 6'8" | 3'0" x 8'0"



CCR20520XC | CCR820520XC | CCR20020XC | CCR820020XC | CCR822220XC | CCR804030XC
 CCR20520XN | CCR820520XN | CCR20020XN | CCR820020XN | CCR822220XN | CCR804030XN
 3'0" x 6'8" | 3'0" x 8'0" | 3'0" x 6'8" | 3'0" x 8'0" | 3'0" x 8'0" | 3'0" x 8'0"



CCR820530XC | CCR820030XC | CCR804030AXC | CCR820530AXC
 CCR820530XN | CCR820030XN | CCR804030AXN | CCR820530AXN
 3'0" x 8'0" | 3'0" x 8'0" | 3'0" x 8'0" | 3'0" x 8'0"



CCR820030AXC | CCR3400XGSL | CCR8000XGSL
 CCR820030AXN | CCR3400XESL | CCR8000XCGL
 3'0" x 8'0" | CCR3400XCGL | CCR8000XJSL
 CCR3400XJSL | CCR8000XRSL
 CCR3400XRSL | CCR8000XNSL
 CCR3400XNSL | 12" x 8'0"
 12" x 6'8" | 14" x 8'0"
 14" x 6'8"

Privacy & Textured Glass Options

The underlined codes within the style numbers indicate the available privacy and textured glass options. For details on glass options, see pages 42-43.

XG = Geometric
NEW XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Rustic Collection, Granite Glass, Door – CCR20520XN, Sidelites – CCR3400XNSL
 Right Page: Classic-Craft Rustic Collection, Low-E Glass, Door – CCR20520

Low-E Glass



CCR30020
 * 3'0" x 6'8"



CCR04020 * 3'0" x 6'8"	CCR804020 * 3'0" x 8'0" * 3'6" x 8'0"	CCR804030 * 3'0" x 8'0"	CCR804030A * 3'0" x 8'0"	CCR20520 * 3'0" x 6'8"	CCR820520 * 3'0" x 8'0" * 3'6" x 8'0"
---------------------------	---	----------------------------	-----------------------------	---------------------------	---



CCR820530 * 3'0" x 8'0"	CCR820530A * 3'0" x 8'0"	CCR20020 * 3'0" x 6'8"	CCR820020 * 3'0" x 8'0"	CCR822220 * 3'0" x 8'0" * 3'6" x 8'0"	CCR820030 * 3'0" x 8'0"
----------------------------	-----------------------------	---------------------------	----------------------------	---	----------------------------



CCR820030A * 3'0" x 8'0"	CCR3400SL * 12" x 6'8" * 14" x 6'8"	CCR8000SL * 12" x 8'0" * 14" x 8'0"	DLHRT * 3'0" door + (2) 12" sidelites * 3'0" door + (2) 14" sidelites * Continuous / Boxed Sill Systems	19020T * 3'0" door + (2) 12" sidelites * Continuous Sill Systems Only * 3'0" door + (2) 14" sidelites * Continuous / Boxed Sill Systems	19220T * 3'0" door + (2) 12" sidelites * 3'0" door + (2) 14" sidelites * Continuous / Boxed Sill Systems	19200T * 3'0" Door Only	19210T * 12" & 14" Sidelite Only
-----------------------------	---	---	--	---	---	----------------------------	-------------------------------------

Key

-  Flush-Glazed Glass (FG)
-  Low-E Glass (LE)

Solid Panel



CCR205
3'0" x 6'8"

CCR8205
3'0" x 8'0"
3'6" x 8'0"



CCR205A
3'0" x 6'8"

CCR8205A
3'0" x 8'0"
3'6" x 8'0"



CCR8225
3'0" x 8'0"
3'6" x 8'0"



CCR8225R
3'0" x 8'0"
3'6" x 8'0"



CCR8005
3'0" x 8'0"



CCR8005A
3'0" x 8'0"



CCR040
3'0" x 6'8"

CCR8040
3'0" x 8'0"
3'6" x 8'0"



CCR040R
3'0" x 6'8"

CCR8040R
3'0" x 8'0"
3'6" x 8'0"



CCR8222
3'0" x 8'0"
3'6" x 8'0"



CCR200
3'0" x 6'8"

CCR8200
3'0" x 8'0"



CCR200A
3'0" x 6'8"

CCR8200A
3'0" x 8'0"



CCR8220
3'0" x 8'0"



CCR8220R
3'0" x 8'0"



CCR100
3'0" x 6'8"

CCR8100
3'0" x 8'0"
3'6" x 8'0"



CCR100A
3'0" x 6'8"

CCR8100A
3'0" x 8'0"
3'6" x 8'0"



CCR100R
3'0" x 6'8"

CCR8100R
3'0" x 8'0"
3'6" x 8'0"

Note: See page 275 for important product details that may help with your purchase decision.

Right Page: Classic-Craft Rustic Collection Door – CCR8222; Low-E Glass, Sidelite – CCR8000SL

Key

WBDR / HVHZ Options





Featured Products

Popular looks designed to inspire.



Classic-Craft®

Oak

Collection™

Warm wood graining.

With warm wood graining, Classic-Craft Oak premium fiberglass entryways are designed as the perfect complement to homes with Traditional styling.

Classic-Craft® Oak Collection™

Features warm wood grains with the look of classic Oak, suitable for homes with Traditional styling.



Architectural Character

- Architecturally correct design – up to 25% wider panels.*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.*
- EnLiten™ flush-glazed sidelites.
- Exclusive glass designs.
- Low-E glass standard.

Heavier Construction

- 20% heavier construction.*
- Top and bottom composite rails.
- 4" full-length engineered lumber lock stile for added weight and rigidity.
- Thicker fiberglass skins.

Available Sizes

- 2'8", 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-½" of height trimmability allows flexibility to fit 80"–82-½" and 96"–98-½" rough openings.

Finish Options

Classic-Craft Oak entryways can be stained or painted any color.



See the difference stain can make.

Explore PrismaGuard™ finish and Same-Day. Stain color options on pages 268–269.

Warranty Riders

✚ Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.

🌀 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.**

🔥 Fire-rated options available on solid-panel doors. See pages 230–235.



*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.

**Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Top: Classic-Craft Oak Collection, Bella Glass, Door – CC114B, Sidelites – CC2080BSL, Transom – BEBHRT

Right Page: Classic-Craft Oak Collection, Provincial Glass, Door – CC97, Sidelites – CC2040SL, Transom – CC420T

Decorative Glass Designs



Homeward™
Page 92
Glass Privacy Rating: **4**



Arcadia™ Page 92
Glass Privacy Rating: **5**



Bella™ Page 93
Glass Privacy Rating: **6**



Arborwatch™
Page 93
Glass Privacy Rating: **6**



Provincial™ Page 94
Glass Privacy Rating: **6**



Cambridge™
Page 95
Glass Privacy Rating: **8**



Lucerna™ Page 96
Glass Privacy Rating: **7**

Also Available:

Privacy & Textured Glass
Page 97

Low-E Glass
Page 97

Glass Privacy Rating Scale



Caming Options

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

▶ Removable wood grilles available.



Homeward™ ◆◆

Classic-Craft®



CC9925
3'0" x 6'8"



CC9922 3'0" x 6'8" | CC89922 3'0" x 8'0"



CC89924
3'0" x 8'0"



CC9926
3'0" x 6'8"



CC9925SL
▲ 12" x 6'8"
14" x 6'8" | CC89925SL
▲ 12" x 8'0"
14" x 8'0"



HWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



HW30T
3'0" Door Only

Arcadia™ ◆◆◆



CC109
3'0" x 6'8"



CC99 3'0" x 6'8" | CC899 3'0" x 8'0"



CC839
3'0" x 8'0"



CC45
2'8" x 6'8"
3'0" x 6'8"



CC79
3'0" x 6'8"



CC19
3'0" x 6'8"



CC2060SL
▲ 12" x 6'8"
14" x 6'8" | CC8009SL
▲ 12" x 8'0"
14" x 8'0"



CC2279SL
▲ 12" x 6'8"
14" x 6'8"



CC2160SL
▲ 12" x 6'8"
14" x 6'8"



CC1019SL
▲ 12" x 6'8"
14" x 6'8"



ARHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



CC620T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC060T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC600T
3'0" Door Only

Bella™



CC111B
3'0" x 6'8"



CC114B
3'0" x 6'8"

CC901B
3'0" x 8'0"



CC900B
3'0" x 8'0"



CC110B
3'0" x 6'8"



CC113B
3'0" x 6'8"



CC112B
3'0" x 6'8"



CC2080BSL
▲ 12" x 6'8"
▲ 14" x 6'8"



CC8010BSL
▲ 12" x 8'0"
▲ 14" x 8'0"



CC1020BSL
▲ 12" x 6'8"
▲ 14" x 6'8"



BEBHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems




BEET-B
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



BERT-B
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Arborwatch®



CC1423
3'0" x 6'8"



CC1418
3'0" x 6'8"

CC81418
3'0" x 8'0"



CC81420
3'0" x 8'0"



CC1424
3'0" x 6'8"



CC1423SL
▲ 12" x 6'8"
▲ 14" x 6'8"

CC81423SL
▲ 12" x 8'0"
▲ 14" x 8'0"



ABRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



AB30T
3'0" Door Only

Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Provincial™

Classic-Craft®



CC107
3'0" x 6'8"



CC97 3'0" x 6'8" | CC897 3'0" x 8'0"



CC837 3'0" x 8'0"



CC47 2'8" x 6'8"
3'0" x 6'8"



CC77 3'0" x 6'8"




CC17 3'0" x 6'8"



CC2040SL
12" x 6'8"
14" x 6'8"



CC8007SL
12" x 8'0"
14" x 8'0"



CC2277SL
12" x 6'8"
14" x 6'8"



CC2140SL
12" x 6'8"
14" x 6'8"



CC1017SL
12" x 6'8"
14" x 6'8"



PRHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



CC040T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC420T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC400T
3'0" Door Only



Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Oak Collection, Provincial Glass, Door – CC97, Sidelites – CC2040SL, Transom – CC420T
Right Page: Classic-Craft Oak Collection, Cambridge Glass, Door – CC96, Sidelites – CC2044SL

Cambridge™



CC106
3'0" x 6'8"



CC96 3'0" x 6'8" | CC896 3'0" x 8'0"



CC836 3'0" x 8'0"



CC44 2'8" x 6'8"
3'0" x 6'8"



CC76 3'0" x 6'8"



CC16 3'0" x 6'8"



CC2044SL 12" x 6'8"
14" x 6'8" | CC8006SL 12" x 8'0"
14" x 8'0"



CC2276SL 12" x 6'8"
14" x 6'8"



CC2144SL 12" x 6'8"
14" x 6'8"



CC1016SL 12" x 6'8"
14" x 6'8"



CBHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



CC090T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC920T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC900T
3'0" Door Only



Key


- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)

Lucerna


Classic-Craft[®]



CC10022
3'0" x 6'8"



CC922 3'0" x 6'8" | CC898 3'0" x 8'0"



CC833 3'0" x 8'0"



CC612 3'0" x 6'8"



CC78 3'0" x 6'8"



CC822 3'0" x 6'8"



CC3412SL
▲ 12" x 6'8"
14" x 6'8"



CC8102SL
▲ 12" x 8'0"
14" x 8'0"



CC2272SL
▲ 12" x 6'8"
14" x 6'8"



CC2122SL
▲ 12" x 6'8"
14" x 6'8"



CC3502SL
▲ 12" x 6'8"
14" x 6'8"



LCHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



LCRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LCET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LC30T
3'0" Door Only



Note: See page 275 for important product details that may help with your purchase decision.
Bottom: Classic-Craft Oak Collection, Lucerna Glass, Door – CC922, Sidelites – CC3412SL

Privacy & Textured Glass

Note: Removable wood grilles shown on interior side of door.



NEW
CC48XE
3'0" x 6'8"



NEW
CC49XE
3'0" x 6'8"



CC2025XGSL
CC2025XESL
CC2025XCGL
CC2025XJSL
CC2025XRSL
CC2025XNSL
▶
12" x 6'8"
14" x 6'8"



CC2020XGSL
CC2020XESL
CC2020XCGL
CC2020XJSL
CC2020XRSL
CC2020XNSL
▶
12" x 6'8"
14" x 6'8"

CC8000XGSL
CC8000XCGL
CC8000XJSL
CC8000XRSL
CC8000XNSL
▶
12" x 8'0"
14" x 8'0"

Low-E Glass with Divided Lites



CC102
▶
3'0" x 6'8"



CC92
▶
3'0" x 6'8"

CC892
▶
3'0" x 8'0"



CC49
▶
2'8" x 6'8"
3'0" x 6'8"



CC832
▶
3'0" x 8'0"



CC2025SL
▶
12" x 6'8"
14" x 6'8"



19020T
▶
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems
Grille Sticks Applied



19220T
▶
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems
Grille Sticks Applied



19200T
▶
3'0" Door Only
Grille Sticks Applied

Privacy & Textured Glass Options

The underlined codes within the style numbers indicate the available privacy and textured glass options. For details on glass options, see pages 42–43.

XG = Geometric
NEW XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Key

- ▶ Flush-Glazed Glass (FG)
- ▶ Low-E Glass (LE)
- ▶ Black Nickel Caming (1D)
- ▣ Brushed Nickel Caming (1C)
- ▶ Removable Wood Grilles (RG)

Low-E Glass



CC100
*
3'0" x 6'8"



CC90
*
3'0" x 6'8"

CC890
*
3'0" x 8'0"



CC48
*
2'8" x 6'8"
3'0" x 6'8"



CC830
*
3'0" x 8'0"



CC70
*
3'0" x 6'8"



CC10
*
3'0" x 6'8"



CC811
*
3'0" x 8'0"
3'6" x 8'0"



CC61
*
3'0" x 6'8"



CC2020SL
*
12" x 6'8"
14" x 6'8"

CC8000SL
*
12" x 8'0"
14" x 8'0"



CC2270SL
*
12" x 6'8"
14" x 6'8"



CC2120SL
*
12" x 6'8"
14" x 6'8"



CC1010SL
*
12" x 6'8"
14" x 6'8"



DLHRT
*
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19020T
*
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19220T
*
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19200T
*
3'0" Door Only



19210T
*
12" & 14"
Sidelite Only

Solid Panel



CC91
3'0" x 6'8"



CC831
3'0" x 8'0"



CC40
3'6" x 6'8"



CC11
3'0" x 6'8"



CC810
3'0" x 8'0"
3'6" x 8'0"



CC60
2'8" x 6'8"
3'0" x 6'8"

CC860
3'6" x 8'0"



Key

-  Flush-Glazed Glass (FG)
-  Low-E Glass (LE)
-  WBDR / HVHZ Options



Classic-Craft[®]
Entry Doors

THERMA TRU[®]
DOORS



Featured Products

Popular looks
designed to inspire.





Classic-Craft®

Canvas

Collection®

Premium paintable surfaces.

The first premium smooth, paintable fiberglass door to carry the Therma-Tru® brand name, Classic-Craft Canvas is designed for homeowners seeking the aesthetics of a sleek, modern entryway that can be adapted to suit multiple styles.

Classic-Craft® Canvas Collection.

Creates a sleek, modern entryway with a smooth, paintable surface for virtually unlimited color options both inside and out.



Architectural Character

- Architecturally correct design – up to 25% wider panels.*
- Deeper embossments.
- Solid hardwood square edges.
- More than 10% wider glass.*
- EnLiten™ flush-glazed designs.
- Exclusive glass designs.
- Low-E glass standard.

Heavier Construction

- 20% heavier construction.*
- Top and bottom composite rails.
- 4" full-length engineered lumber lock stile for added weight and rigidity.
- Thicker fiberglass skins.

Available Sizes

- 3'0" wide doors in 6'8" and 8'0" heights.
- 2-1/2" of height trimmability allows flexibility to fit 80"–82-1/2" and 96"–98-1/2" rough openings.

Finish Options

Classic-Craft Canvas entryways can be painted any color.



Warranty Riders

- ✚ Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.
- 6 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.**
- 🔥 Fire-rated options available on solid-panel doors. See pages 230–235.



*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.

**Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.


Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Top: Classic-Craft Canvas Collection Door – CCV050; Low-E Glass, Sidelite – CCV100SL

Decorative Glass Designs



Villager™ Page 104
Glass Privacy Rating: **5**




Homeward™ Page 104
Glass Privacy Rating: **4**



Arcadia™ Page 105
Glass Privacy Rating: **5**



Augustine® Page 106
Glass Privacy Rating: **10**



Bella™ Page 106
Glass Privacy Rating: **6**



Arborwatch® Page 107
Glass Privacy Rating: **6**



Borrassa® Page 108
Glass Privacy Rating: **10**



Provincial™ Page 108
Glass Privacy Rating: **6**



Longford™ Page 109
Glass Privacy Rating: **8**



Cambridge™ Page 110
Glass Privacy Rating: **8**



Zaha® Page 110
Glass Privacy Rating: **3**



Lucerna® Page 111
Glass Privacy Rating: **7**

Also Available:

Privacy & Textured Glass

Page 112

Low-E Glass

Page 113

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Caming Options

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)

▶ Simulated divided lites (SDLs) and removable wood grilles available.

Panel Embossments



4-Panel Square Top
6-Panel



2-Panel Plank Soft Arch
Arched 2-Panel Plank
Soft Arch



2-Panel Square
Top - WS



2-Panel 3/4 Top
3-Panel
5-Panel



Craftsman-Lite
1-Panel Plank

Villager™




CCV912
3'0" x 6'8"



CCV922
3'0" x 6'8"



CCV932
3'0" x 6'8"




CCV912SL
12" x 6'8"
14" x 6'8"



CCV9012SL
12" x 6'8"
14" x 6'8"

CCV8112SL
12" x 8'0"
14" x 8'0"

Homeward™



CCV9925
3'0" x 6'8"



CCV9922
3'0" x 6'8"



CCV89922
3'0" x 8'0"



CCV9919
3'0" x 6'8"



CCV89919
3'0" x 8'0"



CCV9918
3'0" x 6'8"



CCV89918
3'0" x 8'0"



CCV9926
3'0" x 6'8"



CCV89921
3'0" x 8'0"



CCV89924
3'0" x 8'0"



CCV911
3'0" x 6'8"



CCV921
3'0" x 6'8"



CCV931
3'0" x 6'8"



CCV911SL
12" x 6'8"
14" x 6'8"



CCV8111SL
12" x 8'0"
14" x 8'0"



CCV9011SL
12" x 6'8"
14" x 6'8"



HWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



HW30T
3'0" Door Only

Note: See page 275 for important product details that may help with your purchase decision.

Right Page: Classic-Craft Canvas Collection, Homeward Glass, Door – CCV9925, Sidelites – CCV911SL, Transom – HWRT

Arcadia™ ◆◆



CCV10029
3'0" x 6'8"



CCV05029 | CCV805029
3'0" x 6'8" | 3'0" x 8'0"



CCV820529
3'0" x 8'0"




CCV822029
3'0" x 8'0"




CCV06029 | CCV806029
3'0" x 6'8" | 3'0" x 8'0"



CCV803029
3'0" x 8'0"



CCV109SL | CCV8109SL
◆ 12" x 6'8" | ◆ 12" x 8'0"
◆ 14" x 6'8" | ◆ 14" x 8'0"



ARRHT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



CC620T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC060T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC600T
3'0" Door Only



Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Simulated Divided Lites (SDL)

Optional Dentil Shelf



4-Block Dentil Shelf
Available for all Craftsman-style
Canvas Collection doors.

Augustine[®]x

Note: Product images show exterior side of door.



CCV10027
3'0" x 6'8"



CCV05027 | CCV805027
3'0" x 6'8" | 3'0" x 8'0"



CCV20527 | CCV820527
3'0" x 6'8" | 3'0" x 8'0"



CCV22027 | CCV822027
3'0" x 6'8" | 3'0" x 8'0"



CCV20537 | CCV820537
3'0" x 6'8" | 3'0" x 8'0"



CCV20537A | CCV820537A
3'0" x 6'8" | 3'0" x 8'0"



CCV803027
3'0" x 8'0"



CCV806027
3'0" x 8'0"



CCV100XNSL | CCV8100XNSL
▲ 12" x 6'8" | ▲ 12" x 8'0"
▲ 14" x 6'8" | ▲ 14" x 8'0"

Note:
Coordinating
sidelites feature
granite glass
without
wrought iron.

Bella[™] ♦



CCV10024B
3'0" x 6'8"



CCV05024B | CCV805024B
3'0" x 6'8" | 3'0" x 8'0"



CCV820524B
3'0" x 8'0"



CCV822024B
3'0" x 8'0"



CCV06024B | CCV806024B
3'0" x 6'8" | 3'0" x 8'0"



CCV803024B
3'0" x 8'0"



CCV104BSL
▲ 12" x 6'8"
▲ 14" x 6'8"

CCV8104BSL
▲ 12" x 8'0"
▲ 14" x 8'0"



BEBHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems




BERT-B
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



BEET-B
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Arborwatch.◆❑



CCV1423
3'0" x 6'8"



CCV1418 3'0" x 6'8" | CCV81418 3'0" x 8'0"



CCV1415 3'0" x 6'8" | CCV81415 3'0" x 8'0"



CCV1414 3'0" x 6'8" | CCV81414 3'0" x 8'0"



CCV1424 3'0" x 6'8" | CCV81417 3'0" x 8'0"



CCV81420
3'0" x 8'0"




CCV4100
▲ 3'0" x 6'8"



CCV4200
▲ 3'0" x 6'8"



CCV4300
▲ 3'0" x 6'8"



CCV1423SL
▲ 12" x 6'8"
▲ 14" x 6'8"



CCV81423SL
▲ 12" x 8'0"
▲ 14" x 8'0"

CCV4100SL
▲ 12" x 6'8"
▲ 14" x 6'8"



ABRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



AB30T
3'0" Door Only

Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ❑ Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)

Simulated Divided Lites (SDL)


Optional Dentil Shelf

4-Block Dentil Shelf
Available for all Craftsman-style
Canvas Collection doors.

Borrassa[®]x

Note: Product images show exterior side of door.

Classic-Craft[®]



CCV1528
3'0" x 6'8"




CCV1519 | CCV81519
3'0" x 6'8" | 3'0" x 8'0"



CCV1516 | CCV81516
3'0" x 6'8" | 3'0" x 8'0"



CCV1515 | CCV81515
3'0" x 6'8" | 3'0" x 8'0"



CCV1512 | CCV81512
3'0" x 6'8" | 3'0" x 8'0"



CCV1512A | CCV81512A
3'0" x 6'8" | 3'0" x 8'0"



CCV81518
3'0" x 8'0"



CCV81520
3'0" x 8'0"



CCV100XHSL | CCV8100XHSL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Note: Coordinating sidelites feature hammered glass without wrought iron.

Provincial[™] ♦ ❖



CCV10028
3'0" x 6'8"



CCV05028 | CCV805028
3'0" x 6'8" | 3'0" x 8'0"



CCV820528
3'0" x 8'0"




CCV822028
3'0" x 8'0"



CCV06028 | CCV806028
3'0" x 6'8" | 3'0" x 8'0"



CCV803028
3'0" x 8'0"



CCV108SL
▲ 12" x 6'8"
▲ 14" x 6'8"

CCV8108SL
▲ 12" x 8'0"
▲ 14" x 8'0"



PRHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



CC420T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC040T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC400T
3'0" Door Only

Longford™ ◆ ◆

Note: Product images show exterior side of door.



CCV10023
3'0" x 6'8"



CCV05023 | CCV805023
3'0" x 6'8" | 3'0" x 8'0"



CCV20523 | CCV820523
3'0" x 6'8" | 3'0" x 8'0"



CCV22023 | CCV822023
3'0" x 6'8" | 3'0" x 8'0"



CCV06023 | CCV806023
3'0" x 6'8" | 3'0" x 8'0"



CCV803023
3'0" x 8'0"



CCV103SL | CCV8103SL
▲ 12" x 6'8" | ▲ 12" x 8'0"
▲ 14" x 6'8" | ▲ 14" x 8'0"




LFHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



LFRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LFET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LF30T
3'0" Door Only

Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)

Cambridge


Classic-Craft



CCV10026
3'0" x 6'8"



CCV05026 | CCV805026
3'0" x 6'8" | 3'0" x 8'0"



CCV820526
3'0" x 8'0"



CCV822026
3'0" x 8'0"



CCV06026 | CCV806026
3'0" x 6'8" | 3'0" x 8'0"



CCV803026
3'0" x 8'0"



CCV106SL | CCV8106SL
▲ 12" x 6'8" | ▲ 12" x 8'0"
14" x 6'8" | 14" x 8'0"



CBHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



CC920T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only




CC090T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC900T
3'0" Door Only
3'0" Door Only

Zaha

Note: Product images show exterior side of door.



CCV1851
3'0" x 6'8"



CCV1843 | CCV81843
3'0" x 6'8" | 3'0" x 8'0"



CCV1839 | CCV81839
3'0" x 6'8" | 3'0" x 8'0"



CCV1838 | CCV81838
3'0" x 6'8" | 3'0" x 8'0"



CCV81841
3'0" x 8'0"




CCV81840
3'0" x 8'0"




CCV81846
3'0" x 8'0"



CCV81846A
3'0" x 8'0"



CCV1851SL
●
12" x 6'8"
14" x 6'8"



CCV81851SL
●
12" x 8'0"
14" x 8'0"



ZHHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems




ZHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only


Lucerna ♦ ❖



CCV10022
3'0" x 6'8"



CCV05022
3'0" x 6'8"



CCV805022
3'0" x 8'0"



CCV20522
3'0" x 6'8"



CCV820522
3'0" x 8'0"



CCV22022
3'0" x 6'8"



CCV822022
3'0" x 8'0"



CCV06022
3'0" x 6'8"



CCV806022
3'0" x 8'0"



CCV803022
3'0" x 8'0"



CCV820532
3'0" x 8'0"



CCV820532A
3'0" x 8'0"



CCV3412SL
●
12" x 6'8"
14" x 6'8"



CCV8102SL
●
12" x 8'0"
14" x 8'0"



LCHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



LCET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LCRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LC30T
3'0" Door Only

Key

- Flush-Glazed Glass (FG)
- ♦ Black Nickel Caming (1D)
- ❖ Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)

Privacy & Textured Glass with Divided Lites



CCV05012XC
CCV05012XN
>
3'0" x 6'8"



CCV822012XC
CCV822012XN
>
3'0" x 8'0"



CCV820512XC
CCV820512XN
>
3'0" x 8'0"



NEW
CCV0609XE
>
3'0" x 6'8"



CCV806012XC
CCV806012XN
>
3'0" x 8'0"



CCV803012XC
CCV803012XN
>
3'0" x 8'0"



CCV920XG
CCV920XC
CCV920XJ
CCV920XR
CCV920XN
▲▲
3'0" x 6'8"



CCV930XG
CCV930XC
CCV930XJ
CCV930XR
CCV930XN
▲▲
3'0" x 6'8"



CCV940XG
CCV940XC
CCV940XJ
CCV940XR
CCV940XN
▲▲
3'0" x 6'8"



CCV960XG
CCV960XC
CCV960XJ
CCV960XR
CCV960XN
▲▲
3'0" x 6'8"



CCV8950XGSL
CCV8950XCSSL
CCV8950XJSL
CCV8950XRSL
CCV8950XNSL
▲▲
12" x 8'0"
14" x 8'0"



CCV950XGSL
CCV950XCSSL
CCV950XJSL
CCV950XRSL
CCV950XNSL
▲▲
12" x 6'8"
14" x 6'8"



CCV920XGSL
CCV920XCSSL
CCV920XJSL
CCV920XRSL
CCV920XNSL
▲▲
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass



CCV05020XC
CCV05020XN
3'0" x 6'8"



CCV20520XC
CCV20520XN
3'0" x 6'8"



CCV22020XC
CCV22020XN
3'0" x 6'8"



NEW
CCV06020XE
3'0" x 6'8"



CCV806020XC
CCV806020XN
3'0" x 8'0"

Privacy & Textured Glass Options

The underlined codes within the style numbers indicate the available privacy and textured glass options. For details on glass options, see pages 42–43.

XG = Geometric

NEW XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite



CCV820530XC
CCV820530XN
3'0" x 8'0"



CCV820530AXC
CCV820530AXN
3'0" x 8'0"



CCV910XG
CCV910XC
CCV910XJ
CCV910XR
CCV910XN
3'0" x 6'8"



CCV100XGSL
CCV100XESL
CCV100XCSSL
CCV100XJSL
CCV100XRSL
CCV100XNSL
12" x 6'8"
14" x 6'8"



CCV8100XGSL
CCV8100XCSSL
CCV8100XJSL
CCV8100XRSL
CCV8100XNSL
12" x 8'0"
14" x 8'0"

CCV910XGSL
CCV910XCSSL
CCV910XJSL
CCV910XRSL
CCV910XNSL
12" x 6'8"
14" x 6'8"

Low-E Glass with Divided Lites



CCV10015
3'0" x 6'8"



CCV05012
3'0" x 6'8"



CCV805015
3'0" x 8'0"



CCV822012
3'0" x 8'0"



CCV820512
3'0" x 8'0"



CCV0609
3'0" x 6'8"



CCV806012
3'0" x 8'0"



CCV803012
3'0" x 8'0"



CCV920
3'0" x 6'8"



CCV930
3'0" x 6'8"



CCV940
3'0" x 6'8"



CCV960
3'0" x 6'8"



CCV950SL
12" x 6'8"
14" x 6'8"



CCV8950SL
12" x 8'0"
14" x 8'0"



CCV9020SL
12" x 6'8"
14" x 6'8"



19020T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems
Grille Sticks Applied



19220T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems
Grille Sticks Applied



19200T
3'0" Door Only
Grille Sticks Applied

Key

- Flush-Glazed Glass (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Removable Wood Grilles (RG)

Optional Dentil Shelf

- 4-Block Dentil Shelf
Available for all Craftsman-style Canvas Collection doors.

Low-E Glass

Classic-Craft®



CCV10020
*
3'0" x 6'8"



CCV05020 | CCV805020
* | *
3'0" x 6'8" | 3'0" x 8'0"



CCV20520 | CCV820520
* | *
3'0" x 6'8" | 3'0" x 8'0"



CCV22020 | CCV822020
* | *
3'0" x 6'8" | 3'0" x 8'0"



CCV06020 | CCV806020
* | *
3'0" x 6'8" | 3'0" x 8'0"



CCV910
*
3'0" x 6'8"



CCV803020
*
3'0" x 8'0"



CCV820530
*
3'0" x 8'0"



CCV820530A
*
3'0" x 8'0"



CCV100SL | CCV8100SL
* | *
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



CCV9010SL
*
12" x 6'8"
14" x 6'8"



DLHRT
*
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19020T
*
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19220T
*
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19200T
*
3'0" Door Only



19210T
*
12" & 14"
Sidelite Only

Solid Panel



CCV400
3'0" x 6'8"



CCV205 | CCV8205
3'0" x 6'8" | 3'0" x 8'0"



CCV205A | CCV8205A
3'0" x 6'8" | 3'0" x 8'0"



CCV220 | CCV8220
3'0" x 6'8" | 3'0" x 8'0"



CCV200
3'0" x 6'8"



CCV060 | CCV860
3'0" x 6'8" | 3'0" x 8'0"




CCV831
3'0" x 8'0"



CCV050
3'0" x 6'8"



Key

-  Flush-Glazed Glass (FG)
-  Low-E Glass (LE)
-  WBDR / HVHZ Options

Optional Dentil Shelf

- 
- 4-Block Dentil Shelf**
Available for all Craftsman-style Canvas Collection doors.

Fiber-Classic®

Mahogany Collection™ & Oak Collection™



Wood grains to suit any style.

Choose from two wood-grained collections for the perfect fiberglass door to fit a variety of home styles at an excellent value. Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance. Fiber-Classic Oak is the door that started the fiberglass revolution, featuring the distinctive look of natural Oak graining.

Smooth-Star®



Smooth, paintable surfaces.

Smooth-Star is the answer when the best look for the home is delivered in a sleek, paintable package. The more attractive and durable alternative to steel, Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours that meet the needs of homeowners seeking more color options for their doorways.

Fiber-Classic® & Smooth-Star® Fiberglass Doors

Therma-Tru gives the homeowner options to choose the style that best fits their personality and home without compromise. Fiber-Classic and Smooth-Star share many door styles in common. And the available glass families cross over between door collections. Find flexible options to fit virtually every entrance from front entry to patio to utility doors.



Fiber-Classic & Smooth-Star fiberglass doors offer:

- High-definition panel embossments.
- Composite top and bottom rails.
- 1-1/4" engineered lumber lock stiles.
- 22-1/2" lock block in Fiber-Classic and 12-1/2" lock block in Smooth-Star.
- Durable, long-lasting fiberglass skins.

6 WBDR Options: Look for this icon to find door styles that can be configured for WBDR.*

6 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

🔥 Fire-rated options available on solid-panel doors. See pages 230–235.

Warranty Riders

🔥 See page 31 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

+ Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



**Fiber-Classic®
Mahogany
Collection™**

Features deep Mahogany graining to complement homes with richer wood tones.



**Fiber-Classic®
Oak Collection™**

Features the warm look and feel of Oak graining.



Smooth-Star®

Features smooth, ready-to-paint surfaces.

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying. Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Vented Sidelites




More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.

Available Configurations:



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

- = Available
- = Not Applicable
- S = Stain
- P = Paint

	Fiber-Classic, Mahogany Collection SM	Fiber-Classic, Oak Collection SM	Smooth-Star [®]
--	---	--	--------------------------

Door Widths

2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	●	●	■

Door Heights

6'6"	■	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■

Glass Options

Decorative	15	15	15
Privacy & Textured	6	6	6
Internal Blinds	■	■	■
Flush-Glazed	●	■	■
Screen Vented	●	●	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Removable Wood Grilles	■	■	■
Fixed Grilles	■	■	■
Low-E	■	■	■
Clear	■	■	■

Additional Options

Finish	S / P	S / P	P
Vented Sidelites	■	■	■

Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 250–257.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors



See the difference stain can make.

Explore PrismaGuardSM finish and Same-Day[®] Stain color options on pages 268–269.


Note: No Impact options available for vented sidelites.

Top: Smooth-Star Door – S8200; Granite Glass, Sidelites – S81086XNSL

Decorative & Specialty Glass Designs

Blackstone® Page 129

Traditional English design meets
 ① clear curved bevels, ② rainglass
 and coming to create the distinctive
 styling of Blackstone. Entries get
 the best of both privacy and
 simple refinement.



Black Nickel



Brushed Nickel

Crystalline™ Page 132

This time-honored design features
 geometric styling brought to life
 with ① glue chip glass, ② glue chip
 bevels, ③ clear bevels and coming.
 Offering modest privacy, Crystalline
 is a shining example of traditional
 decorative glass with lasting beauty.



Black Nickel



Brushed Nickel

Sedona Page 134

Art meets glass in Sedona where Arts
 and Crafts simplicity is designed with
 ① slump glass, ② clear bevels,
 ③ clear artique glass and coming.



Black Nickel




Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Salinas® Page 138

1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.



Wrought Iron

Maple Park® Page 141

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and coming. The curved design adds unique appeal.



Black Nickel



Brushed Nickel

Avonlea® Page 144

The dainty leaf design seemingly grows upward in this elegant glass design. Light pours through Avonlea's 1 clear baroque glass and 2 bronze waterglass surrounded by black nickel coming.



Black Nickel


Saratoga™ Page 146

Saratoga evokes a certain urban sophistication while offering modest privacy with its **1** clear bevels, **2** diamond glass, **3** reed glass and coming. The geometric pattern bridges both modern and traditional designs.

1 **7** 10
Glass Privacy Rating



Black Nickel



Brushed Nickel

Texas Star Page 148

Beautifully crafted with **1** clear bevels, **2** curved bevels, **3** clear waterglass, **4** granite glass, **5** glue chip glass and brushed nickel coming, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.

1 **5** 10
Glass Privacy Rating




Brushed Nickel

Wellesley™ Page 150

Simple yet charming, Wellesley's Victorian-inspired design uses **1** clear baroque glass, **2** clear curved bevels, **3** waterglass, **4** granite glass and coming to add beauty to any entry.

1 **6** 10
Glass Privacy Rating



Black Nickel



Brushed Nickel



Brass


Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Riserva™ Page 152

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features **1** oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.



Wrought Iron



Concorde™ Page 156

There's just something friendly about Concorde's cheery four-leaf design. **1** Glue chip glass, **2** clear curved bevels, **3** clear glass and coming make up its Old World charm.



Black Nickel



Brushed Nickel



Brass

Kensington™ Page 159

Kensington speaks European elegance while offering modest privacy with its **1** clear bevels, **2** glue chip glass, **3** granite glass and coming.



Black Nickel



Brushed Nickel


Pembridge™ Page 162

Simplistic in its design, Pembridge features a field of **1** hammered glass framed by **2** gray baroque glass and **3** multifaceted bevels. A central diamond shape adds a decorative touch.



Note: The use of gray baroque glass varies based on glass size.

Black Nickel



Brushed Nickel



Brass

Axis™ Page 166

Simple and smart, Axis combines **1** narrow reed glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of **2** clear glass bevels completes this linear design, ideal for Modern home styles.



Black Nickel



Frosted Images®

Page 169

Delicate and ornate, Frosted Images offers a high privacy rating with an elegant aesthetic achieved with the simplicity of **1** white-frosted glass.




Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Internal Blinds Page 180

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

- 1 Single-Hand Operator
- 2 Privacy Bar



Screen Vented Page 183

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Privacy & Textured Glass Page 170



Geometric



Satin Etch



Chord



Chinchilla



Rainglass



Granite



Also Available:
Low-E & Clear Glass Page 184

Simulated Divided Lites (SDLs) with Grilles Between Glass (GBGs)

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the (🏠🍀) icons.



Shown with flat bronze GBGs, recommended.

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted any color to complement the door and home.

Look for the (🏠12) icons.



Grilles Between Glass (GBGs)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the (🍀) icon.



Removable Wood Grilles

Removable wood grilles snap on and off the interior pane of tempered glass for easy cleaning. Can be stained or painted to complement the home décor.

Look for the (➡) icon.



Interior view.

*Available in Special Quote Program.
Note: See page 275 for important product details that may help with your purchase decision.
Right Page: Smooth-Star, Clear Glass with SDLs, Door – S82103, Sidelites – S8000SL

Fixed Grilles




Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home décor.

Look for the (◆) icon.



SDL Bar Options



Grained

Smooth

(28.6 mm / 1.125 in.)
Look for the (1) icon.



Smooth

(28.6 mm / 1.125 in.)
Look for the (1) icon.




Grained

Smooth

(88.9 mm / 3.5 in.)
Look for the (2) icon.

GBG Bar Options




Flat

Contour

(20 mm / 0.787 in.)

(18 mm / 0.708 in.)

GBG Color Options



White

Almond

Bronze

Tan*

Stone*

Key

-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF1)
-  Simulated Divided Lites (SDLF2)
-  Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
-  Removable Wood Grilles (RG)
-  Fixed Grilles (FXG)

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf*



Smooth-Star. 4-Block Dentil Shelf*



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Bottom: Fiber-Classic Mahogany Collection, Chord Glass with SDLs, Door – FCM608XC, Sidelites – FCM6126XCSL, Dentil Shelf

Blackstone®

Fiber-Classic® Mahogany



FCM108
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM871
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM310
6
2'6" x 6'8" Δ ‡
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡

FCM816
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM765
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM109
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM863
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM6032
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM6052
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM110
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM164
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM760
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM808SL
6
10" x 6'8"
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡

FCM81918SL
6
12" x 8'0"
14" x 8'0"

FCM871SL
6
12" x 8'0"
14" x 8'0"

FCM765SL
6
12" x 6'8"
14" x 6'8"

FCM882SL
6
12" x 8'0"
14" x 8'0"

FCM109SL
6
12" x 6'8"
14" x 6'8"

FCM863SL
6
12" x 8'0"
14" x 8'0"

Fiber-Classic® Oak



FC108
6
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

81918P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FC310
6
2'6" x 6'8" Δ ‡
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡

FC816
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FC765
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC770
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81952P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FC109
6
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

81933P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available
(8'0" only in 14")
- ‡ 7'0" Height Available

Blackstone Glass Continues on next page.



81975P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC129
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC714
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC164
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC794
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




FC801
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC80943
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC86243
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC108SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



81918PSL
 12" x 8'0"
 14" x 8'0"



FC808SL
 12" x 6'8" †
 14" x 6'8" †



81918SL
 12" x 8'0"
 14" x 8'0"



S6002
 2'6" x 6'8" †
 2'8" x 6'8" † †
 2'10" x 6'8" † †
 3'0" x 6'8" † †



S85892
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S310
 2'6" x 6'8" †
 2'8" x 6'8" † †
 2'10" x 6'8" † †
 3'0" x 6'8" † †
 3'6" x 6'8"



S816
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"



S975
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S979
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Smooth-Star®




S894
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




S6000
 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



S6052 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S972 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85905 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6013 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S771 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6085 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S997 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6111 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--	--	--	---	--	---	--



S9343 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83143 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6002SL 9 12" x 6'8" 14" x 6'8"	S85892SL 9 12" x 8'0" 14" x 8'0"	S4570SL 9 10" x 6'8" 12" x 6'8" Δ † 14" x 6'8" Δ †	S85927SL 9 12" x 8'0" 14" x 8'0"	S975SL 9 12" x 6'8" 14" x 6'8"	S894SL 9 12" x 8'0" 14" x 8'0"	S6000SL 9 12" x 6'8" 14" x 6'8"	S85912SL 9 12" x 8'0" 14" x 8'0"
---	--	---	--	---	--	--	--	---	--



BSHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- └ Flat Lite Frame
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14"
8'0" only in 14")
- 9 WBDR Options
- 9 WBDR / HVHZ Options
- Δ 6'6" Height Available
- † 7'0" Height Available

Fiber-Classic® Mahogany



FCM16 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8114 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM668 6 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	FCM814 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM38 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM45 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM898 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6027 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6047 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	--	--	---	---	--	---	---



FCM124 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM18101SL 6 10" x 6'8" 12" x 6'8" † ‡ 14" x 6'8" † ‡	FCM81800SL 6 12" x 8'0" 14" x 8'0"	FCM8114SL 6 12" x 8'0" 14" x 8'0"	FCM38SL 6 12" x 6'8" 14" x 6'8"	FCM8105SL 6 12" x 8'0" 14" x 8'0"	FCM45SL 6 12" x 6'8" 14" x 6'8"	FCM898SL 6 12" x 8'0" 14" x 8'0"
--	--	--	---	---	---	---	--

Fiber-Classic® Oak



FC16 6 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	81800P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC668 6 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	FC814 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC38 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC772 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81953P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC45 6 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	81935P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81977P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	---	---	--	---	--	--	--	--



FC43
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC124
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC80941
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


FC86241
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FC21
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC46SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

81800PSL
12" x 8'0"
14" x 8'0"

Smooth-Star®



18101SL
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡


81800SL
12" x 8'0"
14" x 8'0"

FC38SL
12" x 6'8"
14" x 6'8"

81953PSL
12" x 8'0"
14" x 8'0"

FC43SL
12" x 6'8"
14" x 6'8"

81935PSL
12" x 8'0"
14" x 8'0"




S916
2'8" x 6'8" ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡

S814
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S668
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡
3'6" x 6'8"

S815
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



S977
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S981
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S888
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S926
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S81935P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S6027
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S6047
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S38
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85907
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Crystalline Glass *Continues on next page.*

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ⊗ WBDR Options
- ⊗ WBDR / HVHZ Options
- Δ 6'6" Height Available
(8'0" only in 14")
- ‡ 7'0" Height Available



S930
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S6113
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S9341
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




S83141
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S6123
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S916SL
12" x 6'8"
14" x 6'8"



S814SL
12" x 8'0"
14" x 8'0"



S6130SL
10" x 6'8"
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡



S84586SL
12" x 8'0"
14" x 8'0"



S758SL
12" x 6'8"
14" x 6'8"




S888SL
12" x 8'0"
14" x 8'0"



S930SL
12" x 6'8"
14" x 6'8"



S85914SL
12" x 8'0"
14" x 8'0"



BLHRT ♦
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19080T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19810T
12" & 14" Sidelite Only



19800T
3'0" Door Only



19820T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Sedona ♦ ::

Fiber-Classic® Mahogany



FCM100
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM872
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FCM241
2'6" x 6'8" Δ ‡
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡



FCM822
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FCM131
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM101
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM864
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




FCM6025
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM6045
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 275 for important product details that may help with your purchase decision.



FCM604 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM126 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM816SL ● ● 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	FCM81968SL ● ● 12" x 8'0" 14" x 8'0"	FCM872SL 12" x 8'0" 14" x 8'0"	FCM131SL 12" x 6'8" 14" x 6'8"	FCM883SL 12" x 8'0" 14" x 8'0"	FCM101SL 12" x 6'8" 14" x 6'8"	FCM864SL 12" x 8'0" 14" x 8'0"
---	---	--	--	---	---	---	---	---

Fiber-Classic® Oak



FC100 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	81968P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC241 ■ 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	FC822 ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC131 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC773 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81954P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC101 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	81936P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	--	---	--	--	---	---	---



81978P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC128 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC126 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC80952 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86252 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC100SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	81968PSL 12" x 8'0" 14" x 8'0"
---	--	--	--	--	--	---

Sedona Glass *Continues on next page.*

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- └ Flat Lite Frame
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ⚙ WBDR Options
- ⚙ WBDR / HVHZ Options
- Δ 6'6" Height Available
(6'6" & 6'8" only in 12" & 14")
‡ 7'0" Height Available

Optional Dentil Shelf*





FC816SL
●
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡



81968SL
●
12" x 8'0"
14" x 8'0"



FC131SL
12" x 6'8"
14" x 6'8"



81954PSL
12" x 8'0"
14" x 8'0"



FC101SL
12" x 6'8"
14" x 6'8"



81936PSL
12" x 8'0"
14" x 8'0"

Smooth-Star®



S139
2'6" x 6'8" Δ
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡



S241
■
2'6" x 6'8" Δ
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡
3'6" x 6'8"



S95
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S91
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S887
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S211
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



S81936P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S6025
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



S6045
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S35
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S833
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S294
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S2650*
⬇
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S82650*
⬇
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S604
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S8604
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S12
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S9352
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




S83152
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

*Available with flat lite frame only.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Sedona Glass, Door – S887, Sidelites – S887SL



19055T
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



19520T
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

- └ Flat Lite Frame
- Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")

- ▲ 6'6" Height Available
- ⚡ 7'0" Height Available

Optional Dentil Shelf**



Fiber-Classic® Mahogany



FCM113
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM873
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM369
6
2'6" x 6'8" † ‡
2'8" x 6'8" † ‡
2'10" x 6'8" † ‡
3'0" x 6'8" † ‡

FCM817
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM115
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM114
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM865
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM6031
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM6051
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM118
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM814SL
6
10" x 6'8"
12" x 6'8" † ‡
14" x 6'8" † ‡

FCM81919SL
6
12" x 8'0"
14" x 8'0"


FCM873SL
6
12" x 8'0"
14" x 8'0"

FCM115SL
6
12" x 6'8"
14" x 6'8"

FCM884SL
6
12" x 8'0"
14" x 8'0"

FCM114SL
6
12" x 6'8"
14" x 6'8"

FCM865SL
6
12" x 8'0"
14" x 8'0"



FC113
6
2'6" x 6'8"
2'8" x 6'8" † ‡
2'10" x 6'8" † ‡
3'0" x 6'8" † ‡

81919P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FC369
6
2'6" x 6'8" † ‡
2'8" x 6'8" † ‡
2'10" x 6'8" † ‡
3'0" x 6'8" † ‡

FC817
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Fiber-Classic® Oak



FC115
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC775
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81955P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FC114
6
2'6" x 6'8"
2'8" x 6'8" † ‡
2'10" x 6'8" † ‡
3'0" x 6'8" † ‡


81937P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

81980P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FC130
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC118
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC80953
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC86253
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FC113SL
6
10" x 6'8"
12" x 6'8"
14" x 6'8"

81919PSL
6
12" x 8'0"
14" x 8'0"

FC814SL
6
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡

81919SL
6
12" x 8'0"
14" x 8'0"

FC115SL
6
12" x 6'8"
14" x 6'8"

81955PSL
6
12" x 8'0"
14" x 8'0"

FC114SL
6
12" x 6'8"
14" x 6'8"

81937PSL
6
12" x 8'0"
14" x 8'0"



Salinas Glass *Continues on next page.*

Key

- No Stile Lines
- ✕ Wrought Iron (1W)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Smooth-Star®

Fiber-Classic® & Smooth-Star®



- | | | | | | | | | | |
|--|---|--|--|---|---|--|--|---|--|
| S6008
6
2'6" x 6'8" Δ
2'8" x 6'8" Δ †
2'10" x 6'8" Δ †
3'0" x 6'8" Δ † | S85893
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S369
6
2'6" x 6'8" Δ
2'8" x 6'8" Δ †
2'10" x 6'8" Δ †
3'0" x 6'8" Δ †
3'6" x 6'8" | S817
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0" | S6009
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S6010
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S895
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S6006
6
2'6" x 6'8"
2'8" x 6'8" †
2'10" x 6'8" †
3'0" x 6'8" † | S81937P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S6031
6
2'6" x 6'8"
2'8" x 6'8" †
2'10" x 6'8" †
3'0" x 6'8" † |
|--|---|--|--|---|---|--|--|---|--|



- | | | | | | | |
|---|--|--|---|---|---|--|
| S6051
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S973
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S893
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S6014
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S6012
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S9353
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S83153
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" |
|---|--|--|---|---|---|--|



- | | | | | | | | |
|---|--|---|--|---|--|---|--|
| S6008SL
6
12" x 6'8"
14" x 6'8" | S85893SL
6
12" x 8'0"
14" x 8'0" | S6134SL
6
10" x 6'8"
12" x 6'8" Δ †
14" x 6'8" Δ † | S85931SL
6
12" x 8'0"
14" x 8'0" | S6009SL
6
12" x 6'8"
14" x 6'8" | S895SL
6
12" x 8'0"
14" x 8'0" | S6006SL
6
12" x 6'8"
14" x 6'8" | S85916SL
6
12" x 8'0"
14" x 8'0" |
|---|--|---|--|---|--|---|--|



SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 275 for important product details that may help with your purchase decision.

Maple Park[®] ◆◆

Fiber-Classic[®] Mahogany

Fiber-Classic[®] & Smooth-Star[®]



FCM900
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM1006
6
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡



FCM902
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM901
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM886
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FCM6107
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM6108
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM609
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM904
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM736
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM8736
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FCM812SL
6
10" x 6'8"
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡



FCM902SL
6
12" x 6'8"
14" x 6'8"



FCM887SL
6
12" x 8'0"
14" x 8'0"



FCM901SL
6
12" x 6'8"
14" x 6'8"



FCM886SL
6
12" x 8'0"
14" x 8'0"

Fiber-Classic[®] Oak



FC900
6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



FC1006
6
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡



FC902
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC777
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



81957P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FC901
6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



81939P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



81982P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FC903
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)
- ▲ Flat Lite Frame
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14"
8'0" only in 14")
- ⊕ WBDR Options
- ⊕ WBDR / HVHZ Options
- Δ 6'6" Height Available
(6'6" & 6'8" only in 12" & 14"
8'0" only in 14")
- ‡ 7'0" Height Available

Optional Dentil Shelf*



4-Block Dentil Shelf
Available for all Craftsman-style
Fiber-Classic Mahogany Collection doors.

Maple Park Glass *Continues on next page.*



FC904 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC80955 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86255 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC736 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC8736 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC900SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC812SL 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	FC902SL 12" x 6'8" 14" x 6'8"	81957PSL 12" x 8'0" 14" x 8'0"	FC901SL 12" x 6'8" 14" x 6'8"	81939PSL 12" x 8'0" 14" x 8'0"
--	--	--	--	---	--	--	--	---	--	---

Smooth-Star®



S6100 2'8" x 6'8" ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	S1006 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8"	S6102 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6103 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85898 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6101 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S81939P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6107 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S6108 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	--	--	---	--	--	--	--




S6106 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85897 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6104 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S2630* 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82630* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S609 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8609 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6105 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S9355 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	--	---	--	---	--	--	--

*Available with flat lite frame or Impact-rated lite frame only.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.



S83155
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S736
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

S8736
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S6100SL
 12" x 6'8"
 14" x 6'8"

S6131SL
 10" x 6'8"
 12" x 6'8" ▲‡
 14" x 6'8" ▲‡

S6102SL
 12" x 6'8"
 14" x 6'8"

S85898SL
 12" x 8'0"
 14" x 8'0"

S6101SL
 12" x 6'8"
 14" x 6'8"

S85918SL
 12" x 8'0"
 14" x 8'0"



FWRT
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- └ Flat Lite Frame

- Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")
- Ⓞ WBDR Options

- Ⓞ WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelf**



Fiber-Classic® Mahogany



- | | | | | | | | | |
|---|--|---|---|---|---|---|---|---|
| <p>FCM758
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM1027
6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡</p> | <p>FCM764
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM761
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM896
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>FCM968
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM966
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM785
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM788
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> |
|---|--|---|---|---|---|---|---|---|

Fiber-Classic® Oak



- | | | | | | |
|---|---|--|---|--|--|
| <p>FCM800
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM807SL
6
10" x 6'8"
12" x 6'8" † ‡
14" x 6'8" † ‡</p> | <p>FCM764SL
6
12" x 6'8"
14" x 6'8"</p> | <p>FCM8104SL
6
12" x 8'0"
14" x 8'0"</p> | <p>FCM761SL
6
12" x 6'8"
14" x 6'8"</p> | <p>FCM896SL
6
12" x 8'0"
14" x 8'0"</p> |
|---|---|--|---|--|--|



- | | | |
|--|---|--|
| <p>FC758
6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡</p> | <p>FC1027
6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡</p> | <p>FC764
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> |
|--|---|--|



- | | | | | | | | | |
|--|---|--|---|---|--|--|--|--|
| <p>FC769
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>81967P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>FC761
6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡</p> | <p>81932P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>81974P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>FC782
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FC785
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FC788
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FC792
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> |
|--|---|--|---|---|--|--|--|--|



FC800
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC80956
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC86256
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FC758SL
10" x 6'8"
12" x 6'8"
14" x 6'8"



FC807SL
12" x 6'8" † ‡
14" x 6'8" † ‡



FC764SL
12" x 6'8"
14" x 6'8"



81967PSL
12" x 8'0"
14" x 8'0"

FC761SL
12" x 6'8"
14" x 6'8"

81932PSL
12" x 8'0"
14" x 8'0"

Smooth-Star®



S962
2'8" x 6'8" ‡
2'10" x 6'8" † ‡
3'0" x 6'8" † ‡



S1027
2'8" x 6'8" † ‡
2'10" x 6'8" † ‡
3'0" x 6'8" † ‡
3'6" x 6'8"



S976
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S980
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S85900
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S964
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S81932P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S968
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



S966
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S970
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S85906
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S985
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S988
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S991
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S995
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S6121
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S9356
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ⊗ WBDR Options
- ⊕ WBDR / HVHZ Options
- ⊕ 6'6" Height Available
- ⊕ 7'0" Height Available

Avonlea Glass Continues on next page.



S83156
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S962SL
 16
 12" x 6'8"
 14" x 6'8"



S6127SL
 6
 10" x 6'8"
 12" x 6'8" Δ ‡
 14" x 6'8" Δ ‡



S976SL
 6
 12" x 6'8"
 14" x 6'8"



S85900SL
 6
 12" x 8'0"
 14" x 8'0"



S964SL
 6
 12" x 6'8"
 14" x 6'8"



S85911SL
 6
 12" x 8'0"
 14" x 8'0"



AVRT
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Saratoga™ ♦ ::

Fiber-Classic® Mahogany



FCM905
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM6093
 6
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



FCM907
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM906
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM888
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM6029
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM6049
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM602
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM909
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM707
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM8707
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM815SL
 6
 10" x 6'8"
 12" x 6'8" Δ ‡
 14" x 6'8" Δ ‡



FCM81986SL
 6
 12" x 8'0"
 14" x 8'0"



FCM893SL
 6
 12" x 8'0"
 14" x 8'0"



FCM907SL
 6
 12" x 6'8"
 14" x 6'8"



FCM889SL
 6
 12" x 8'0"
 14" x 8'0"



FCM906SL
 6
 12" x 6'8"
 14" x 6'8"



FCM888SL
 6
 12" x 8'0"
 14" x 8'0"

Fiber-Classic® Oak



FC905
 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FCM6093
 6
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



FC907 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC776 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81956P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC906 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	81938P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81981P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC908 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC909 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC80954 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	--	--	--	--	--	--	---



FC86254 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC707 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC8707 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC905SL 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	81986PSL 6 12" x 8'0" 14" x 8'0"	FC815SL 6 12" x 6'8" ‡ † 14" x 6'8" ‡ †	81986SL 6 12" x 8'0" 14" x 8'0"	FC907SL 6 12" x 6'8" 14" x 6'8"	81956PSL 6 12" x 8'0" 14" x 8'0"	FC906SL 6 12" x 6'8" 14" x 6'8"	81938PSL 6 12" x 8'0" 14" x 8'0"
---	--	---	---	--	---	---	---	--	---	--

Smooth-Star®



S154 6 2'6" x 6'8" △ 2'8" x 6'8" △ † 2'10" x 6'8" △ † 3'0" x 6'8" △ †	S6093 6 2'6" x 6'8" △ 2'8" x 6'8" △ † 2'10" x 6'8" △ † 3'0" x 6'8" △ † 3'6" x 6'8"	S6092 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S982 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S891 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S213 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S81938P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6029 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S6049 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	---	--	--	---	---	---	---


Saratoga Glass *Continues on next page.*

Key


- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- └─┘ Flat Lite Frame
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14"
8'0" only in 14")
- ⚙ WBDR Options
- ⚙ WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelf*





S41 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85908 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S291 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S2660* 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82660* 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S602 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8602 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S20 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S9354 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83154 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	--	--	---	--	---	---	---	--



S707 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S8707 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S154SL 6 12" x 6'8" 14" x 6'8"	S8602SL 6 12" x 8'0" 14" x 8'0"	S602SL 6 10" x 6'8" 12" x 6'8" † ‡ 14" x 6'8" † ‡	S85932SL 6 12" x 8'0" 14" x 8'0"	S6092SL 6 12" x 6'8" 14" x 6'8"	S891SL 6 12" x 8'0" 14" x 8'0"	S291SL 6 12" x 6'8" 14" x 6'8"	S85917SL 6 12" x 8'0" 14" x 8'0"
--	---	--	---	--	--	---	--	--	--

19740T
3'0" Door Only

19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Texas Star ■■

Fiber-Classic® Mahogany



FCM143 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM144 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM899 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6074 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6075 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM143SL 6 12" x 6'8" 14" x 6'8"	FCM144SL 6 12" x 6'8" 14" x 6'8"	FCM899SL 6 12" x 8'0" 14" x 8'0"
--	--	--	---	---	--	--	--


*Available with flat lite frame or Impact-rated lite frame only.
 **Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 275 for important product details that may help with your purchase decision.

Fiber-Classic® Oak



- | | | | | | | | |
|---|---|---|--|--|---|---|---|
| FC143
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC778
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC144
6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ | 81940P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | 81983P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC145
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC80957
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC86257
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" |
|---|---|---|--|--|---|---|---|

Smooth-Star®



- | | | | | | | | | |
|---|---|--|---|---|---|---|---|---|
| FC143SL
6
12" x 6'8"
14" x 6'8" | FC144SL
6
12" x 6'8"
14" x 6'8" | 81940PSL
6
12" x 8'0"
14" x 8'0" | S6071
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S6072
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S6073
6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ | S81940P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S6075
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S6074
6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ |
|---|---|--|---|---|---|---|---|---|



- | | | | | | | | |
|---|--|---|---|--|---|---|---|
| S6076
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S81983
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S6077
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S9357
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S83157
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S6071SL
6
12" x 6'8"
14" x 6'8" | S6073SL
6
12" x 6'8"
14" x 6'8" | 85919SL
6
12" x 8'0"
14" x 8'0" |
|---|--|---|---|--|---|---|---|

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- └─ Flat Lite Frame

- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ⊕ WBDR Options

- ⊕ WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelf**



Wellesley™

Fiber-Classic® Mahogany



- | | | | | | | | | |
|---|---|---|--|---|---|---|--|--|
| FCM104
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM874
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM6094
2'6" x 6'8" † ‡
2'8" x 6'8" † ‡
2'10" x 6'8" † ‡
3'0" x 6'8" † ‡ | FCM821
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM147
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM105
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM866
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM6030
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM6050
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" |
|---|---|---|--|---|---|---|--|--|



- | | | | | | | | |
|---|---|---|---|--|---|---|---|
| FCM106
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM163
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM125
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM721
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM8721
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM818SL
10" x 6'8"
12" x 6'8" † ‡
14" x 6'8" † ‡ | FCM81921SL
12" x 8'0"
14" x 8'0" | FCM874SL
12" x 8'0"
14" x 8'0" |
|---|---|---|---|--|---|---|---|

Fiber-Classic® Oak



- | | | | | | | | | | | |
|---|---|---|---|---|---|--|---|--|--|---|
| FCM147SL
12" x 6'8"
14" x 6'8" | FCM885SL
12" x 8'0"
14" x 8'0" | FCM105SL
12" x 6'8"
14" x 6'8" | FCM866SL
12" x 8'0"
14" x 8'0" | FC104
2'6" x 6'8"
2'8" x 6'8" † ‡
2'10" x 6'8" † ‡
3'0" x 6'8" † ‡ | 81921P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC6094
2'6" x 6'8" † ‡
2'8" x 6'8" † ‡
2'10" x 6'8" † ‡
3'0" x 6'8" † ‡ | FC821
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC147
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC779
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 81959P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" |
|---|---|---|---|---|---|--|---|--|--|---|



FC105 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	81941P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81984P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC127 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC713 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC163 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC796 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC125 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	--	--	--	--	--



FC80949 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86249 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC721 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC8721 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC104SL 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	81921PSL 6 12" x 8'0" 14" x 8'0"	FC818SL 6 12" x 6'8" ‡ ‡ 14" x 6'8" ‡ ‡	81921SL 6 12" x 8'0" 14" x 8'0"	FC147SL 6 12" x 6'8" 14" x 6'8"	81959PSL 6 12" x 8'0" 14" x 8'0"	FC105SL 6 12" x 6'8" 14" x 6'8"	81941PSL 6 12" x 8'0" 14" x 8'0"
---	---	--	---	---	--	---	---	---	--	---	--

Smooth-Star®



S155 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ ‡ 2'10" x 6'8" ‡ ‡ 3'0" x 6'8" ‡ ‡	S85896 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6094 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ ‡ 2'10" x 6'8" ‡ ‡ 3'0" x 6'8" ‡ ‡ 3'6" x 6'8"	S821 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S6091 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S983 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S892 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S214 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S81941P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6030 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S6050 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	---	--	---	--	--	---	---	--	---

Wellesley Glass Continues on next page.

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available



S42 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85909 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S292 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S774 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6082 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S999 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6117 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S9349 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83149 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	---	---	--	---	--	---	--



S721 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S8721 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S155SL 6 12" x 6'8" 14" x 6'8"	S85896SL 6 12" x 8'0" 14" x 8'0"	S5870SL 6 10" x 6'8" 12" x 6'8" †‡ 14" x 6'8" †‡	S85934SL 6 12" x 8'0" 14" x 8'0"	S6091SL 6 12" x 6'8" 14" x 6'8"	S892SL 6 12" x 8'0" 14" x 8'0"	S292SL 6 12" x 6'8" 14" x 6'8"	S85922SL 6 12" x 8'0" 14" x 8'0"
---	--	--	--	---	--	---	--	--	--



WLHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19720T
3'0" Door Only



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Riserva™ x


Note: Product images show exterior side of door.

Fiber-Classic® Mahogany



FCM574 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8574 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM571 6 2'6" x 6'8" †‡ 2'8" x 6'8" †‡ 2'10" x 6'8" †‡ 3'0" x 6'8" †‡	FCM8571 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM543 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM581 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8581 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM575 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM577 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	---	--	--	--	---	--	--

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 275 for important product details that may help with your purchase decision.



FCM508 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM506 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM572SL 6 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	FCM8572SL 6 12" x 8'0" 14" x 8'0"	FCM8573SL 6 12" x 8'0" 14" x 8'0"	FCM545SL 6 12" x 6'8" 14" x 6'8"	FCM8545SL 6 12" x 8'0" 14" x 8'0"	FCM583SL 6 12" x 6'8" 14" x 6'8"	FCM8583SL 6 12" x 8'0" 14" x 8'0"
--	---	--	---	---	--	---	--	---

Fiber-Classic® Oak



FC574 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC8574 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC571 6 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	FC8571 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC543 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC529 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC8529 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC581 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC8581 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC8579 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	---	---	---	--	--	--	--



FC585 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC506 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC507 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC549 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC573SL 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC8573SL 6 12" x 8'0" 14" x 8'0"	FC572SL 6 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	FC8572SL 6 12" x 8'0" 14" x 8'0"
--	--	---	---	---	--	---	--

Riserva Glass *Continues on next page.*

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- └ Flat Lite Frame
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")

- 6 WBDL Options
- 6 WBDL / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelf*




4-Block Dentil Shelf
Available for all Craftsman-style
Fiber-Classic Mahogany Collection doors.


Smooth-Star®



FC545SL 6	FC8545SL 6	FC583SL 6	FC8583SL 6
12" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"	14" x 6'8"	14" x 8'0"



S574 6	S8574 6	S571 6	S8571 6	S543 6
2'6" x 6'8" Δ	2'6" x 8'0"	2'6" x 6'8" Δ	2'6" x 8'0"	2'8" x 6'8"
2'8" x 6'8" Δ ‡	2'8" x 8'0"	2'8" x 6'8" Δ ‡	2'8" x 8'0"	2'10" x 6'8"
2'10" x 6'8" Δ ‡	2'10" x 8'0"	2'10" x 6'8" Δ ‡	2'10" x 8'0"	3'0" x 6'8"
3'0" x 6'8" Δ ‡	3'0" x 8'0"	3'0" x 6'8" Δ ‡	3'0" x 8'0"	
		3'6" x 6'8"	3'6" x 8'0"	



S529 6	S8529 6	S581 6	S8581 6	S575 6	S577 6	S579 6	S8579 6	S585
2'8" x 6'8"	2'8" x 8'0"	2'6" x 6'8"	2'8" x 8'0"	2'6" x 6'8"	2'8" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"
2'10" x 6'8"	2'10" x 8'0"	2'8" x 6'8" ‡	2'10" x 8'0"	2'8" x 6'8" ‡	2'10" x 6'8"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"
3'0" x 6'8"	3'0" x 8'0"	2'10" x 6'8" ‡	3'0" x 8'0"	2'10" x 6'8" ‡	3'0" x 6'8"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"
		3'0" x 6'8" ‡						



S2670* 6	S82670* 6	S508 6	S8508 6	S506	S507 6	S549 6	S573SL 6	S8573SL 6
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	12" x 6'8"	12" x 8'0"
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 6'8"	2'10" x 8'0"	14" x 6'8"	14" x 8'0"
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 6'8"	3'0" x 8'0"		

*Available with flat lite frame or Impact-rated lite frame only.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Oak Collection, Riserva Glass, Door – FC8529, Sidelites – FC8572SL



RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

S572SL
■ ● ▲ ⚡
 10" x 6'8"
 12" x 6'8" ▲ ⚡
 14" x 6'8" ▲ ⚡

S8572SL
■ ● ▲ ⚡
 12" x 8'0"
 14" x 8'0"

S545SL
●
 12" x 6'8"
 14" x 6'8"

S8545SL
●
 12" x 8'0"
 14" x 8'0"

S583SL
●
 12" x 6'8"
 14" x 6'8"

S8583SL
●
 12" x 8'0"
 14" x 8'0"

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



Key

- No Stile Lines
- ✗ Wrought Iron (1W)
- ▲ Flat Lite Frame

- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ⚡ WBDR Options

- ⚡ WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ⚡ 7'0" Height Available

Optional Dentil Shelf**



Fiber-Classic® Mahogany



- | | | | | | | | | | |
|--|--|--|---|--|--|--|---|---|--|
| FCM910
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM890
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM6095
6
2'6" x 6'8" Δ ‡
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡ | FCM820
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM912
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM911
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM891
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM6026
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM6046
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM916
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" |
|--|--|--|---|--|--|--|---|---|--|



- | | | | | | | | | | | |
|--|--|--|---|--|--|--|--|--|--|--|
| FCM915
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM914
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM735
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM8735
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM809SL
6
10" x 6'8"
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡ | FCM81928SL
6
12" x 8'0"
14" x 8'0" | FCM890SL
6
12" x 8'0"
14" x 8'0" | FCM912SL
6
12" x 6'8"
14" x 6'8" | FCM892SL
6
12" x 8'0"
14" x 8'0" | FCM911SL
6
12" x 6'8"
14" x 6'8" | FCM891SL
6
12" x 8'0"
14" x 8'0" |
|--|--|--|---|--|--|--|--|--|--|--|

Fiber-Classic® Oak



- | | | | | | | | | | |
|--|--|---|--|---|---|--|--|--|--|
| FC910
6
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ | 81928P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC6095
6
2'6" x 6'8" Δ ‡
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡ | FC820
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC912
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC780
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 81960P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC911
6
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ | 81942P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | 81985P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" |
|--|--|---|--|---|---|--|--|--|--|



FC913 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC916 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC915 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC797 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC914 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC80947 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86247 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	--	--	--	--



FC735 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC8735 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC917 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC910SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	81928PSL 12" x 8'0" 14" x 8'0"	FC809SL 12" x 6'8" † ‡ 14" x 6'8" † ‡	81928SL 12" x 8'0" 14" x 8'0"	FC912SL 12" x 6'8" 14" x 6'8"	81960PSL 12" x 8'0" 14" x 8'0"	FC911SL 12" x 6'8" 14" x 6'8"	81942PSL 12" x 8'0" 14" x 8'0"
--	---	--	--	---	--	--	--	---	--	---

Smooth-Star®




S6090 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	S85895 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6095 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡ 3'6" x 6'8"	S820 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S912 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S97 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85902 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S426 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S81942P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6026 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
---	--	--	---	---	--	---	--	--	---


Concorde Glass *Continues on next page.*


Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ⚡ 6'6" Height Available
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ‡ 7'0" Height Available
- ⚡ WBDR Options
- ⚡ WBDR / HVHZ Options



S6046
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S37
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S837
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S430
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


S773
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


S6084
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S1000
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S17
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S9347
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S83147
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"


S735
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

S8735
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"


S454
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S416SL
 12" x 6'8"
 14" x 6'8"

S85895SL
 12" x 8'0"
 14" x 8'0"


S4070SL
 10" x 6'8"
 12" x 6'8" † ‡
 14" x 6'8" † ‡

S85930SL
 12" x 8'0"
 14" x 8'0"



S757SL
 12" x 6'8"
 14" x 6'8"

S85902SL
 12" x 8'0"
 14" x 8'0"

S430SL
 12" x 6'8"
 14" x 6'8"

S85920SL
 12" x 8'0"
 14" x 8'0"



CNVRT
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



CNRT
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Fiber-Classic® Mahogany



FCM148
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM626
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



FCM156
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM149 | **FCM8149**
 2'8" x 6'8" | 2'8" x 8'0"
 2'10" x 6'8" | 2'10" x 8'0"
 3'0" x 6'8" | 3'0" x 8'0"



FCM6036
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM6056
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM151
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM789
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM150
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM813SL
 10" x 6'8"
 12" x 6'8" †
 14" x 6'8" †



FCM1442SL
 12" x 6'8"
 14" x 6'8"



FCM8107SL
 12" x 8'0"
 14" x 8'0"

FCM149SL
 12" x 6'8"
 14" x 6'8"

FCM867SL
 12" x 8'0"
 14" x 8'0"

Fiber-Classic® Oak



FC148
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



FC626
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



FC20042
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



81961P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC156
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC149
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



FC8149
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC89701
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC152
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Kensington Glass *Continues on next page.*

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ▲ Flat Lite Frame
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ⬇ WBDR Options
- Ⓜ WBDR / HVHZ Options
- ⬆ 6'6" Height Available
- ‡ 7'0" Height Available



FC709
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC151
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC798
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC150
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC80942
 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




FC86242
 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FC148SL
 10" x 6'8"
12" x 6'8"
14" x 6'8"



FC813SL
 12" x 6'8" † ‡
14" x 6'8" † ‡

Smooth-Star®



FC1442SL
 12" x 6'8"
14" x 6'8"




81961PSL
 12" x 8'0"
14" x 8'0"


FC149SL
 12" x 6'8"
14" x 6'8"

FC8867SL
 12" x 8'0"
14" x 8'0"




S160
 2'8" x 6'8" †
2'10" x 6'8" † ‡
3'0" x 6'8" † ‡




S626
 2'8" x 6'8" † ‡
2'10" x 6'8" † ‡
3'0" x 6'8" † ‡
3'6" x 6'8"



S20042
 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




S902
 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




S156
 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




S161
 2'8" x 6'8" †
2'10" x 6'8" †
3'0" x 6'8" †



S8149
 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S6036
 2'8" x 6'8" †
2'10" x 6'8" †
3'0" x 6'8" †




S6056
 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S43
 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S89701
 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S162
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S709
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Note: See page 275 for important product details that may help with your purchase decision.



S163
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S1001
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S6119
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S9342
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S83142
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S160SL
12" x 6'8"
14" x 6'8"



S6132SL
10" x 6'8"
12" x 6'8" Δ‡
14" x 6'8" Δ‡



S1442SL
12" x 6'8"
14" x 6'8"



S902SL
12" x 8'0"
14" x 8'0"

S161SL
12" x 6'8"
14" x 6'8"

S867SL
12" x 8'0"
14" x 8'0"



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- └ Flat Lite Frame
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Pembridge™

Fiber-Classic® Mahogany



- | | | | | | | | | |
|---|--|---|---|---|---|--|---|---|
| FCM6550
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM86550
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM6500
6
2'4" x 6'8" Δ ‡
2'6" x 6'8" Δ ‡
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡ | FCM86500
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM6582
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM6560
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM86560
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM6565
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM6568
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" |
|---|--|---|---|---|---|--|---|---|



- | | | | | | | | |
|--|--|---|--|---|--|--|---|
| FCM6577
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM6575
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM6520
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM6532
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM745
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM8745
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM6570
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM86570
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" |
|--|--|---|--|---|--|--|---|

Fiber-Classic® Oak



- | | | | | | | | | | | |
|--|---|--|---|--|---|--|---|--|--|---|
| FCM86550SL
6
12" x 8'0"
14" x 8'0" | FCM6500SL
6
10" x 6'8"
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡ | FCM86500SL
6
12" x 8'0"
14" x 8'0" | FCM6580SL
6
12" x 6'8"
14" x 6'8" | FCM86580SL
6
12" x 8'0"
14" x 8'0" | FCM6565SL
6
12" x 6'8"
14" x 6'8" | FCM86560SL
6
12" x 8'0"
14" x 8'0" | FCM6550
6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ | FCM86550
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM6500
6
2'6" x 6'8" Δ ‡
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡ | FCM86500
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" |
|--|---|--|---|--|---|--|---|--|--|---|


*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 275 for important product details that may help with your purchase decision.



FC6582 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC6580 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86580 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC6560 9 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC86560 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC86536 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC6572 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC6577 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	---	---	---	---	--	--



FC6576 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC06575 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC6532 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC6534 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86533 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC745 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC8745 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	--	--	---	---	--



FC6570 9 2'6" x 6'8" ‡ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86570 9 2'8" x 8'0" 3'0" x 8'0"	FC6550SL 9 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC86550SL 9 12" x 8'0" 14" x 8'0"	FC6500SL 9 12" x 6'8" † ‡ 14" x 6'8" † ‡	FC86500SL 9 12" x 8'0" 14" x 8'0"	FC6580SL 9 12" x 6'8" 14" x 6'8"	FC86580SL 9 12" x 8'0" 14" x 8'0"	FC6565SL 9 12" x 6'8" 14" x 6'8"	FC86560SL 9 12" x 8'0" 14" x 8'0"
---	---	--	---	--	---	--	---	--	---

Pembridge Glass *Continues on next page.*

Key



- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 9 WBDR Options
- 9 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelf*



4-Block Dentil Shelf
Available for all Craftsman-style
Fiber-Classic Mahogany Collection doors.

Smooth-Star®




*Available with flat lite frame or Impact-rated lite frame only.
 **Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 275 for important product details that may help with your purchase decision.




S6570
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S86570
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




S6550SL
12" x 6'8"
14" x 6'8"

S86550SL
12" x 8'0"
14" x 8'0"



S6500SL
10" x 6'8"
12" x 6'8" ⚠
14" x 6'8" ⚠

S86500SL
12" x 8'0"
14" x 8'0"



S6580SL
12" x 6'8"
14" x 6'8"

S86580SL
12" x 8'0"
14" x 8'0"



S6565SL
12" x 6'8"
14" x 6'8"

S86560SL
12" x 8'0"
14" x 8'0"



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- └ Flat Lite Frame
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ⚠ 6'6" Height Available
- ⚠ 7'0" Height Available

Optional Dentil Shelves**




4-Block Dentil Shelf
Available for all Craftsman-style
Smooth-Star doors.

Fiber-Classic® Mahogany



FCM1652 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM81652 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1651 2'4" x 6'8" † 2'6" x 6'8" † ‡ 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	FCM81651 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1647 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1654 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM81654 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1656 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1658 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	--	--	--	--	---	--	--



FCM1650 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1645 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM81645 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1651SL 10" x 6'8" † ‡ 12" x 6'8" † ‡ 14" x 6'8" † ‡	FCM81651SL 12" x 8'0" 14" x 8'0"	FCM81652SL 12" x 8'0" 14" x 8'0"	FCM1646SL 12" x 6'8" 14" x 6'8"	FCM81646SL 12" x 8'0" 14" x 8'0"	FCM1656SL 12" x 6'8" 14" x 6'8"	FCM81654SL 12" x 8'0" 14" x 8'0"
--	--	---	--	---	---	--	---	--	---

Fiber-Classic® Oak



FC1652 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	FC81652 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC1651 2'4" x 6'8" † 2'6" x 6'8" † ‡ 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	FC81651 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC1647 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC1646 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC81646 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC1654 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	FC81654 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	---	---	---	---	--	--	--

*Available with flat lite frame or Impact-rated lite frame only.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.



FC81653
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC1655
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC81649
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC1645
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FC81645
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC1661
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC1652SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC81652SL
 12" x 8'0"
 14" x 8'0"



FC1651SL
 12" x 6'8" Δ ‡
 14" x 6'8" Δ ‡



FC81651SL
 12" x 8'0"
 14" x 8'0"

Smooth-Star®



FC1646SL
 12" x 6'8"
 14" x 6'8"



FC81646SL
 12" x 8'0"
 14" x 8'0"

FC1656SL
 12" x 6'8"
 14" x 6'8"

FC81654SL
 12" x 8'0"
 14" x 8'0"



S1652
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



S81652
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S1651
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8"



S81651
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"



S1647
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S1646
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S81646
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S1654
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S81654
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S1656
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S1653
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S81653
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S2620*
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S82620*
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Axis Glass *Continues on next page.*

Key

■ No Stile Lines

◆ Black Nickel Caming (1D)

⌋ Flat Lite Frame

● Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")

Ⓢ WBDOR Options

Ⓢ WBDOR / HVHZ Options

Δ 6'6" Height Available

‡ 7'0" Height Available

Optional Dentil Shelves**



4-Block Dentil Shelf
 Available for all Craftsman-style
 Fiber-Classic Mahogany Collection doors.



4-Block Dentil Shelf
 Available for all Craftsman-style
 Smooth-Star doors.



S1650
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S81650
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S1655
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S81649
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S1645
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S81645
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S1661
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S1652SL
 12" x 6'8"
 14" x 6'8"



S81652SL
 12" x 8'0"
 14" x 8'0"



S1651SL
 10" x 6'8"
 12" x 6'8" † ‡
 14" x 6'8" † ‡



S81651SL
 12" x 8'0"
 14" x 8'0"



S1646SL
 12" x 6'8"
 14" x 6'8"



S81646SL
 12" x 8'0"
 14" x 8'0"



S1656SL
 12" x 6'8"
 14" x 6'8"



S81654SL
 12" x 8'0"
 14" x 8'0"



AXRT
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 275 for important product details that may help with your purchase decision.

Frosted Images®

Fiber-Classic® Mahogany



FCM66
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM6023
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM6043
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM784
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




FCM787
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM13101SL
  10" x 6'8"
 12" x 6'8" † ‡
 14" x 6'8" † ‡



FCM8109SL
 12" x 8'0"
 14" x 8'0"



FCM66SL
 12" x 6'8"
 14" x 6'8"

Fiber-Classic® Oak



FC66
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FC44
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC784
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC787
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC791
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC80945
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC86245
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC11SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

Smooth-Star®



13101SL
   12" x 6'8" † ‡
 14" x 6'8" † ‡




81963PSL
 12" x 8'0"
 14" x 8'0"




FC44SL
 12" x 6'8"
 14" x 6'8"



S206E
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡




S6023
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S6043
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S34
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S289E
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




S989
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Key

 No Stile Lines

 Black Nickel Caming (1D)

 Flat Lite Frame

 Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")

 WBDR Options

 WBDR / HVHZ Options

 6'6" Height Available


 7'0" Height Available

Frosted Images Glass Continues on next page.

Optional Dentil Shelf*



4-Block Dentil Shelf
 Available for all Craftsman-style
 Smooth-Star doors.




S6081 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S994 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S9345 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83145 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S138SL 12" x 6'8" 14" x 6'8"	S2070SL 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	S884SL 12" x 8'0" 14" x 8'0"	S289ESL 12" x 6'8" 14" x 6'8"
--	---	--	---	---	--	---	--

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites

Note: For details on divided lite options, see pages 126–127.

Fiber-Classic® Oak



NEW FC1205 _ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC1207 _ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2010 _ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2050 _ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2050_SL 12" x 6'8" 14" x 6'8"	FC5700 _ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85700 _ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5710 _ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85710 _ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
FC5720 _ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85720 _ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	NEW FC691 _ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	NEW FC8691 _ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	NEW FC685L _ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	NEW FC8685L _ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	NEW FC685R _ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	NEW FC8685R _ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XG = Geometric
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 275 for important product details that may help with your purchase decision.

Smooth-Star®



FC5700_SL
 2
 12" x 6'8"
 14" x 6'8"



FC5710_SL
 2
 12" x 6'8"
 14" x 6'8"



FC5720_SL
 2
 12" x 6'8"
 14" x 6'8"



S1205_
 2
 2'6" x 6'8" ⚠
 2'8" x 6'8" ⚠
 2'10" x 6'8" ⚠
 3'0" x 6'8" ⚠



S1207_
 2
 2'6" x 6'8" ⚠
 2'8" x 6'8" ⚠
 2'10" x 6'8" ⚠
 3'0" x 6'8" ⚠



S2010_
 2
 2'6" x 6'8" ⚠
 2'8" x 6'8" ⚠
 2'10" x 6'8" ⚠
 3'0" x 6'8" ⚠

NEW



S82103_
 2
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S82105_
 2
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




S82106_
 2
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S82107_
 2
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




S2010_SL
 2
 1
 1
 10" x 6'8" ⚠
 12" x 8'0" ⚠
 12" x 6'8" ⚠
 14" x 8'0" ⚠



S4812_
 2
 1
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S84812_
 2
 1
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S4813_
 2
 1
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S84813_
 2
 1
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S4814_
 2
 1
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S84814_
 2
 1
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S4816_
 2
 1
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S84816_
 2
 1
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S2000_SL-2C
 2
 1
 1
 10" x 6'8" ⚠
 12" x 6'8" ⚠
 14" x 6'8" ⚠



S2000_SL-4C
 2
 1
 1
 10" x 6'8" ⚠
 12" x 6'8" ⚠
 14" x 6'8" ⚠



S4812_SL
 2
 1
 12" x 6'8"
 14" x 6'8"



S84812_SL
 2
 1
 12" x 8'0"
 14" x 8'0"



S5700_
 2
 2'6" x 6'8" ⚠
 2'8" x 6'8" ⚠
 2'10" x 6'8" ⚠
 3'0" x 6'8" ⚠



S85700_
 2
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S5710_
 2
 2'6" x 6'8" ⚠
 2'8" x 6'8" ⚠
 2'10" x 6'8" ⚠
 3'0" x 6'8" ⚠



S85710_
 2
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

EnLiten Flush-Glazed Privacy & Textured Glass with Divided Lites *Continues on next page.*

Key

No Stile Lines

Flush-Glazed Glass (FG)

Simulated Divided Lites (SDL)

Simulated Divided Lites (SDLF1)

2 Simulated Divided Lites (SDLF2)

Flat Lite Frame

Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14"
 (8'0" only in 14")

WBDR Options


WBDR / HVHZ Options

6'6" Height Available

7'0" Height Available

Optional Dentil Shelf*

4-Block Dentil Shelf
 Available for all Craftsman-style
 Smooth-Star doors.



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XG = Geometric
XE = Satin Etch

XC = Chord
XJ = Chinchilla


XR = Rainglass
XN = Granite

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Chinchilla Glass with SDLs, Door – S5700XJ, Sidelite – S5700XJSL

EnLiten™ Flush-Glazed Privacy & Textured Glass

Fiber-Classic® Oak




- | | | |
|--|--|--|
| 2000_
▲ 2'0" x 6'8"
▲ 2'6" x 6'8"
▲ 2'8" x 6'8"
▲ 3'0" x 6'8" | 8000_
▲ 2'0" x 8'0"
▲ 2'6" x 8'0"
▲ 2'8" x 8'0"
▲ 2'10" x 8'0"
▲ 3'0" x 8'0" | 2000_SL
▲ 12" x 6'8"
▲ 14" x 6'8" |
|--|--|--|

Smooth-Star®



- | | | | | |
|---|---|---|---|--|
| S2000_
▲ 2'0" x 6'8" ▲
▲ 2'6" x 6'8" ▲
▲ 2'8" x 6'8" ▲
▲ 2'10" x 6'8" ▲
▲ 3'0" x 6'8" ▲ | S8000_
▲ 2'0" x 8'0"
▲ 2'6" x 8'0"
▲ 2'8" x 8'0"
▲ 2'10" x 8'0"
▲ 3'0" x 8'0" | S82200_
▲ 2'6" x 8'0"
▲ 2'8" x 8'0"
▲ 2'10" x 8'0"
▲ 3'0" x 8'0" | S4810_
▲ 2'8" x 6'8"
▲ 2'10" x 6'8"
▲ 3'0" x 6'8" | S84810_
▲ 2'8" x 8'0"
▲ 2'10" x 8'0"
▲ 3'0" x 8'0" |
|---|---|---|---|--|




- | | | | |
|---|---|---|--|
| S2000_SL
▲ 10" x 6'8" ▲
▲ 12" x 6'8" ▲
▲ 14" x 6'8" ▲ | S8000_SL
▲ 12" x 8'0"
▲ 14" x 8'0" | S4810_SL
▲ 12" x 6'8"
▲ 14" x 6'8" | S84810_SL
▲ 12" x 8'0"
▲ 14" x 8'0" |
|---|---|---|--|



Key

- ▲ Flush-Glazed Glass (FG)
- 1 Simulated Divided Lites (SDLF1)
- 2 Simulated Divided Lites (SDLF2)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ▲ 6'6" Height Available

Optional Dentil Shelf*



4-Block Dentil Shelf
Available for all Craftsman-style Smooth-Star doors.

Privacy & Textured Glass with Divided Lites

Fiber-Classic® Mahogany

Note: For details on divided lite options, see pages 126–127.



FCM138_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM1285_
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡



FCM18_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM1284_
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡



FCM82_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM65_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM6022_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM6042_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM8321_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FCM12102_SL
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡



FCM92_SL
12" x 6'8"
14" x 6'8"



FCM8101_SL
12" x 8'0"
14" x 8'0"



FCM65_SL
12" x 6'8"
14" x 6'8"



FCM3487_SL
12" x 8'0"
14" x 8'0"



FCM605_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM606_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM607_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM608_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM6124_SL
10" x 6'8"
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡



FCM6125_SL
10" x 6'8"
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡



FCM6126_SL
10" x 6'8"
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡



FC138_
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1285_
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡

Fiber-Classic® Oak

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XC = Geometric
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 275 for important product details that may help with your purchase decision.



FC18_
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



1284_
 2'8" x 6'8" Δ †
 2'10" x 6'8" Δ †
 3'0" x 6'8" Δ †



FC82_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC92_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



81945P_
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



81946P_
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC65_
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



FC8321_
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC832_
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC807_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC809203_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC862203_
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC18_SL
 12" x 6'8"
 14" x 6'8"



12102_SL
 12" x 6'8" Δ †
 14" x 6'8" Δ †



FC92_SL
 12" x 6'8"
 14" x 6'8"



81946P_SL
 12" x 8'0"
 14" x 8'0"



FC63_SL
 12" x 6'8"
 14" x 6'8"



FC3487_SL
 12" x 8'0"
 14" x 8'0"



FC06188_SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC06184_SL
 12" x 6'8" Δ †
 14" x 6'8" Δ †



FC06189_SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC06185_SL
 12" x 6'8" Δ †
 14" x 6'8" Δ †



FC06190_SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC06186_SL
 12" x 6'8" Δ †
 14" x 6'8" Δ †

Privacy & Textured Glass with Divided Lites *Continues on next page.*

Look for the (🔥) for flush-glazed options on page 170.

Key

- No Stile Lines
- Simulated Divided Lites (SDL)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6'6" Height Available
- 7'0" Height Available

Optional Dentil Shelf*



4-Block Dentil Shelf
 Available for all Craftsman-style
 Fiber-Classic Mahogany Collection doors.

Smooth-Star®



S128_
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S141_
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8"



S108_
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S6063_
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8"



S82_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S92_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S881_
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S822_
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S262_
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S6022_
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S6042_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S32_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S8321_
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S832_
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S807_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S93203_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S831203_
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S308_SL
 12" x 6'8"
 14" x 6'8"



S1170_SL
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



S82_SL
 12" x 6'8"
 14" x 6'8"



S881_SL
 12" x 8'0"
 14" x 8'0"



S263_SL
 12" x 6'8"
 14" x 6'8"



S3487_SL
 12" x 8'0"
 14" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XG = Geometric
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 275 for important product details that may help with your purchase decision.



S605_ 
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S8605_ 
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S606_ 
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S8606_ 
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S607_ 
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S8607_ 
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S608_ 
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8608_ 
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S605_SL 
 12" x 6'8"
 14" x 6'8"



S6124_SL   
 10" x 6'8"
 12" x 6'8" Δ ‡
 14" x 6'8" Δ ‡



S606_SL 
 12" x 6'8"
 14" x 6'8"



S6125_SL   
 10" x 6'8"
 12" x 6'8" Δ ‡
 14" x 6'8" Δ ‡



S607_SL 
 12" x 6'8"
 14" x 6'8"




S6126_SL   
 10" x 6'8"
 12" x 6'8" Δ ‡
 14" x 6'8" Δ ‡

Privacy & Textured Glass

Fiber-Classic® Mahogany



FCM10_ 
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM870_ 
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




FCM1283_  
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



FCM81200_  
 2'6" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM32_ 
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM62_ 
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM862_ 
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM6021_ 
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"





FCM6041_ 
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Privacy & Textured Glass *Continues on next page.*

Look for the () for flush-glazed options on page 170.

Key

-  No Stile Lines
-  Simulated Divided Lites (SDL)
-  Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")

-  WBDR / HVHZ Options
-  6'6" Height Available
-  7'0" Height Available

Optional Dentil Shelf*



4-Block Dentil Shelf
 Available for all Craftsman-style
 Smooth-Star doors.

Privacy & Textured Glass *Continued*



Fiber-Classic® Oak



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XG = Geometric
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Available with flat lite frame or Impact-rated lite frame only.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.



FC61_ 2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

FC861_ 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




FC47_SL 6
10" x 6'8"
12" x 6'8"
14" x 6'8"

81200P_SL 6
12" x 8'0"
14" x 8'0"



12101_SL 6
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡

81200_SL 6
12" x 8'0"
14" x 8'0"



FC32_SL 6
12" x 6'8"
14" x 6'8"

81943P_SL 6
12" x 8'0"
14" x 8'0"



FC48_SL 6
12" x 6'8"
14" x 6'8"

81929P_SL 6
12" x 8'0"
14" x 8'0"

Smooth-Star®



S118_ 6
2'8" x 6'8" ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡

S818_ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S140_ 6
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡
3'6" x 6'8"

S8140_ 6
2'6" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



S90_ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S880_ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S80_ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S206_ 6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S81929P_ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S6021_ 6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



S6041_ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S104_ 6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



S30_ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S830_ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S289_ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S2610_* 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82610_* 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S601_ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8600_ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass *Continues on next page.*

Look for the (🔥) for flush-glazed options on page 173.

Key

- No Stile Lines
- ▤ Flat Lite Frame
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14"
8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelves**






4-Block Dentil Shelf
Available for all Craftsman-style
Fiber-Classic Mahogany Collection doors.






4-Block Dentil Shelf
Available for all Craftsman-style
Smooth-Star doors.

Privacy & Textured Glass *Continued*







S9320_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"







S83120_
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"






S296_
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡





S896_
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"






S100_SL
 12" x 6'8"
 12" x 8'0"
 14" x 6'8"





S8601_SL
 12" x 8'0"
 14" x 8'0"



S601_SL
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



S81086_SL
 12" x 8'0"
 14" x 8'0"



S751_SL
 12" x 6'8"
 14" x 6'8"



S880_SL
 12" x 8'0"
 14" x 8'0"



S210_SL
 12" x 6'8"
 14" x 6'8"



S85910_SL
 12" x 8'0"
 14" x 8'0"

EnLiten™ Flush-Glazed Internal Blinds

Note: Product images show exterior side of door.



S2600

 
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S82600

 
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Internal Blinds, Door – S82600

Internal Blinds


Note: Product images show exterior side of door.

Fiber-Classic® Mahogany

Fiber-Classic® & Smooth-Star®




FCM141 2'8" x 6'8" 2'10" x 6'8" ‡ 3'0" x 6'8"	FCM8115 2'8" x 8'0" 2'10" x 8'0"	FCM1286 2'4" x 6'8" △ 2'6" x 6'8" △ ‡ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡	FCM81225 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM5425 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM678 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8678 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6035 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6055 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	--	--	--	---	--	--	--



FCM116 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FCM8115SL 12" x 8'0" 14" x 8'0"	FCM1286SL 10" x 6'8" 12" x 6'8" △ ‡ 14" x 6'8" △ ‡	FCM81225SL 12" x 8'0" 14" x 8'0"	FCM5425SL 12" x 6'8" 14" x 6'8"	FCM8110SL 12" x 8'0" 14" x 8'0"	FCM678SL 12" x 6'8" 14" x 6'8"	FCM8678SL 12" x 8'0" 14" x 8'0"
--	--	--	---	--	--	---	--

Fiber-Classic® Oak



FC141 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	81225P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	1286 2'4" x 6'8" △ 2'6" x 6'8" △ ‡ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡	81225 2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	1964P 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81964P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5425 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC678 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC8678 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC116 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
---	---	---	--	--	---	---	---	---	---

Internal Blinds *Continues on next page.*

Key

- No Stile Lines
- Flush-Glazed Glass (FG)
- Low-E Glass (LE)
- Flat Lite Frame
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14"
(8'0" only in 14")
- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available

Internal Blinds *Continued*



FC8971
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC925
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC8972
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC141SL
 * 6
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



81225PSL
 * 6
 12" x 8'0"
 14" x 8'0"



1286SL
 * 6
 12" x 6'8" †
 14" x 6'8" †



81225SL
 * 6
 12" x 8'0"
 14" x 8'0"



FC5425SL
 * 6
 12" x 6'8"
 14" x 6'8"



81964PSL
 * 6
 12" x 8'0"
 14" x 8'0"



FC678SL
 * 6
 12" x 6'8"
 14" x 6'8"



FC8678SL
 * 6
 12" x 8'0"
 14" x 8'0"

Smooth-Star®



S130
 * 6
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



S829
 * 6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S6061
 * 6
 2'4" x 6'8" †
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †
 3'6" x 6'8"



S81225
 * 6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"



S682
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S8682
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S5425
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S132
 * 6
 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †

S8132
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S6035
 * 6
 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



S6055
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S131
 * 6
 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †




S971
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S8971
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S925
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




S8972
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"












S130SL
 * 6
 12" x 6'8"
 14" x 6'8"

S829SL
 * 6
 12" x 8'0"
 14" x 8'0"

*Features a gliding operation and sash locking system.
 Note: See page 275 for important product details that may help with your purchase decision.
 Right Page: Smooth-Star, Internal Blinds, Door – S130



S6128SL     10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	S85928SL     12" x 8'0" 14" x 8'0"	S5425SL   12" x 6'8" 14" x 6'8"	S8682SL   12" x 8'0" 14" x 8'0"
---	--	---	---



S132SL   12" x 6'8" 14" x 6'8"	S8132SL   12" x 8'0" 14" x 8'0"
--	---











Screen Vented Lites*

Smooth-Star®



S243 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S6034 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S6054 2'8" x 6'8" 2'10" x 6'8" ‡ 3'0" x 6'8"	S137  2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
---	--	--	--

Key

-  No Stile Lines
-  Low-E Glass (LE)
-  Flat Lite Frame
-  Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
-  WBDR Options
-  WBDR / HVHZ Options
-  6'6" Height Available
-  7'0" Height Available


EnLiten™ Flush-Glazed Clear Glass with Divided Lites

Note: For details on divided lite options, see pages 126–127.

Fiber-Classic® Oak



FC1205
 ▲ ● ★ ◆
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



FC1206
 ▲ ● ★ ◆
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



FC1207
 ▲ ● ★ ◆
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"




2010
 ▲ ● ★ ◆
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



FC1204
 ▲ ● ★ ◆
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



2050
 ▲ ● ★ ◆
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



8000-12
 ▲ ● ★ ◆
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



8000-18
 ▲ ● ★ ◆
 2'0" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



NEW

FC1350
 ▲ ● ★ ◆
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



2150
 ▲ ● ★ ◆
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



FC1205SL
 ▲ ● ★ ◆
 12" x 6'8"
 14" x 6'8"



FC1206SL
 ▲ ● ★ ◆
 12" x 6'8"
 14" x 6'8"



FC1204SL
 ▲ ● ★ ◆
 12" x 6'8"
 14" x 6'8"



2050SL
 ▲ ● ★ ◆
 12" x 6'8"
 14" x 6'8"



2009
 ▲ ● ★ ◆
 2'0" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"

8000-9
 ▲ ● ★ ◆
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC1409
 ▲ ● ★ ◆
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



2009SL
 ▲ ● ★ ◆
 12" x 6'8"
 14" x 6'8"



FC5700
 ▲ ● ★ ◆ 2
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



FC85700
 ▲ ● ★ ◆ 2
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC5710
 ▲ ● ★ ◆ 2
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"




FC85710
 ▲ ● ★ ◆ 2
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC5720
 ▲ ● ★ ◆ 2
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



FC85720
 ▲ ● ★ ◆ 2
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




NEW

FC691
 ▲ ● ★ ◆ 2
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"




NEW

FC8691
 ▲ ● ★ ◆ 2
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




FC685L ▲ 2 ▲ 2 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8685L ▲ 2 ▲ 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC685R ▲ 2 ▲ 2 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8685R ▲ 2 ▲ 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5700SL ▲ 2 ▲ 2 12" x 6'8" 14" x 6'8"	FC5710SL ▲ 2 ▲ 2 12" x 6'8" 14" x 6'8"	FC5720SL ▲ 2 ▲ 2 12" x 6'8" 14" x 6'8"
--	---	--	---	---	---	---

Smooth-Star®



S1205 ▲ 2 ▲ 2 ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S1206 ▲ 2 ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S1207 ▲ 2 ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S2010 ▲ 2 ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S1204 ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S2050 ▲ 2 ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S8000-12 ▲ 2 ▲ 2 ▲ 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	---	---	--	---	---



S8000-18 ▲ 2 ▲ 2 ▲ 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2103 ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82103 ▲ 2 ▲ 2 ▲ 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2104 ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82104 ▲ 2 ▲ 2 ▲ 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2105 ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82105 ▲ 2 ▲ 2 ▲ 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2250 ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82250 ▲ 2 ▲ 2 ▲ 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S82106 ▲ 2 ▲ 2 ▲ 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	---	--	---	--	---	--	---	---

EnLiten Flush-Glazed Clear Glass with Divided Lites *Continues on next page.*

Key

- ▲ Flush-Glazed Glass (FG)
- ☀ Low-E Glass (LE)
- 📦 Simulated Divided Lites (SDL)
- 1 Simulated Divided Lites (SDLF1)
- 2 Simulated Divided Lites (SDLF2)
- 🍀 Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ➡ Removable Wood Grilles (RG)
- ▲ 6'6" Height Available



S82107
 ▲ ★ ◆ ◆
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

NEW



S1350
 ▲ ★ ◆ ◆
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



S2150
 ▲ ★ ◆ ◆ ◆
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



S1205SL
 ▲ ★ ◆ ◆ ◆
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S1206SL
 ▲ ★ ◆ ◆ ◆
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S1204SL
 ▲ ★ ◆ ◆ ◆
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S2010SL
 ▲ ★ ◆ ◆ ◆ ◆
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S84886SL
 ▲ ★ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"




S2103SL
 ▲ ★ ◆ ◆
 12" x 6'8"
 14" x 6'8"




S2104SL
 ▲ ★ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"




S92SL
 ▲ ★ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"




S4812
 ▲ ★ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S84812
 ▲ ★ ◆ ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




S4813
 ▲ ★ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S84813
 ▲ ★ ◆ ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S4814
 ▲ ★ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S84814
 ▲ ★ ◆ ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S4816
 ▲ ★ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S84816
 ▲ ★ ◆ ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S2000SL-2C
 ▲ ★ ◆ ◆ ◆ ◆ ◆
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S2000SL-4C
 ▲ ★ ◆ ◆ ◆ ◆ ◆ ◆
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲




S4812SL
 ▲ ★ ◆ ◆ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"



S84812SL
 ▲ ★ ◆ ◆ ◆ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"



S2009
 ▲ ★ ◆ ◆ ◆ ◆ ◆
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲



S8000-9
 ▲ ★ ◆ ◆ ◆ ◆ ◆
 2'0" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S1401
 ▲ ★ ◆ ◆ ◆
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S81401
 ▲ ★ ◆ ◆ ◆ ◆ ◆
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S1409
 ▲ ★ ◆ ◆ ◆ ◆
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



S2009SL
 ▲ ★ ◆ ◆ ◆ ◆ ◆ ◆
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S1401SL
 ▲ ★ ◆ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 275 for important product details that may help with your purchase decision.




S5705
 ▲ 🔥 ⚡ 1
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S85705
 ▲ 🔥 ⚡ 1
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S5700
 ▲ 🔥 ⚡ 2
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S85700
 ▲ 🔥 ⚡ 2
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S5715
 ▲ 🔥 ⚡ 1
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S85715
 ▲ 🔥 ⚡ 1
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S5710
 ▲ 🔥 ⚡ 2
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S85710
 ▲ 🔥 ⚡ 2
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S5725
 ▲ 🔥 ⚡ 1
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S85725
 ▲ 🔥 ⚡ 1
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S5720
 ▲ 🔥 ⚡ 2
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S85720
 ▲ 🔥 ⚡ 2
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S691
 ▲ 🔥 ⚡ 2
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S8691
 ▲ 🔥 ⚡ 2
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S685L
 ▲ 🔥 ⚡ 2
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S8685L
 ▲ 🔥 ⚡ 2
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S685R
 ▲ 🔥 ⚡ 2
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S8685R
 ▲ 🔥 ⚡ 2
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S5730
 ▲ 🔥 ⚡ 2
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S85730
 ▲ 🔥 ⚡ 2
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S5700SL
 ▲ 🔥 ⚡ 2
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S5710SL
 ▲ 🔥 ⚡ 2
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S5720SL
 ▲ 🔥 ⚡ 2
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲

Key

- 🔥 Flush-Glazed Glass (FG)
- ⚡ Low-E Glass (LE)
- 🗡 Simulated Divided Lites (SDL)
- 🗡 Simulated Divided Lites (SDLF1)

- 🗡 Simulated Divided Lites (SDLF2)
- 🗡 Flat White Grilles Between Glass Only (GBGFW)
- 🗡 Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

- ➡ Removable Wood Grilles (RG)
- 🟢 Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- ▲ 6'6" Height Available

Optional Dentil Shelf*



4-Block Dentil Shelf
 Available for all Craftsman-style Smooth-Star doors.

EnLiten™ Flush-Glazed Clear Glass

Fiber-Classic® Oak



2000 ▲ ★ 2'0" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	8000 ▲ ★ 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2100 ▲ ★ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2000SL ▲ ★ 12" x 6'8" 14" x 6'8"
--	--	---	--

Smooth-Star®



S2000 ▲ ★ 2'0" x 6'8" † 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	S8000 ▲ ★ 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2200 ▲ ★ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82200 ▲ ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2100 ▲ ★ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"
---	---	--	---	--



S4810 ▲ ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84810 ▲ ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2000SL ▲ ★ ● 10" x 6'8" † 12" x 6'8" † 14" x 6'8" †	S8000SL ▲ ★ 12" x 8'0" 14" x 8'0"	S90SL ▲ 12" x 6'8" 14" x 6'8"	S4810SL ▲ ★ 12" x 6'8" 14" x 6'8"	S84810SL ▲ ★ 12" x 8'0" 14" x 8'0"
---	--	---	---	---	---	--

Clear Glass with Divided Lites

Note: For details on divided lite options, see pages 126–127.

Fiber-Classic® Mahogany




FCM1209 ★ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1201 ★ ◆ ◆ 2'6" x 6'8" † † 2'8" x 6'8" † † 2'10" x 6'8" † † 3'0" x 6'8" † †	FCM1211 ★ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1202 ★ ◆ ◆ 2'6" x 6'8" † † 2'8" x 6'8" † † 2'10" x 6'8" † † 3'0" x 6'8" † †	FCM1212 ★ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1203 ★ ◆ ◆ 2'6" x 6'8" † † 2'8" x 6'8" † † 2'10" x 6'8" † † 3'0" x 6'8" † †	FCM138 ★ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--	---	--	---	--	--

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 275 for important product details that may help with your purchase decision.




FCM1285

 2'6" x 6'8" Δ †
 2'8" x 6'8" Δ †
 2'10" x 6'8" Δ †
 3'0" x 6'8" Δ †



FCM1208

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM1200

 2'6" x 6'8" Δ †
 2'8" x 6'8" Δ †
 2'10" x 6'8" Δ †
 3'0" x 6'8" Δ †



FCM18

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM1284

 2'6" x 6'8" Δ †
 2'8" x 6'8" Δ †
 2'10" x 6'8" Δ †
 3'0" x 6'8" Δ †




FCM828

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM81828

 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM81208P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM81829

 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM2106

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM2107

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM2108

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM82

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM63

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM6097

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM811

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM8322

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM8323

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM8324

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM65

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM6022

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass with Divided Lites *Continues on next page.*

Look for the () for flush-glazed options on page 184.

Key


- No Stile Lines
- Flush-Glazed Glass (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")

- WBDR / HVHZ Options
- Δ 6'6" Height Available
- † 7'0" Height Available

Optional Dentil Shelf*

4-Block Dentil Shelf
 Available for all Craftsman-style
 Smooth-Star doors.



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 275 for important product details that may help with your purchase decision.



FCM81949SL ★ 12" x 8'0" 14" x 8'0"	FCM198 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1289 ★ 2'6" x 6'8" † ‡ 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	FCM1402 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1408 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8145 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1405 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1406 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	---	---	---	---	---



FCM704 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8704 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1289SL ★ 10" x 6'8" 12" x 6'8" † ‡ 14" x 6'8" † ‡	FCM1400SL ★ 12" x 6'8" 14" x 6'8"	FCM81944SL ★ 12" x 8'0" 14" x 8'0"	FCM1405SL ★ 12" x 6'8" 14" x 6'8"	FCM8145SL ★ 12" x 8'0" 14" x 8'0"
--	---	---	---	--	---	---

Fiber-Classic® Oak



FC1209 ★ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	FC1201 ★ 2'6" x 6'8" † ‡ 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	FC1211 ★ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	FC1202 ★ 2'6" x 6'8" † ‡ 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	FC1212 ★ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	FC1203 ★ 2'6" x 6'8" † ‡ 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	FC138 ★ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †
---	---	---	---	---	---	--

Clear Glass with Divided Lites *Continues on next page.*

Look for the () for flush-glazed options on page 184.

Key

- No Stile Lines
- ★ Low-E Glass (LE)
- ▣ Simulated Divided Lites (SDL)
- ◆ Flat or Contour, White or Color Grilles (GBGF / GBGC)

- ▶ Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")

- 6 WBDR Options
- 9 WBDR / HVHZ Options
- † 6'6" Height Available
- ‡ 7'0" Height Available


Optional Dentil Shelf*


4-Block Dentil Shelf
Available for all Craftsman-style
Fiber-Classic Mahogany Collection doors.




1285

 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



FC1208

 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FC1200

 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



FC18

 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1284

 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡




FC828

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




81828

 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



81208P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



81208

 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC2106

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC2107

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC2108

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC82

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC1089 | **FC8311**

 2'8" x 6'8" | 2'8" x 8'0"
 2'10" x 6'8" | 2'10" x 8'0"
 3'0" x 6'8" | 3'0" x 8'0"



FC2101 | **FC8313**

 2'8" x 6'8" | 2'8" x 8'0"
 2'10" x 6'8" | 2'10" x 8'0"
 3'0" x 6'8" | 3'0" x 8'0"



FC2102 | **FC8316**

 2'8" x 6'8" | 2'8" x 8'0"
 2'10" x 6'8" | 2'10" x 8'0"
 3'0" x 6'8" | 3'0" x 8'0"



FC92 | **FC8310**

 2'8" x 6'8" | 2'8" x 8'0"
 2'10" x 6'8" | 2'10" x 8'0"
 3'0" x 6'8" | 3'0" x 8'0"



81945P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



81946P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC8322

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC8323
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC8324
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC63
 * >
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FC65
 * > 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FC8321
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC8318
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC8319
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC8320
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC832
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC807
 * > 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC809203
 * > 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC862203
 * > 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC752
 * 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FC8752
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC23
 * 6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC1209SL
 * 6
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC1201SL
 * 6
 12" x 6'8" ‡
 14" x 6'8" ‡



FC1211SL
 * 6
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC1202SL
 * 6
 12" x 6'8" ‡
 14" x 6'8" ‡



FC1208SL
 * 6
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC1200SL
 * 6
 12" x 6'8" ‡
 14" x 6'8" ‡



FC18SL
 * > 6
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



12102SL
 * 6
 12" x 6'8" ‡
 14" x 6'8" ‡



81208PSL
 * > 6
 12" x 8'0"
 14" x 8'0"



81208SL
 * > 6
 12" x 8'0"
 14" x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Look for the () for flush-glazed options on page 184.

Key

■ No Stile Lines

☀ Low-E Glass (LE)

▨ Simulated Divided Lites (SDL)

◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

➤ Removable Wood Grilles (RG)

◆ Fixed Grilles (FXG)


● Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")

6 WBDL Options

6 WBDL / HVHZ Options

⚠ 6'6" Height Available


‡ 7'0" Height Available



FC1089SL
 ✨ ✨ ✨ ✨
 12" x 6'8"
 14" x 6'8"



FC8311SL
 ✨ ✨ ✨ ✨
 12" x 8'0"
 14" x 8'0"



FC2101SL
 ✨ ✨ ✨ ✨
 12" x 6'8"
 14" x 6'8"

FC8313SL
 ✨ ✨ ✨ ✨
 12" x 8'0"
 14" x 8'0"



FC92SL
 ✨ ✨ ✨ ✨
 12" x 6'8"
 14" x 6'8"



FC8310SL
 ✨ ✨ ✨ ✨
 12" x 8'0"
 14" x 8'0"



81946PSL
 ✨ ✨ ✨ ✨
 12" x 8'0"
 14" x 8'0"



FC8675SL
 ✨ ✨ ✨ ✨
 12" x 8'0"
 14" x 8'0"



FC63SL
 ✨ ✨ ✨ ✨
 12" x 6'8"
 14" x 6'8"

FC7125SL
 ✨ ✨ ✨ ✨
 12" x 8'0"
 14" x 8'0"




FC3487SL
 ✨ ✨ ✨ ✨
 12" x 8'0"
 14" x 8'0"



FC06188SL
 ✨ ✨ ✨ ✨
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC06184SL
 ✨ ✨ ✨ ✨
 12" x 6'8" †
 14" x 6'8" †



FC06189SL
 ✨ ✨ ✨ ✨
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC06185SL
 ✨ ✨ ✨ ✨
 12" x 6'8" †
 14" x 6'8" †



FC06190SL
 ✨ ✨ ✨ ✨
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC06186SL
 ✨ ✨ ✨ ✨
 12" x 6'8" †
 14" x 6'8" †



81900PSL
 ✨ ✨ ✨ ✨
 12" x 8'0"
 14" x 8'0"



81947PSL
 ✨ ✨ ✨ ✨
 12" x 8'0"
 14" x 8'0"



81949PSL
 ✨ ✨ ✨ ✨
 12" x 8'0"
 14" x 8'0"



FC198
 ✨ ✨ ✨ ✨
 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



1289
 ✨ ✨ ✨ ✨
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



FC1402
 ✨ ✨ ✨ ✨
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC1400
 ✨ ✨ ✨ ✨
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

81944P
 ✨ ✨ ✨ ✨
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC1408
 ✨ ✨ ✨ ✨
 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †




FC8145
 ✨ ✨ ✨ ✨
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC8144
 ✨ ✨ ✨ ✨
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC1411
 ✨ ✨ ✨ ✨
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC1404
 * ♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC8141
 * ♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC704
 * ♦
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

FC8704
 * ♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC198SL
 * ♦
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

FC1289SL
 * ♦ ●
 12" x 6'8" ‡
 14" x 6'8" ‡


FC1400SL
 * ♦
 12" x 6'8"
 14" x 6'8"

81944PSL
 * ♦
 12" x 8'0"
 14" x 8'0"

FC1408SL
 * ♦
 12" x 6'8"
 14" x 6'8"

FC8145SL
 * ♦
 12" x 8'0"
 14" x 8'0"

Smooth-Star®



S1209
 * ♦
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

S1201
 * ♦ ♦
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8"

S1211
 * ♦
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

S1202
 * ♦ ♦
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8"

S1212
 * ♦
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

S1203
 * ♦ ♦
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8"

S128
 * ♦ ♦ ♦ ♦ ♦
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

S141
 * ♦ ♦ ♦ ♦ ♦
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8"

S1208
 * ♦ ♦
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

S1200
 * ♦ ♦ ♦
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8"

S108
 * ♦ ♦ ♦ ♦ ♦
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

S6063
 * ♦ ♦ ♦ ♦ ♦
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8"

S828
 * ♦ ♦ ♦ ♦
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S81828
 * ♦ ♦ ♦ ♦ ♦
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"

S808
 * ♦ ♦ ♦ ♦
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S81208
 * ♦ ♦ ♦ ♦ ♦
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Look for the (♦) for flush-glazed options on page 184.

Key

■ No Stile Lines

☀ Low-E Glass (LE)

▨ Simulated Divided Lites (SDL)

♦ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

▶ Removable Wood Grilles (RG)

◆ Fixed Grilles (FXG)

● Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")

6 WBDR Options

6 WBDR / HVHZ Options

▲ 6'6" Height Available

‡ 7'0" Height Available



S2106 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S2107 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S2108 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1089 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8311 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2101 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8313 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2102 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8316 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	---	---	---	---	---	---	---	---























































































S881 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S92 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8310 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S882 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S63 ★ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S6097 ★ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S811 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S262 ★ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
--	---	---	--	---	---	--	---



S6022 ★ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S6042 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8322 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8323 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8324 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8321 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8318 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8319 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	---	---	---	---	---	---

								
<p>S8320    2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>S32     2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>S832      2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>S807    2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>S93203      2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>S831203      2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>S115    2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡</p>	<p>S752    2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡</p>	<p>S8752    2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>

								
<p>S255    2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>S236  2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>S8317  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>S237   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" (Scalloped Lite Frame)</p>	<p>S1209SL   12" x 6'8" 14" x 6'8"</p>	<p>S1201SL     10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡</p>	<p>S1211SL   12" x 6'8" 14" x 6'8"</p>	<p>S1202SL     10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡</p>	<p>S1208SL     12" x 6'8" 14" x 6'8"</p>

										
<p>S1200SL     10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡</p>	<p>S308SL     12" x 6'8" 14" x 6'8"</p>	<p>S1170SL      10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡</p>	<p>S808SL     12" x 8'0" 14" x 8'0"</p>	<p>S81186SL      12" x 8'0" 14" x 8'0"</p>	<p>S1089SL   12" x 6'8" 14" x 6'8"</p>	<p>S8311SL   12" x 8'0" 14" x 8'0"</p>	<p>S2101SL      12" x 6'8" 14" x 6'8"</p>	<p>S8313SL   12" x 8'0" 14" x 8'0"</p>	<p>S8310SL     12" x 8'0" 14" x 8'0"</p>	<p>S82SL     12" x 6'8" 14" x 6'8"</p>

Clear Glass with Divided Lites *Continues on next page.*

Look for the () for flush-glazed options on page 184.

Key

-  No Stile Lines
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
-  Removable Wood Grilles (RG)
-  Fixed Grilles (FXG)
-  Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
-  WBDR Options
-  WBDR / HVHZ Options
-  6'6" Height Available
-  7'0" Height Available

Clear Glass with Divided Lites *Continued*



S881SL ★ ◆6 12" x 8'0" 14" x 8'0"	S8675SL ★ ◆6 12" x 8'0" 14" x 8'0"	S263SL ★ ◆6 12" x 6'8" 14" x 6'8"	S7125SL ★ ◆6 12" x 8'0" 14" x 8'0"	S3487SL ★ ◆6 12" x 8'0" 14" x 8'0"	S605 ★ ◆6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8605 ★ ◆6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S606 ★ ◆6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8606 ★ ◆6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S607 ★ ◆6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8607 ★ ◆6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	--	---	---	--	---	--	---	--	---



S608 ★ ◆6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8608 ★ ◆6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S605SL ★ ◆6 12" x 6'8" 14" x 6'8"	S8605SL ★ ◆6 12" x 8'0" 14" x 8'0"	S6124SL ★ ◆6 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	S85924SL ★ ◆6 12" x 8'0" 14" x 8'0"	S606SL ★ ◆6 12" x 6'8" 14" x 6'8"	S8606SL ★ ◆6 12" x 8'0" 14" x 8'0"	S6125SL ★ ◆6 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	S85925SL ★ ◆6 12" x 8'0" 14" x 8'0"	S607SL ★ ◆6 12" x 6'8" 14" x 6'8"	S8607SL ★ ◆6 12" x 8'0" 14" x 8'0"	S6126SL ★ ◆6 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	S85926SL ★ ◆6 12" x 8'0" 14" x 8'0"
--	---	--	---	---	--	--	---	---	--	--	---	---	--



S8207SL ★ ◆6 12" x 8'0" 14" x 8'0"	S8202SL ★ ◆6 12" x 8'0" 14" x 8'0"	S8204SL ★ ◆6 12" x 8'0" 14" x 8'0"	S198 ★ ◆6 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	S6062 ★ ◆6 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" † 3'6" x 6'8"	S1402 ★ ◆6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1400 ★ ◆6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S898 ★ ◆6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1408 ★ ◆6 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	S8145 ★ ◆6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	---	---	---	---	---	--	--	---

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 275 for important product details that may help with your purchase decision.



S1405 ★ ◆ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S1406 ★ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1407 ★ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8144 ★ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1411 ★ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1404 ★ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8141 ★ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S704 ★ ◆ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S8704 ★ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	---	---	---	---	---	--	---



S198SL ★ ◆ 12" x 6'8" 14" x 6'8"	S6062SL ★ ◆ ● 10" x 6'8" 12" x 6'8" ‡ ‡ 14" x 6'8" ‡ ‡	S1400SL ★ ◆ 12" x 6'8" 14" x 6'8"	S898SL ★ ◆ 12" x 8'0" 14" x 8'0"	S1405SL ★ ◆ 12" x 6'8" 14" x 6'8"	S8145SL ★ ◆ 12" x 8'0" 14" x 8'0"
--	---	---	--	---	---



19020T
★
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems
Grille Sticks Applied



19220T
★
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems
Grille Sticks Applied



19200T
★
3'0" Door Only
Grille Sticks Applied

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



Look for the (★) for flush-glazed options on page 184.

Key

- No Stile Lines
- ★ Low-E Glass (LE)
- ▭ Simulated Divided Lites (SDL)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

- Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")

- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelf*



Clear Glass

Fiber-Classic® Mahogany



FCM10 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM870 * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1283 * 6 2'0" x 6'8" ▲ 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ ‡ 2'8" x 6'8" ▲ ‡ 2'10" x 6'8" ▲ ‡ 3'0" x 6'8" ▲ ‡	FCM81200 * 6 2'0" x 8'0" ▲ 2'4" x 8'0" ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM32 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM62 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM862 * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6021 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6041 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM670 * 6 2'4" x 6'8" 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
---	--	--	---	---	---	--	---	---	--



FCM80 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM160 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM601 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM132 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM708 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8708 * 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM61 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM861 * 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM12101SL * 6 10" x 6'8" 12" x 6'8" ▲ ‡ 14" x 6'8" ▲ ‡	FCM81200SL * 6 12" x 8'0" 14" x 8'0"
---	--	--	--	--	---	---	--	--	--

Fiber-Classic® Oak



FCM870SL * 6 12" x 8'0" 14" x 8'0"	FCM32SL * 6 12" x 6'8" 14" x 6'8"	FCM881SL * 6 12" x 8'0" 14" x 8'0"	FCM62SL * 6 12" x 6'8" 14" x 6'8"	FCM862SL * 6 12" x 8'0" 14" x 8'0"	FC10 * 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	81200P * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	1283 * 6 2'0" x 6'8" ▲ 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ ‡ 2'8" x 6'8" ▲ ‡ 2'10" x 6'8" ▲ ‡ 3'0" x 6'8" ▲ ‡	81200 * 6 2'0" x 8'0" ▲ 2'4" x 8'0" ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC32 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	--	---	--	---	--	---	--	--

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 275 for important product details that may help with your purchase decision.



FC766
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

81943P
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC62
 * 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

81929P
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC670
 * 6
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

81971P
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC48
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC710
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC160
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC789
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC132
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC80920
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC86220
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC708
 *
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

FC8708
 *
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC803
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC61
 *
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

FC861
 *
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC47SL
 * 6
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

81200PSL
 * 6
 12" x 8'0"
 14" x 8'0"

12101SL
 * 6
 12" x 6'8" Δ ‡
 14" x 6'8" Δ ‡

81200SL
 * 6
 12" x 8'0"
 14" x 8'0"

FC32SL
 * 6
 12" x 6'8"
 14" x 6'8"

81943PSL
 * 6
 12" x 8'0"
 14" x 8'0"

FC48SL
 * 6
 12" x 6'8"
 14" x 6'8"

81929PSL
 * 6
 12" x 8'0"
 14" x 8'0"

Clear Glass *Continues on next page.*

Look for the (🔥) for flush-glazed options on page 188.

Key

- 🔴 No Stile Lines
- 🌟 Low-E Glass (LE)
- 🐢 Turtle Glass
- 🌀 WBDR Options
- 🌀 WBDR / HVHZ Options
- 🟢 Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")

- Δ 6'6" Height Available
- ‡ 7'0" Height Available
- 🟡 PVC Doorlite Frame*

Optional Dentil Shelf*



Smooth-Star®



- | | | | | | | | | | |
|--|--|---|--|--|--|---|--|--|---|
| S118

2'6" x 6'8" Δ
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡ | S818

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S140

2'0" x 6'8" ∇
2'4" x 6'8" Δ
2'6" x 6'8" Δ
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡
3'6" x 6'8" | S8140

2'0" x 8'0" ∇
2'4" x 8'0" ∇
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0" | S80

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S90

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S880

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S206

2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ | S81929P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S6021

2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ |
|--|--|---|--|--|--|---|--|--|---|



- | | | | | | | | |
|--|---|--|---|---|---|--|---|
| S6041

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S104

2'4" x 6'8"
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ | S30

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S830

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S289

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S770

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S6080

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S992

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" |
|--|---|--|---|---|---|--|---|



- | | | | | | | | |
|--|---|--|---|--|--|--|---|
| S105

2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ | S2610*

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S82610*

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S601

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S8601

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S10

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S9320

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | S83120

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" |
|--|---|--|---|--|--|--|---|

*Available with flat lite frame or Impact-rated lite frame only.
 **Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 275 for important product details that may help with your purchase decision.



S708
 * 2'8" x 6'8" ‡
 * 2'10" x 6'8" ‡
 * 3'0" x 6'8" ‡

S8708
 * 2'8" x 8'0"
 * 2'10" x 8'0"
 * 3'0" x 8'0"



S256
 * 2'8" x 6'8"
 * 2'10" x 6'8"
 * 3'0" x 6'8"



S296
 * 2'6" x 6'8"
 * 2'8" x 6'8" ‡
 * 2'10" x 6'8" ‡
 * 3'0" x 6'8" ‡

S896
 * 2'6" x 8'0"
 * 2'8" x 8'0"
 * 2'10" x 8'0"
 * 3'0" x 8'0"



S100SL
 * 12" x 6'8"
 * 14" x 6'8"



S8601SL
 * 12" x 8'0"
 * 14" x 8'0"



S601SL
 * 10" x 6'8"
 * 12" x 6'8" ‡
 * 14" x 6'8" ‡



S81086SL
 * 12" x 8'0"
 * 14" x 8'0"



S751SL
 * 12" x 6'8"
 * 14" x 6'8"



S880SL
 * 12" x 8'0"
 * 14" x 8'0"




S210SL
 * 12" x 6'8"
 * 14" x 6'8"



S85910SL
 * 12" x 8'0"
 * 14" x 8'0"



DLHRT
 * 3'0" door + (2) 12" sidelites
 * 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



19220T
 * 3'0" door + (2) 12" sidelites
 * 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



19020T
 * 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only
 * 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



19200T
 * 3'0" Door Only



19210T
 * 12" & 14" Sidelite Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Look for the (🔥) for flush-glazed options on page 188.

Key

- 🔴 No Stile Lines
- 🌟 Low-E Glass (LE)
- 🐢 Turtle Glass
- 📏 Flat Lite Frame

- 🟢 Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 🌀 WBDR Options
- 🌀 WBDR / HVHZ Options

- ⚠️ 6'6" Height Available
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ‡ 7'0" Height Available
(8'0" only in 14")
- 🚪 PVC Doorlite Frame**

Optional Dentil Shelf**



4-Block Dentil Shelf
 Available for all Craftsman-style Smooth-Star doors.

Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.

Smooth-Star®



S140STC

■ ★
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S8140STC

■ ★
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲

S141STC

■ ★ ◆
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S6063STC

■ ★ ◆
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

Solid Panel

Fiber-Classic® Mahogany



FCM31

6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM220

6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM205

6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM755

6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM600

6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM134

6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM60

6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM860

6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM1000

6
 2'0" x 6'8"
 2'4" x 6'8" ▲
 2'6" x 6'8" ▲ ‡
 2'8" x 6'8" ▲ ‡
 2'10" x 6'8" ▲ ‡
 3'0" x 6'8" ▲ ‡

FCM81000

6
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Fiber-Classic® Oak



FC31

6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC809

6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC862

6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC808

6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

*Select sizes available with elevated 10" bottom rail.

Note: See page 275 for important product details that may help with your purchase decision.

Smooth-Star®



FC755
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC134
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC60*
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FC860
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

1000
 2'0" x 6'8"
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡

81000
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S93
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S220*
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

S8200
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S1100
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S81100
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S120
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S8120
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S200
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S897
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S205
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8201
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"


S31
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S831
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"


S960
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S755
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S4800
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S84800
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S600
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S8600
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S11
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S210*
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S810
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S100
 2'0" x 6'8"
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8"

S81000
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"

Key

- No Stile Lines
- ☀ Low-E Glass (LE)
- ◆ Flat White Grilles Between Glass Only (GBG-F)
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Profiles™ Steel



Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Sedona Glass, Door – 996HD, Sidelite – 139SL
Bottom: Profiles, Avonlea Glass, Door – 1034HD, Sidelites – 1031SLHD, Transom – AVRT

Traditions Steel





Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

-  WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*
-  20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 230–235.



Profiles™ Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



	Profiles™	Traditions
■ = Available		
• = Not Applicable		
P = Paint		
Door Widths		
2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•
Door Heights		
6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■
Glass Options		
Decorative	15	15
Privacy & Textured	6	6
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Removable Wood Grilles	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■
Additional Options		
Finish	P	P

Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 250–257.

- 5'0" Patio Opening = (2) 2'4" Doors
- 6'0" Patio Opening = (2) 2'10" Doors

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

**Decorative glass designs are shown in Profiles only.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Decorative & Specialty Glass Designs**



Black Nickel Brushed Nickel
Blackstone™ Page 211
 Glass Privacy Rating: **7**



Black Nickel Brushed Nickel
Crystalline™ Page 211
 Glass Privacy Rating: **7**



Black Nickel Brushed Nickel
Sedona Page 212
 Glass Privacy Rating: **7**




Wrought Iron
Salinas Page 213
 Glass Privacy Rating: **10**



Black Nickel Brushed Nickel
Maple Park Page 213
 Glass Privacy Rating: **6**



Black Nickel
Avonlea Page 214
 Glass Privacy Rating: **4**



Black Nickel Brushed Nickel
Saratoga™ Page 214
 Glass Privacy Rating: **7**



Brushed Nickel
Texas Star Page 215
 Glass Privacy Rating: **5**



Black Nickel Brass
Wellesley™ Page 215
 Glass Privacy Rating: **6**



Wrought Iron
Riserva™ Page 216
 Glass Privacy Rating: **10**



Black Nickel Brass
Concorde™ Page 217
 Glass Privacy Rating: **8**



Black Nickel Brushed Nickel
Kensington™ Page 217
 Glass Privacy Rating: **8**



Black Nickel Brushed Nickel
Pembroke™ Page 218
 Glass Privacy Rating: **7**



Black Nickel
Axis™ Page 219
 Glass Privacy Rating: **7**



Frosted Images
 Page 219
 Glass Privacy Rating: **8**

Internal Blinds
 Page 221, 226

Screen Vented
 Page 221, 226

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Privacy & Textured Glass

Pages 220, 225



Geometric (XG)
Glass Privacy Rating: **7**



Satin Etch (XE)
Glass Privacy Rating: **10**



Chord (XC)
Glass Privacy Rating: **10**



Chinchilla (XJ)
Glass Privacy Rating: **10**



Rainglass (XR)
Glass Privacy Rating: **8**



Granite (XN)
Glass Privacy Rating: **10**

Glass Privacy Rating Scale



Clear

Opaque

Also Available:

Divided Lites Pages 220, 222, 225, 226


Clear Glass Pages 224, 228



Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Profiles, Salinas Glass, Door – 968HD, Sidelites – 971SLHD

Blackstone



310
 6
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †
 3'6" x 6'8" †



1037HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



309HD
 6
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



1001HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1117HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



311HD
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



1025HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



310SL
 6
 10" x 6'8"
 12" x 6'8" †
 14" x 6'8" †



1037SLHD
 6
 12" x 6'8"
 14" x 6'8"



311SLHD
 6
 12" x 6'8" †
 14" x 6'8" †



BSHRT
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



BSRT
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only

Crystalline



916
 6
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †
 3'6" x 6'8" †



1042HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



926HD
 6
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



991HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1119HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



930HD
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



1055HD
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †

Crystalline Glass *Continues on next page.*

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- 6 WBDR / HVHZ Options

- △ 6'6" Height Available
- ‡ 7'0" Height Available



916SL
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



956SLHD
 12" x 6'8"
 14" x 6'8"



930SLHD
 12" x 6'8" ‡
 14" x 6'8" ‡



BLHRT
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



19080T
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



19820T
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



19800T
 3'0" Door Only



19810T
 12" & 14" Sidelite Only

Sedona ◆ ■



139
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8" ‡



965HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



211HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



996HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1114HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



294HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



604HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

NEW



139SL
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



965SLHD
 12" x 6'8"
 14" x 6'8"



294SLHD
 12" x 6'8" ‡
 14" x 6'8" ‡




19055T
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



19520T
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Salinas[®]x

Note: Product images show exterior side of door.



369
 6
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8" ‡



968HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



374HD
 6
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡




1002HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1115HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



371HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



369SL
 6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



971SLHD
 6
 12" x 6'8"
 14" x 6'8" ‡



371SLHD
 6
 12" x 6'8" ‡
 14" x 6'8" ‡



SART
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only

Maple Park[®]◆



1006
 6
 2'8" x 6'8" ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8" ‡



1009HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1007HD
 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1011HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1116HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1008HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



609HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



736HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1006SL
 6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



1009SLHD
 6
 12" x 6'8"
 14" x 6'8"



1007SLHD
 6
 12" x 6'8" ‡
 14" x 6'8" ‡



FWRT
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Key

- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)
- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Avonlea

Note: Product images show exterior side of door.



1027
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8" ‡



1038HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1031HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1034HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1107HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1044HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1047HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1027SL
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



1038SLHD
 12" x 6'8"
 14" x 6'8"



1031SLHD
 12" x 6'8" ‡
 14" x 6'8" ‡



AVRT
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Saratoga



610
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8" ‡



1039HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



613HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



988HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1112HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



615HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



602HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



707HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



610SL
 9
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡

1039SLHD
 9
 12" x 6'8"
 14" x 6'8"

615SLHD
 9
 12" x 6'8" ‡
 14" x 6'8" ‡

19740T
 3'0" Door Only

19750T
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only

Texas Star



1040HD
 9
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1032HD
 9
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

1035HD
 9
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


1111HD
 9
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1045HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

1040SLHD
 9
 12" x 6'8"
 14" x 6'8"

1032SLHD
 9
 12" x 6'8" ‡
 14" x 6'8" ‡

Wellesley



620
 9
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8" ‡

1041HD
 9
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

623HD
 9
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

989HD
 9
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1120HD
 9
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

625HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

1022HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Wellesley Glass *Continues on next page.*

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◇ Brass Caming (1A)
- 9 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Wellesley™ Glass ♦ ■ ❖ *Continued*



721HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



620SL
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



1041SLHD
12" x 6'8"
14" x 6'8"



625SLHD
12" x 6'8" ‡
14" x 6'8" ‡



19720T
3'0" Door Only



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



WLHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Riserva™ x

Note: Product images show exterior side of door.



571
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡
3'6" x 6'8" ‡



544HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



582HD
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



576HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



578HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



588HD
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



NEW
508HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS572SL
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



546SLHD
12" x 6'8"
14" x 6'8"



584SLHD
12" x 6'8" ‡
14" x 6'8" ‡



RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Concorde™



1028
 6
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †
 3'6" x 6'8" †



967HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



426HD
 6
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



999HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1118HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



430HD
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



1024HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



735HD
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



454HD
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



416SL
 6
 10" x 6'8"
 12" x 6'8" †
 14" x 6'8" †



967SLHD
 6
 12" x 6'8"
 14" x 6'8"



430SLHD
 6
 12" x 6'8" †
 14" x 6'8" †



CNHRT
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



CNRT
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Kensington™



626
 6
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †
 3'6" x 6'8" †



03142HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



627HD
 6
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



631HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1113HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



628HD
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



630HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Kensington Glass *Continues on next page.*

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- † 7'0" Height Available

Kensington™ Glass ♦ ■ ■ Continued



626SL
 6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



966SLHD
 6
 12" x 6'8"
 14" x 6'8"



628SLHD
 6
 12" x 6'8" ‡
 14" x 6'8" ‡



KNRT
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Pembridge™ ♦ ■ ■



6500HD
 6
 2'4" x 6'8" ▲
 2'6" x 6'8" ▲ ‡
 2'8" x 6'8" ▲ ‡
 2'10" x 6'8" ▲ ‡
 3'0" x 6'8" ▲ ‡
 3'6" x 6'8" ‡



6582HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



6560HD
 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



6565HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



6568HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



6572HD
 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



6578HD
 6
 2'6" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



6520HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



745HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



6570HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



6500SL
 6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



6580SLHD
 6
 12" x 6'8"
 14" x 6'8"



6565SLHD
 6
 12" x 6'8" ‡
 14" x 6'8" ‡



6570SLHD
 12" x 6'8" ‡
 14" x 6'8" ‡



PBRT
 3'0" door + (2) 12" sidelites
 Continuous / Boxed Sill Systems



1651HD
 9
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8" ‡



1644HD
 9
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1660HD
 9
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1657HD
 9
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1659HD
 9
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1662HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1650HD
 9
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1643HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1651SL
 9
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



1644SLHD
 9
 12" x 6'8"
 14" x 6'8"



1657SLHD
 9
 12" x 6'8" ‡
 14" x 6'8" ‡



1643SLHD
 12" x 6'8" ‡
 14" x 6'8" ‡



AXRT
 3'0" door + (2) 12" sidelites
 Continuous / Boxed Sill Systems

Frosted Images®



206EHD
 9
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



985HD
 9
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1110HD
 9
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



289EHD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1021HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



138SL
 9
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡




289ESLHD
 9
 12" x 6'8" ‡
 14" x 6'8" ‡

Key


- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- 9 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Privacy & Textured Glass with Divided Lites

Note: For details on divided lite options, see pages 126–127.



128 _
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8" ‡



108 _
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8" ‡



961HD _
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



262HD _
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1123HD _
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



982HD _
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



263HD _
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



605HD _
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



NEW
606HD _
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



NEW
607HD _
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



NEW
608HD _
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



6720HD_SL
 12" x 6'8"
 14" x 6'8"



263SLHD _
 12" x 6'8" ‡
 14" x 6'8" ‡

Privacy & Textured Glass



118 _
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8" ‡



959HD _
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



206HD _
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



980HD _
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1101_HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



104 _
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 210.

XG = Geometric
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Features a gliding operation and sash locking system.

Note: See page 275 for important product details that may help with your purchase decision.



289HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



NEW
601_HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



296HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



100_SL
6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



959HD_SL
6
12" x 6'8"
14" x 6'8"



210SLHD
6
12" x 6'8" ‡
14" x 6'8" ‡



296SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Internal Blinds

Note: Product images show exterior side of door.



130
6
2'4" x 6'8" △
2'6" x 6'8" △ ‡
2'8" x 6'8" △ ‡
2'10" x 6'8" △ ‡
3'0" x 6'8" △ ‡
3'6" x 6'8" ‡



5425
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



132HD
6
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



984HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1121HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



131
6
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



130SL
6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



5425SL
6
12" x 6'8"
14" x 6'8"



132SLHD
6
12" x 6'8" ‡
14" x 6'8" ‡

Screen Vented Lites*



243HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1004HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1102HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



137
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Key

★ Low-E Glass (LE)

🗉 Simulated Divided Lites (SDL)

6 WBDZ / HVHZ Options

△ 6'6" Height Available

‡ 7'0" Height Available

Clear Glass with Divided Lites

Note: For details on divided lite options, see pages 126–127.



1201
 ✨ ◆
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †
 3'6" x 6'8" †



1202
 ✨ ◆
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †
 3'6" x 6'8" †



1203
 ✨ ◆
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †
 3'6" x 6'8" †



128
 ✨ ◆ ◀ ▶ ◂ ◃ 6
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †
 3'6" x 6'8" †



1200
 ✨ ◆ 6
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †
 3'6" x 6'8" †



108
 ✨ ◆ ◀ ▶ ◂ ◃ 6
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †
 3'6" x 6'8" †



2109HD
 ✨ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



2110HD
 ✨ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



2111HD
 ✨ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



961HD
 ✨ ◆ ◀ ▶ ◂ ◃ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



6023HD
 ✨ ▶
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1122HD
 ✨ ▶
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



262HD
 ✨ ◆ ◀ ▶ ◂ ◃ 6
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



982HD
 ✨ ◆ ◀ ▶ ◂ ◃ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1123HD
 ✨ ◆ ◀ ▶ ◂ ◃ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



263HD
 ✨ ◆ ◀ ▶ ◂ ◃ 6
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



115HD
 ✨ ◆
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



605HD
 ✨ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



606HD
 ✨ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



607HD
 ✨ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



608HD
 ✨ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



752HD
 ✨ ◆
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



255HD
 ✨ ◆
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



236HD
 ◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



237HD
 *◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 (Scalloped Lite Frame)



1201SL
 *◆
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



1202SL
 *◆
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



1200SL
 *◆6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



632SL
 *◆6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



1089SLHD
 *◆
 12" x 6'8"
 14" x 6'8"



4572SLHD
 *◆6
 12" x 6'8"
 14" x 6'8"



6720SLHD
 *◆6
 12" x 6'8"
 14" x 6'8"



263SLHD
 *◆6
 12" x 6'8" ‡
 14" x 6'8" ‡



6184SL
 *◆
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



6185SL
 *◆
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



6186SL
 *◆
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



198
 *◆6
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8" ‡



1403HD
 *◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1408HD
 *◆
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1405HD
 *◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1406HD
 *◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1411HD
 *◆
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



704HD
 *◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



198SL
 *◆
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



1400SLHD
 *◆
 12" x 6'8"
 14" x 6'8"



1405SLHD
 *◆
 12" x 6'8" ‡
 14" x 6'8" ‡



19020T
 *
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems
 Grille Sticks Applied



19220T
 *
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems
 Grille Sticks Applied



19200T
 *
 3'0" Door Only
 Grille Sticks Applied

Key

- * Low-E Glass (LE)
- ◆ Simulated Divided Lites (SDL)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

- ▶ Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)
- 6 WBDR / HVHZ Options

- △ 6'6" Height Available
- ‡ 7'0" Height Available

Clear Glass



118
 * 6
 2'0" x 6'8" ▽
 2'4" x 6'8" ▲
 2'6" x 6'8" ▲‡
 2'8" x 6'8" ▲‡
 2'10" x 6'8" ▲‡
 3'0" x 6'8" ▲‡
 3'6" x 6'8" ‡



959HD
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



206HD
 * 6
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



980HD
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1101HD
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



104
 * 6
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



289HD
 *
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



105
 *
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1020HD
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



601HD
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



708HD
 *
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



256HD
 *
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



296HD
 *
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



100SL
 * 6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



959SLHD
 * 6
 12" x 6'8"
 14" x 6'8"



210SLHD
 * 6
 12" x 6'8" ‡
 14" x 6'8" ‡



296SLHD
 *
 12" x 6'8" ‡
 14" x 6'8" ‡



DLHRT
 *
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



19020T
 *
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



19220T
 *
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



19200T
 *
 3'0" Door Only



19210T
 *
 12" & 14" Sidelite Only

Solid Panel



969HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



978HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1005HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



205HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



203HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



210HD
 6
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



100
 6
 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8" ‡

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 275 for important product details that may help with your purchase decision.

Privacy & Textured Glass with Divided Lites

Note: For details on divided lite options, see pages 126–127.

TS128_ 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"	TS108_ 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"	TS262_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8321_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS263_ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	6184_SL 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	6185_SL 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	6186_SL 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	632_SL 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	TS263_SL 12" x 6'8" 14" x 6'8"

Privacy & Textured Glass

TS118_ 6 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"	818_ 6 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS206_ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8206_ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS104_ 6 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"	TS289_ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS296_ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	896_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	100_SL 6 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	818_SL 6 12" x 8'0" 14" x 8'0"
TS210_SL 6 12" x 6'8" 14" x 6'8"	TS296_SL 12" x 6'8" 14" x 6'8"								

Privacy & Textured Glass Options

Add the code to the blank in the number for the desired door and glass combination. For details on glass options, see page 210.

XG = Geometric
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Key

- Low-E Glass (LE)
- Turtle Glass
- Simulated Divided Lites (SDL)
- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available
- PVC Doorlite Frame*

Internal Blinds

Note: Product images show exterior side of door.

<p>TS130 2'4" x 6'8" ▲ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"</p>	<p>829 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>TS132 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>8132 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>TS131 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"</p>	<p>130SL 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡</p>	<p>829SL 12" x 8'0" 14" x 8'0"</p>	<p>TS132SL 12" x 6'8" 14" x 6'8"</p>
---	--	--	--	--	---	---	---

Screen Vented Lites*

<p>TS243 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p>TS137 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"</p>
---	---

Clear Glass with Divided Lites

Note: For details on divided lite options, see pages 126–127.

<p>TS1201 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"</p>	<p>TS1202 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"</p>	<p>TS1203 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"</p>	<p>TS128 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"</p>	<p>TS1200 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"</p>	<p>TS108 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"</p>	<p>828 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>808 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>
---	---	---	--	---	--	--	--

*Features a gliding operation and sash locking system.
 Note: See page 275 for important product details that may help with your purchase decision.



8322 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	8323 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	8324 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS262 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8321 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS263 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS115 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" Δ 3'0" x 6'8"
---	---	---	---	---	---	--



TS752 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8752 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS255 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS236 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8317 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS237 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" (Scalloped Lite Frame)	1201SL 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	1202SL 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	1200SL 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	632SL 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡
--	---	--	--	---	--	---	---	---	--



828SL 12" x 8'0" 14" x 8'0"	TS263SL 12" x 6'8" 14" x 6'8"	6184SL 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	86184SL 12" x 8'0" 14" x 8'0"	6185SL 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	86185SL 12" x 8'0" 14" x 8'0"	6186SL 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	86186SL 12" x 8'0" 14" x 8'0"	TS198 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" Δ 3'0" x 6'8"	TS1408 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8145 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	---	--	---	--	---	--	--	--	---

Clear Glass with Divided Lites *Continues on next page.*










Key









- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour, White or Color Grilles Between Glass (GBGC / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available




Clear Glass with Divided Lites *Continued*

				
TS1411 ★ ◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS704 ★ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8704 ★ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	198SL ★ ◆ 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	TS1405SL ★ ◆ 12" x 6'8" 14" x 6'8"

Clear Glass


								
TS118 ★ ◆ 6 2'0" x 6'8" ▽ 2'4" x 6'8" ▲ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"	818 ★ ◆ 6 2'0" x 8'0" ▽ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS206 ★ ◆ 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8206 ★ ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS104 ★ ◆ 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"	TS289 ★ ◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS105 ★ ◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"	TS708 ★ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8708 ★ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

							
TS256 ★ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS296 ★ ◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	896 ★ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	100SL ★ ◆ 6 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	818SL ★ ◆ 6 12" x 8'0" 14" x 8'0"	TS210SL ★ ◆ 6 12" x 6'8" 14" x 6'8"	TS296SL ★ ◆ 12" x 6'8" 14" x 6'8"	19020T ★ ◆ 3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

		
19220T ★ ◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems	19200T ★ ◆ 3'0" Door Only	19210T ★ ◆ 12" & 14" Sidelite Only

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 275 for important product details that may help with your purchase decision.

Solid Panel



TS214 6	TS210 6	810 6	TS100 6	800 6
2'8" x 6'8"	2'6" x 6'8"	2'6" x 8'0"	2'0" x 6'8"	2'0" x 8'0"
2'10" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	2'4" x 6'8" †	2'4" x 8'0"
3'0" x 6'8"	2'10" x 6'8"	2'10" x 8'0"	2'6" x 6'8"	2'6" x 8'0"
	3'0" x 6'8"	3'0" x 8'0"	2'8" x 6'8"	2'8" x 8'0"
			2'10" x 6'8" †	2'10" x 8'0"
			3'0" x 6'8"	3'0" x 8'0"



- Key**
- Low-E Glass (LE)
 - Fixed Grilles (FXG)
 - 7'0" Height Available
 - Turtle Glass
 - WBDR / HVHZ Options
 - PVC Doorlite Frame*
 - Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
 - 6'6" Height Available

Fire Doors

Classic-Craft®, Fiber-Classic®, Smooth-Star® & Steel

The phrase
“safety first” is more
than just a saying. It’s
our standard.

From smooth to wood-grained, we have products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.*



Adjusta-Fit® 2 Frame



Using the right frame is critical in any top-quality door installation, and never more so than with Fire-rated products. Therma-Tru Adjusta-Fit 2 frame technology helps ensure an optimum fit and long-lasting performance. The frames are constructed with a commercial-grade, 18-gauge base frame; galvanized steel and factory-coated paint finish; and an all-aluminum, thermally broken threshold. These features make them ideal for interior and exterior applications, including corridor openings and outside unit entries.

Therma-Tru® Adjusta-Fit 2 frames also feature these key benefits:


- 90-Minute positive-pressure Fire-rating, third-party certified by Intertek, Warnock-Hersey.
- Standard 4-7/8" ANSI 115.1, or 2-3/4" T-lip strike prep option.
- Choice of standard, public access or no-sill options.
- Minimum 22-gauge closure with 1" of adjustability, suitable for walls from 4"-9-1/2" deep.

*To confirm fire door requirements in your jurisdiction, always check with your local building code authority. Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit www.thermatru.com/performance.

90-Minute Fire-Rated Steel Edge

Therma-Tru's TR 12-24 Steel Edge 90-Minute Fire-rated doors and door systems provide outstanding protection. Constructed with 24-gauge steel edges and tested to withstand at least 90 minutes of fire exposure at temperatures that reach more than 1,700 degrees Fahrenheit, the doors are perfect for multi-family living and house-to-garage projects. Available in a variety of door styles, sizes and lock preparations, the units are suitable for a minimum 4" wall depth or greater. Therma-Tru also offers all the necessary components – frame, weatherstrip, bottom sweep and sill – to complete a 90-Minute Fire-rated door system.

6 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ in an Adjusta-Fit. 2 frame.*



SE100
 6
 2'0" x 6'8"
 2'4" x 6'8" ‡
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8"
 3'0" x 6'8" ‡
 3'6" x 6'8" ‡



SE210HD
 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8"
 3'0" x 6'8" ‡



SE514
 6
 2'8" x 6'8" ‡
 2'10" x 6'8"
 3'0" x 6'8" ‡



SE978HD
 6
 2'8" x 6'8" ‡
 2'10" x 6'8"
 3'0" x 6'8" ‡



SE969HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SE1005HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

20-Minute Fire-Rated Wood Edge

Therma-Tru offers a wide variety of stylish 20-Minute Fire-rated fiberglass doors. Most Therma-Tru solid-panel wood-edge fiberglass doors can be ordered as 20-Minute Fire-rated product. Solid-panel wood-edge steel doors in select sizes can be ordered with the 20-Minute Fire-rated label. The doors are tested to withstand a minimum of 20 minutes of fire exposure at temperatures that reach more than 1,400 degrees Fahrenheit, and are certified and approved for use with mortise locks.

6 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ in a Therma-Tru-specified wood frame.*

Classic-Craft. Mahogany Collection™



CCMF890
 3'0" x 8'0"



CCMF060
 3'0" x 6'8"



CCMF701
 3'0" x 6'8"

Classic-Craft *Continues on next page.*

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit www.thermatru.com/performance. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions. See page 275 for important product details that may help with your purchase decision.

Left Page: Smooth-Star door – SSF120

Key

- No Stile Lines
- WBDR Options
- ‡ 7'0" Height Available

Rustic Collection™



CCRF205 | CCRF8205
3'0" x 6'8" | 3'0" x 8'0"

CCRF8225
3'0" x 8'0"

CCRF8005
3'0" x 8'0"

CCRF040 | CCRF8040
3'0" x 6'8" | 3'0" x 8'0"

CCRF8222
3'0" x 8'0"



CCRF200 | CCRF8200
3'0" x 6'8" | 3'0" x 8'0"

CCRF8220
3'0" x 8'0"

Oak Collection™



CCF91
3'0" x 6'8"

CCF831
3'0" x 8'0"

CCF810
3'0" x 8'0"

CCF060
2'8" x 6'8"
3'0" x 6'8"

Canvas Collection®



CCVF400
3'0" x 6'8"

CCVF205 | CCVF8205
3'0" x 6'8" | 3'0" x 8'0"

CCVF220 | CCVF8220
3'0" x 6'8" | 3'0" x 8'0"

CCVF200
3'0" x 6'8"

CCVF060 | CCVF8060
3'0" x 6'8" | 3'0" x 8'0"



CCVF831
3'0" x 8'0"



CCVF050
3'0" x 6'8"

Fiber-Classic[®] Mahogany Collection[™]



FMF31
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FMF220
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FMF205
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FMF755
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FMF600
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FMF134
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FMF60
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FMF860
6
2'8" x 8'0"
3'0" x 8'0"

Oak Collection[™]



FMF100
6
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

FMF8100
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FCF31
6
2'8" x 6'8"
3'0" x 6'8"



FCF809
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCF862
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FCF808
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCF755
6
2'8" x 6'8"
3'0" x 6'8"



FCF134
6
2'8" x 6'8"
3'0" x 6'8"

Fiber-Classic *Continues on next page.*

Key

- No Stile Lines
- 6 WBDR Options
- ‡ 7'0" Height Available



FCF160*
 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡




FCF8160
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FCF100
 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8"
 3'0" x 6'8" ‡

FCF8100
 6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Smooth-Star.



SSF1100
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SSF81100
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



SSF93
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SSF120
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SSF8120
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



SSF220*
 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



SSF8220
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



SSF200
 6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SSF8200
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

SSF205
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

SSF8205
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



SSF31
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




SSF831
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



SSF960
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SSF755
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SSF4800
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SSF84800
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



SSF600
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SSF8600
 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

SSF11
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

*Select sizes available with elevated 10" bottom rail.

Note: See page 275 for important product details that may help with your purchase decision.



SSF160* ■ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	SSF8160 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" ‡ 3'0" x 8'0"	SSF100 ■ 6 2'0" x 6'8" 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	SSF8100 ■ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" ‡ 3'0" x 8'0"
---	--	---	---

Profiles™



969HD ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	978HD ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1005HD ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	205HD ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	203HD ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	210HD ■ 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	100 ■ 6 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ 3'6" x 6'8"
--	--	---	--	--	---	--

Traditions



TS214 ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS210 ■ 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS100 ■ 6 2'0" x 6'8" 2'4" x 6'8" ⚠ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ⚠ 3'0" x 6'8"
--	---	---

Key

- No Stile Lines
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ⚠ 6'6" Height Available
- ‡ 7'0" Height Available

PULSE

Modern design. Upbeat living.

Pulse®



Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying. Not impact tested for use in multi-lite door style configurations.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Top: Pulse Echo, Geometric Glass with Flat Lite Frame, Door – S9XG, Sidelite – S9XGSL

It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.



The creativity is unlimited. Stain or paint the entrance any color.


These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.



WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*


1 Start with a STYLE.

Combine doors and sidelites to create an entrance that fits your vision.



2 Choose a MATERIAL.

Each style is available in any of these material choices.




3 Select a GLASS.

Find an available glass design to complete the statement you want to make.


Privacy & Textured Glass

Available for all Pulse door styles.




Decorative Glass

Available for Línea.



Available for Ari.



Available for Echo.



- 1 Blackstone®
- 2 Crystalline™
- 3 Sedona
- 4 Salinas®
- 5 Avonlea®
- 6 Saratoga™
- 7 Riserva™
- 8 Pembridge™
- 9 Axis™

4 Then select a FRAME.

Choose the flat profile for modern appeal or scrolled profile for vintage style.



Flat Profile Lite Frame

Scrolled Profile Lite Frame

Pulse® Size Options



	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8" ◦	2'6" x 8'0" ◦	2'6" x 6'8" ◦	2'6" x 8'0" ◦	2'6" x 6'8" ◦	2'6" x 8'0" ◦
	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"
	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"
	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"
			3'6" x 6'8"	3'6" x 8'0"	3'6" x 6'8"	
Sidelites	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"
	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"
	14" x 6'8"		14" x 6'8"		14" x 6'8"	

- Available in full-lite sidelites only.
- Available in Línea and Echo only.





Ari

Note: Product images show exterior side of door.



Línea

Note: Product images show exterior side of door.





It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 275 for important product details that may help with your purchase decision.

Top: Pulse Ari, Axis Glass with Scrolled Lite Frame, Door – S83AX



Línea Continues on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XG = Geometric
XE = Satin Etch


XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Key


- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- X Wrought Iron (1W)
- 6 WBDR / HVHZ Options


Línea *Continued*



Echo

Note: Product images show exterior side of door.



			<p>It's your decision, by design.</p> <p>Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.</p>
Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)	Smooth Fiberglass	Steel	

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.



Echo *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XG = Geometric
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ ■ ■ ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- 6 WBDR / HVHZ Options




S4LAX | S84LAX



S4AX | S84AX



S4RAX | S84RAX



S5LAX | S85LAX



S5AX | S85AX



S5RAX | S85RAX



S86LAX



S86AX



S86RAX



S9LAX



S9AX



S9RAX






S8LAX




S8AX



S8RAX

				<p>It's your decision, by design.</p> <p>Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.</p>
Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)	Smooth Fiberglass	Steel		

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.



S811LAX
◆



S811AX
◆



S811RAX
◆




S810LAX
◆




S810AX
◆




S810RAX
◆




S4_ S84_
S4CL ✨ S84CL ✨




S4_ S84_
S4CL ✨ S84CL ✨




S4R_ S84R_
S4RCL ✨ S84RCL ✨



S5_ S85_
S5LCL ✨ S85LCL ✨



S5_ S85_
S5CL ✨ S85CL ✨



S5R_ S85R_
S5RCL ✨ S85RCL ✨



S86L_
S86LCL ✨



S86_
S86CL ✨



S86R_
S86RCL ✨

Echo *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.


XG = Geometric
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Key

- ✨ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)



S9L_ S9LCL*



S9_ S9CL*



S9R_ S9RCL*



S8L_ S8LCL*



S8_ S8CL*



S8R_ S8RCL*



S811L_ S811LCL*



S811_ S811CL*



S811R_ S811RCL*



S810L_ S810LCL*




S810_ S810CL*



S810R_ S810RCL*



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)



Smooth
Fiberglass



Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.


Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 275 for important product details that may help with your purchase decision.

Top: Pulse Echo, Low-E Glass with Flat Lite Frame, Door – S85CL

Sidelites

Note: Product images show exterior side of door.



Sidelites *Continue on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.


XG = Geometric
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Vented Sidelite (No Impact)
(6"8" only in 12" & 14")
(8"0" only in 14")
- WBDR / HVHZ Options



Privacy & Textured Glass Options
 Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XG = Geometric	XJ = Chinchilla
XE = Satin Etch	XR = Rainglass
XC = Chord	XN = Granite

Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)
 (6"8" only in 12" & 14")
 (8"0" only in 14")

Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)	Smooth Fiberglass	Steel

It's your decision, by design.
 Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 275 for important product details that may help with your purchase decision.
 Right Page: Pulse Ari, Axis Glass with Flat Lite Frame, Door – S2AX



Hinged Patio Doors



Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with smart options to control the level of privacy and light, complement window patterns, and let fresh air into the home.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass, Doors - S140, Transoms - 19200T
Bottom: Smooth-Star, Clear Glass with GBGs, Doors - S81828



Door Selections



Classic-Craft®
American Style
Collection™



Classic-Craft®
Mahogany
Collection™



Classic-Craft®
Rustic Collection™



Classic-Craft®
Oak Collection™




Classic-Craft®
Canvas
Collection®



Fiber-Classic®
Mahogany
Collection™



Fiber-Classic®
Oak Collection™



Smooth-Star®



Profiles™ & Traditions

(Wood-grained images shown in Driftwood stain.)

Glass Selections



Internal Blinds



Low-E / Clear

Divided Lites

For details on divided lite options, see page 126–127.



Simulated
Divided
Lites



Grilles
Between
Glass



Removable
Wood
Grilles



Fixed
Grilles

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 31 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

■ = Available

Door Selections	Classic-Craft®	Fiber-Classic®	Smooth-Star®	Profiles™	Traditions
Material	Fiberglass	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years
Finish Options	Stain or Paint	Stain or Paint	Paint	Paint	Paint

Glass Selections

NEW Flush-Glazed Internal Blinds			■		
Internal Blinds		■	■	■	■
Flush-Glazed Low-E with Divided Lites	■	■	■		
Flush-Glazed Clear with Divided Lites		■	■		
Low-E with Divided Lites	■	■	■	■	■
Clear with Divided Lites		■	■	■	■
Flush-Glazed Low-E	■	■	■		
Flush-Glazed Clear		■	■		
Low-E	■	■	■	■	■
Clear		■	■	■	■
Also Available	12 Decorative / 6 Privacy & Textured	15 Decorative / 6 Privacy & Textured	15 Decorative / 6 Privacy & Textured	15 Decorative / 6 Privacy & Textured	15 Decorative / 6 Privacy & Textured

Available Sizes

Heights	6'8", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	3'0"	2'0"–3'0"	2'0"–3'6"	2'0"–3'6"	2'0"–3'0"
Double Widths	6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"
Triple Widths	9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"
Retrofit Openings		5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"

Additional Options

Vented Sidelites (Single / Double Widths)		6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options		■	■	■	■
Tru-Defense Eligible	■	■	■		

Hinged Patio Door Systems

Note: Product images show interior side of door.




- 1 Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- 5 Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- 7 Frame Components
- 8 Multi-Point Locking System (Included)
- 9 Removable Screens

A Therma-Tru® patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.


Patio Transoms

Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system. Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for a unit with a mullion.



19250T



19050T

Vented Sidelites

Enjoy the view – and a fresh breeze, too.

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Available Configurations



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

NEW EnLiten™ Flush-Glazed Internal Blinds




Available Door Styles

Smooth-Star® (Page 180)

See page numbers above for door styles and sizes.



Available Configurations




Internal Blinds




Available Door Styles

Fiber-Classic® Mahogany (Page 181) / Fiber-Classic® Oak (Page 181) / Smooth-Star® (Page 182) / Profiles™ (Page 221) / Traditions (Page 226)

See page numbers above for door styles and sizes.



Available Configurations



EnLiten™ Flush-Glazed Low-E / Clear Glass with Divided Lites

Colonial Style




Available Door Styles

Fiber-Classic® Oak (Page 184) / Smooth-Star® (Page 185)
 See page numbers above for door styles and sizes.



Available Configurations



Prairie Style




Available Door Styles

Fiber-Classic® Oak (Page 184) / Smooth-Star® (Page 186)
 See page numbers above for door styles and sizes.



Available Configurations




EnLiten™ Flush-Glazed Low-E / Clear Glass




Available Door Styles

Classic-Craft® American Style (Page 56) / Fiber-Classic® Oak (Page 188) / Smooth-Star® (Page 188)
 See page numbers above for door styles and sizes.



Available Configurations



Low-E / Clear Glass with Divided Lites

Colonial Style




Available Door Styles

Classic-Craft® Oak (Page 97) / Classic-Craft® Canvas (Page 113) /
 Fiber-Classic® Mahogany (Page 188) / Fiber-Classic® Oak (Page 191) /
 Smooth-Star® (Page 195) / Profiles™ (Page 222) / Traditions (Page 226)
 See page numbers above for door styles and sizes.



Available Configurations




Low-E / Clear Glass with Divided Lites *Continued*

Prairie Style




Available Door Styles

Fiber-Classic® Mahogany (Page 191) / Fiber-Classic® Oak (Page 194) / Smooth-Star® (Page 198) / Profiles™ (Page 223) / Traditions (Page 227)
 See page numbers above for door styles and sizes.



Available Configurations




Low-E / Clear Glass




Available Door Styles

Classic-Craft® Mahogany (Page 69) / Classic-Craft® Rustic (Page 85) / Classic-Craft® Oak (Page 98) / Classic-Craft® Canvas (Page 114) / Fiber-Classic® Mahogany (Page 200) / Fiber-Classic® Oak (Page 200) / Smooth-Star® (Page 202) / Profiles™ (Page 224) / Traditions (Page 228)
 See page numbers above for door styles and sizes.



Available Configurations



Note: See page 275 for important product details that may help with your purchase decision.

Right Page Top: Fiber-Classic Oak Collection, Clear Glass, Doors – 2000

Right Page Bottom: Smooth-Star, Clear Glass, Doors – S118





Door System Components



Engineered to work together.

A Therma-Tru® door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system engineered with craftsman precision for durability and reliability through the years. And, a Therma-Tru fiberglass door system with genuine Therma-Tru components is backed by the industry's most comprehensive lifetime limited warranty.


Visit our online replacement parts configurator to maintain the integrity of a complete door system with genuine Therma-Tru components – thermatru.com/parts.

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

Inswing Options



Composite Adjustable Sill 


- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.

Continuous length with spread mullion capability to fill 49"–75" rough openings.*



Hardwood Adjustable Sill

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush zinc dichromate screws.



Basic Composite Adjustable Sill


- Wood-grained composite cap and nosing.
- Adjustable zinc dichromate screws with removable screw caps.



Basic Fixed Sill

- Slanted cap and nosing mates with the single-bulb bottom sweep.

Inswing Sill Extenders



Outswing Options



Composite Outswing Sill 

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.



Aluminum Sill with Thermal Break

- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.




Coastal Sill (For Coastal Regions)

- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Outswing Sill Extender



Public Access Sill



Public Access Sill with Thermal Break**
(For ADA Applications)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

Key

 Tru-Defense Eligible


*See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

**Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.


***For full details on the Tru-Defense Warranty Rider, visit www.thermatru.com/trudefense.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 275 for important product details that may help with your purchase decision.

Sill Finishes



Mill



Bronze



Satin Nickel

Cap Colors



Lightwood (Premium)
Composite Adjustable /
Composite Outswing



Darkwood (Premium)
Composite Adjustable /
Composite Outswing



Lightwood (Economy)
Basic Composite Adjustable



Darkwood (Economy)
Basic Composite Adjustable /
Basic Fixed



Hardwood
Hardwood Adjustable

■ = Available
• = Not Applicable

	Inswing Options				Outswing Options				Public Access (Inswing / Outswing)	
	Composite Adjustable	Hardwood Adjustable	Basic Composite Adjustable	Basic Fixed	Composite Outswing	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	Public Access (Inswing / Outswing)	Public Access (ADA)**
Sill Finishes										
Mill	■	■	■	■	■	■	■	■	■	■
Bronze	■	■	■	■	■	■	■	•	■	■
Satin Nickel	■	•	•	•	■	•	•	•	•	•
Cap Colors										
Lightwood	■	•	■	•	■	•	•	•	•	•
Darkwood	■	•	■	■	■	•	•	•	•	•
Hardwood	•	■	•	•	•	•	•	•	•	•
Sill Configurations										
Single	■	■	■	■	■	■	■	■	■	■
French	■	■	•	■	■	■	■	■	■	■
Double Patio	■	■	•	•	■	•	•	•	•	•
Triple Patio	■	•	•	•	■	•	•	•	•	•
Lineal	■	■	•	•	•	•	•	•	•	•
Sidelite Configurations										
Boxed Sidelites	■	•	•	•	•	•	•	•	•	•
Single with Sidelites	■	■	•	•	■	•	•	•	•	•
French with Sidelites	■	•	•	•	•	•	•	•	•	•
Single Vented Sidelites	■	•	•	•	•	•	•	•	•	•
French Vented Sidelites	■	•	•	•	•	•	•	•	•	•
Depths										
4-9/16"	■	•	■	■	•	•	■	■	■	■
5-3/4"	■	■	■	■	■	■	•	•	•	•
6-9/16"	•	•	•	•	•	•	•	•	•	■
7-3/4"	■	■	■	■	•	■	•	•	•	•
Substrates										
Composite Extruded	■	•	•	•	■	•	•	•	•	•
Composite Injection Molded	■	•	■	•	•	•	•	•	•	•
Treated Pine	•	■	•	■	•	■	■	■	•	•
Other Options										
Integrated Thermal Break	■	■	■	■	■	■	•	•	■	■
Screen Rail Available	■	■	•	•	■	•	•	•	•	•
Sill Extenders Available	■	■	■	•	■	•	•	•	•	•
Sill Covers Available	■	■	■	■	■	•	•	•	•	•
Tru-Defense Eligible***	■	•	•	•	■	•	•	•	•	•
With Anchor Holes	•	•	•	•	•	■	■	•	■	■
Without Anchor Holes	■	■	■	■	■	■	•	■	■	■

Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

Inswing Options



Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable

Colors:
Bronze
White



Non-kerf-applied option available for replacement applications. Available in bronze only.



Kerf-Applied Single-Bulb Bottom Sweep

Sills:
Basic Fixed

Colors:
Bronze



Inactive Door Bottom

Sills:
Composite Adjustable
Hardwood Adjustable

Colors:
Bronze

Outswing Options



Outswing Bottom Sweep

Sills:
Composite Outswing
Aluminum
Coastal

Color:
Bronze



Inactive Door Bottom

Sills:
Composite Outswing

Colors:
Bronze

ADA / Replacement



Bottom Sweep

Sills:
Public Access

Color:
Bronze

Sill Protection



Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 260 for availability.

Shown over composite adjustable sill.



Sill Pan (Recommended)

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

Classic-Craft. 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access

Fiber-Classic. / Smooth-Star. 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access

Basic Fixed Pads



Colors:
Bronze

Sills:
Basic Fixed

Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible material protected by a durable jacket to resist moisture and wear.

Medium-Reach Weatherstrip



Colors:
Bronze
White

Long-Reach Weatherstrip



Colors:
Bronze
White

Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.

Rain Deflector (Inswing)




Colors:
Bronze
White

Rain Guard (Outswing)



Colors:
Bronze
White



Rain Deflector

Bottom Sweep

Bottom of door; exterior view.



Jamb

Rain Guard

Weatherstrip

Top of door; exterior view.

Key

Tru-Defense Eligible

Hardware

Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

Grip-Style MPLS

New grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors. Strike plate package available.)

Standard Door MPLS



Tongue
Heights: 6'8"
 7'0"
 8'0"
Configurations:
 Inswing
 Outswing

- 1** Self-lubricating locks.
- 2** 1" premium stainless steel deadbolt.
- 3** Integrated mishandling device.

Key

 Tru-Defense Eligible

Side view of door.



Exterior view of door.



Side view of door.

Engages at three critical points.

Exterior view of door.

Lever-Style MPLS

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)

Standard Door MPLS



Tongue

Heights:	Configurations:
6'6"	Inswing
6'8"	Outswing
7'0"	
8'0"	



Shootbolt

(For door systems with an astragal.)

Heights:	Configurations:
6'6"	Inswing
6'8"	Outswing
7'0"	
8'0"	

Vented Sidelite MPLS





Tongue

(Included in vented sidelite units.)

Heights:
6'6"
6'8"
8'0"

Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru door styles from traditional to contemporary.




Backplates:
Wide
Narrow
Locking:
Active
Inactive

Finish Options



Finish Options



Hinges & Strike Plate

Hinge Finish Options	Hinges							Adjustable Security Strike Plate (For Latch & Deadbolt)
	Adjustable	Classic-Craft® Ball-Bearing	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded	
Bright Brass	■	■	■	●	●	●	●	●
Antique Brass	■	■	■	●	●	●	●	■
Brushed Nickel	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	●	■	●	■	■
Polished Chrome	■	■	■	●	■	●	■	■
Oil-Rubbed Bronze	■	■	■	■	■	●	■	■
Stainless Steel	●	■	■	●	■	■	■	■
Zinc Dichromate	●	■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.



Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

Stainable Astragal

Heights:
6'6"
6'8"
7'0"
8'0"

Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Grain Options:
Oak
Mahogany
Fir

Weatherstrip:
Bronze



Shown in Oak grain with Redwood stain.

Aluminum Astragal

Heights:
6'6"
6'8"
7'0"
8'0"

Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Finish Colors:
Bronze
White

Weatherstrip:
Bronze



Coastal option also available.

Textures Available

Stainable (Shown in Rustic Clay stain.)

Aluminum



Oak Grain



Mahogany Grain



Fir Grain



Bronze



White



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Rustic Collection, Provincial Glass, Doors – CCR804028

Key

Tru-Defense Eligible



Finished for lasting beauty.

PrismaGuard™ stain brings the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors.

- Handcrafted and professionally applied in a controlled environment, a PrismaGuard™ finish is built to last, giving confidence and peace of mind.
- Features enhanced durability to protect from everyday wear and tear.
- Designed for optimal performance with Therma-Tru® fiberglass doors.
- Backed by a 10-year limited finish warranty.

Explore a nature-inspired color palette of premium stains designed to enhance the overall beauty of the entry.

Shown on Classic-Craft® American Style Collection™.



Wildflower Honey



Rustic Clay



Barley



New Earth



Autumn Harvest



Redwood



Mulberry



Driftwood



Raven



- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru® door.
- 2 A base coat provides an even, consistent color across the surface of the door.
- 3 A wiping stain enhances the base coat to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability.

10 YEAR
LIMITED
WARRANTY

10-Year Warranty



Durable Topcoat










Professional
Application

SAME-DAY STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors.

Shown on Classic-Craft® American Style Collection™



All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.*

Watch easy-to-follow instructions at samedaystain.com.



5 YEAR LIMITED WARRANTY For Therma-Tru fiberglass doors. For complete details on the Same-Day Stain and topcoat limited warranty, go to samedaystain.com or ask your seller for more details.

*Actual coverage may vary based on product selected, application method and desired appearance. Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 275 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the Same-Day Stain limited warranty and exclusions.

Special Quote Program

Don't sacrifice the look you want. In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.




Privacy & Textured Glass

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.



Special Quote SDL Pattern Example



Special Quote GBG Color Options

Divided Lites

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.



Texas Star with Standard Brushed Nickel Caming



Texas Star with Special Quote Black Nickel Caming

Caming Colors

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

3'6" Width Door Style Options

Classic-Craft®

	Door Styles								
Glass Designs									
Homeward™	◆		◆				◆	■	
Augustine®	◆	◆	◆	◆	◆	◆	◆		
Arborwatch®	◆		◆				◆	■	
Borrassa®	◆	◆	◆	◆	◆	◆	◆		
Lucerna®	◆		◆				◆		
Geometric								■	
Rainglass								■	
Low-E	◆		◆				◆	■	▲

Key

- Classic-Craft® American Style Collection™
- ◆ Classic-Craft® Rustic Collection™
- ▲ Classic-Craft® Oak Collection™
- * Smooth-Star®
- ▶ Profiles™ & Traditions
- Steel Edge















Solid-Panel Door Styles

◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	▲	▲	▲	






Smooth-Star®, Profiles™, Traditions & Pulse®

	All Pulse Styles											
Glass Designs												
Blackstone®	*▶	*			*▶	*						
Crystalline™	*▶	*			*▶	*						
Sedona	*▶		*▶	*	*▶	*						
Salinas®	*▶	*			*▶	*						
Maple Park™	*▶											
Avonlea®	*▶				*▶							
Saratoga™	*▶		*▶	*	*▶	*						
Wellesley™	*▶	*										
Riserva™	*▶	*	*▶	*	*▶	*						
Concorde™	*▶	*										
Kensington™	*▶											
Pembridge™	▶		*▶	*	*▶	*	*▶	*	*▶	*		
Axis™	*▶	*	*▶	*	*▶	*	*▶	*	*▶	*		
Privacy & Textured Glass	*▶	*	*▶	*	*▶	*	*▶	*	*▶	*		
Internal Blinds	*▶	*										
Divided Lites	*▶	*										
Clear	*▶	*	*▶	*	*▶	*	*▶	*	*▶	*		
Solid Panel											*▶▶	*

7'0" Height Door Style Options


Glass Designs	Door Styles														
															
Blackstone.	▼▲*▷	▲*▷	*		▷							▼▲*▷	▷		
Crystalline™	▼▲*▷	▲*▷	*		▷			▷				▼▲*▷	▷		
Sedona	▼▲*▷	▲*▷	*		▷							▼▲*▷	▷		
Salinas.	▼▲*▷	▲*▷	*		▷							▼▲*▷	▷		
Maple Park.	▼▲*▷	▲*▷	*		▷		▲*▷					▼▲*▷	▷		
Avonlea.	▼▲*▷	▲*▷	*		▷							▼▲*▷	▷		
Saratoga™	▼▲*▷	▲*▷	*		▷		▲*▷					▼▲*▷	▷		
Texas Star		▲*▷	*		▷								▷		
Wellesley™	▼▲*▷	▲*▷	*		▷		▲*▷					▼▲*▷	▷		
Riserva™	▼▲*▷	▲*▷	*		▷							▼▲*▷	▷		
Concorde™	▼▲*▷	▲*▷	*		▷		▲*▷	▷				▼▲*▷	▷		
Kensington™	▼▲*▷	▲*▷	*		▷							▼▲*▷	▷		
Pembridge™	▼▲*▷	▲*▷	*		▷		▷		▲▷			▼▲*▷	▷	▷	
Axis™	▼▲*▷	▲*▷	*		▷				▲*▷			▼▲*▷	▷	▷	
Frosted Images.		▲*▷	*		▷							▼▲*▷	▷		
Privacy & Textured Glass	▼▲*▷	▲*▷	*	▼▲*▷	▷				▲*▷			▼▲*▷	▷	▷	
Internal Blinds	▼▲*▷	▲*▷	*	▼▲*▷								▼▲*▷	▷		
Screen Vented		*▷	*	*▷											
Divided Lites	▼▲*▷	▲*▷	*		▷	*▷	▲*▷	▷		▷	▷	▼▲*▷	▷		
Clear	▼▲*▷	▲*▷	*	▼▲*▷	▷	*▷	▲*▷	▷	▲*▷			▼▲*▷	▷	▷	
Solid Panel															*■

6'6" Height Door Style Options

Glass Designs	Door Styles				
					
Blackstone.	▼▲*▷			▼▲*	
Crystalline™	▼▲*▷			▼▲*	
Sedona	▼▲*▷			▼▲*	
Salinas.	▼▲*▷			▼▲*	
Maple Park.	▼▲*▷			▼▲*	
Avonlea.	▼▲*▷			▼▲*	
Saratoga™	▼▲*▷			▼▲*	
Wellesley™	▼▲*▷			▼▲*	
Riserva™	▼▲*▷			▼▲*	
Concorde™	▼▲*▷			▼▲*	
Kensington™	▼▲*▷			▼▲*	
Pembridge™	▼▲*▷			▼▲*	
Axis™	▼▲*▷			▼▲*	
Frosted Images.				▼▲*	
Privacy & Textured Glass	▼▲*▷	▷		▼▲*	
Internal Blinds	▼▲*▷	▷		▼▲*	
Screen Vented		▷			
Divided Lites	▼▲*▷		▷	▼▲*	
Clear	▼▲*▷	▷	▷	▼▲*	
Solid Panel				▼▲*▷	

Key

- ▼ Fiber-Classic® Mahogany Collection™
- ▲ Fiber-Classic® Oak Collection™
- * Smooth-Star®
- ▷ Profiles™ & Traditions
- Steel Edge



Top: Smooth-Star Door – SSF220
Bottom: Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S308SL

Entry & Patio Door Systems

Feature	Classic-Craft.	Fiber-Classic. & Pulse. Wood-Grained	Smooth-Star. & Pulse. Smooth	Profiles™ & Pulse. Steel (6'8")	Traditions & Pulse. Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Oak, Mahogany, Fir Grain; High-Detail Smooth	Oak, Mahogany Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel – Top Rail	Composite	Composite	Composite	Wood	Wood
Panel – Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4" Full-Length Engineered Lumber	1-¼" Engineered Lumber	1-¼" Engineered Lumber	1-¼" Wood	1-¼" Wood
Lock Block	4" Full-Length Engineered Lumber Stile	22-½" Wood	12-½" Wood	12-½" Wood	6'8": 12-½" Wood / 8'0": 22-½" Wood
Height Options	6'8" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'6", 6'8" & 8'0"
Width Options	2'8", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Glass Options	SMC Frame; Deco / Privacy & Textured / Low-E IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG
Sill*	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Fixed Outswing: Aluminum	Inswing: Basic Fixed Outswing: Aluminum
Weatherstrip – Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip – Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip – Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	–	–
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges*	Classic-Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame*	Rot-Resistant	Rot-Resistant	Rot-Resistant	Primed Pine	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Residential Limited Warranty	Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

Therma-Tru® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the Old World charm.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic-Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Therma-Tru Door Surrounds must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru. Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic-Craft., Fiber-Classic., Smooth-Star. and Pulse. Door Systems; Steel – Pulse., Profiles., Traditions and Therma-Tru. Fire Door (TR 12-24) Steel Edge Door Systems
- Therma-Tru. Tru-Defense. Door System Rider to Fiberglass Door Systems Limited Warranty: Classic-Craft., Fiber-Classic., Smooth-Star. and Pulse. Fiberglass Door Systems
- EnLiten. Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft., Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten. Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft., Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- PrismaGuard. Limited Warranty Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft. and Fiber-Classic. Door Systems.
- Same-Day. Stain 5-Year Limited Warranty: Same-Day. Stain and Topcoat for Use on Therma-Tru. Fiberglass Door Systems and Fypon. Stainable Polyurethane Products

Installation, Finishing & Maintenance

Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

Therma-Tru. Owner's Manual & Warranties
www.thermatru.com/warranty

American Style Collection.

19200T.....	53	CCA2310XE.....	54	CCA2370XR.....	54	CCA4910LXC.....	55	CCA8222.....	50	CCA82340XJ.....	54
19210T.....	53	CCA2310XESL.....	55	CCA2380.....	56	CCA4910LXE.....	55	CCA8230.....	53	CCA82340XJSL.....	55
19220T.....	53	CCA2310XG.....	54	CCA2380XC.....	54	CCA4910LXG.....	55	CCA82300.....	56	CCA82340XN.....	54
AB30T.....	51	CCA2310XGSL.....	55	CCA2380XE.....	54	CCA4910LXJ.....	55	CCA82300SL.....	57	CCA82340XNSL.....	55
ABRT.....	51	CCA2310XJ.....	54	CCA2380XG.....	54	CCA4910LXN.....	55	CCA82300XC.....	54	CCA82340XR.....	54
CCA1100.....	58	CCA2310XJSL.....	55	CCA2380XJ.....	54	CCA4910LXR.....	55	CCA82300XCSL.....	55	CCA82340XRSL.....	55
CCA1125.....	58	CCA2310XN.....	54	CCA2380XN.....	54	CCA4910R.....	57	CCA82300XE.....	54	CCA82350.....	56
CCA1127.....	58	CCA2310XNSL.....	55	CCA2380XR.....	54	CCA4910RXC.....	55	CCA82300XESL.....	55	CCA82350XC.....	54
CCA1133.....	58	CCA2310XR.....	54	CCA240.....	53	CCA4910RXE.....	55	CCA82300XG.....	54	CCA82350XE.....	54
CCA1145.....	58	CCA2310XRSL.....	55	CCA2400.....	56	CCA4910RXG.....	55	CCA82300XGSL.....	55	CCA82350XG.....	54
CCA1147.....	58	CCA232.....	50	CCA2400SL.....	57	CCA4910RXJ.....	55	CCA82300XJ.....	54	CCA82350XJ.....	54
CCA1149.....	58	CCA2320.....	56	CCA2400XC.....	54	CCA4910RXN.....	55	CCA82300XJSL.....	55	CCA82350XN.....	54
CCA1150.....	58	CCA2320SL.....	57	CCA2400XCSL.....	55	CCA4910RXX.....	55	CCA82300XN.....	54	CCA82350XR.....	54
CCA1158.....	58	CCA2320XC.....	54	CCA2400XE.....	54	CCA4915.....	59	CCA82300XNSL.....	55	CCA82360.....	56
CCA1166.....	58	CCA2320XCSL.....	55	CCA2400XG.....	54	CCA4915R.....	59	CCA82300XR.....	54	CCA82360XC.....	54
CCA1423SL.....	51	CCA2320XG.....	54	CCA2400XGSL.....	55	CCA4920L.....	57	CCA82300XRSL.....	55	CCA82360XE.....	54
CCA210.....	53	CCA2320XESL.....	55	CCA2400XJ.....	54	CCA4920LXC.....	55	CCA82300XNSL.....	55	CCA82360XG.....	54
CCA210SL.....	53	CCA2320XGSL.....	55	CCA2400XJSL.....	55	CCA4920LXE.....	55	CCA82300XNSL.....	55	CCA82360XG.....	54
CCA210SX.....	52	CCA2320XJ.....	54	CCA2400XN.....	54	CCA4920LXG.....	55	CCA82300XNSL.....	55	CCA82360XJ.....	54
CCA210XC.....	52	CCA2320XJSL.....	55	CCA2400XNSL.....	55	CCA4920LXJ.....	55	CCA82300XR.....	52	CCA82360XN.....	54
CCA210XCNSL.....	52	CCA2320XNSL.....	55	CCA2400XR.....	54	CCA4920LXN.....	55	CCA82300XRSL.....	55	CCA82360XR.....	54
CCA210XG.....	52	CCA2320XNSL.....	55	CCA2400XRSL.....	55	CCA4920LXR.....	55	CCA82300XRSL.....	55	CCA82370.....	56
CCA210XGSL.....	52	CCA2320XR.....	54	CCA240XC.....	52	CCA4920LXR.....	55	CCA82300XRSL.....	55	CCA82370XC.....	54
CCA210XJ.....	52	CCA2320XRSL.....	55	CCA240XG.....	52	CCA4920R.....	57	CCA82300XRSL.....	55	CCA82370XE.....	54
CCA210XJSL.....	52	CCA2330.....	56	CCA240XJ.....	52	CCA4920RXC.....	55	CCA82300XRSL.....	55	CCA82370XG.....	54
CCA210XN.....	52	CCA2330SL.....	57	CCA240XJ.....	52	CCA4920RXC.....	55	CCA82300XRSL.....	55	CCA82370XG.....	54
CCA210XNSL.....	52	CCA2330XC.....	54	CCA240XN.....	52	CCA4920RXC.....	55	CCA82300XRSL.....	55	CCA82370XJ.....	54
CCA210XR.....	52	CCA2330XC.....	54	CCA240XR.....	52	CCA4920RXC.....	55	CCA82300XRSL.....	55	CCA82370XN.....	54
CCA210XRSL.....	52	CCA2330XCSL.....	55	CCA240XR.....	52	CCA4920RXC.....	55	CCA82300XRSL.....	55	CCA82370XR.....	54
CCA211.....	50	CCA2330XE.....	54	CCA2420SL.....	59	CCA4925L.....	59	CCA82300XRSL.....	55	CCA82380.....	56
CCA211SL.....	50	CCA2330XESL.....	55	CCA2420SL.....	59	CCA4925R.....	59	CCA82300XRSL.....	55	CCA82380XC.....	54
CCA212.....	50	CCA2330XG.....	54	CCA260.....	53	CCA4930.....	57	CCA82300XRSL.....	55	CCA82380XG.....	54
CCA212SL.....	50	CCA2330XGSL.....	55	CCA260XC.....	52	CCA4930XC.....	55	CCA82300XRSL.....	55	CCA82380XJ.....	54
CCA220.....	53	CCA2330XJ.....	54	CCA260XG.....	52	CCA4930XE.....	55	CCA82300XRSL.....	55	CCA82380XN.....	54
CCA220SL.....	53	CCA2330XJSL.....	55	CCA260XJ.....	52	CCA4930XG.....	55	CCA82300XRSL.....	55	CCA82380XR.....	54
CCA220XC.....	52	CCA2330XNSL.....	55	CCA260XN.....	52	CCA4930XJ.....	55	CCA82300XRSL.....	55	CCA82400.....	56
CCA220XCNSL.....	52	CCA2330XR.....	54	CCA260XR.....	52	CCA4930XN.....	55	CCA82300XRSL.....	55	CCA82400SL.....	57
CCA220XG.....	52	CCA2330XRSL.....	55	CCA3400SL.....	53	CCA4930XR.....	55	CCA82300XRSL.....	55	CCA82400XC.....	54
CCA220XGSL.....	52	CCA2340.....	56	CCA3400XCSL.....	52	CCA4935.....	59	CCA82300XRSL.....	55	CCA82400XCSL.....	55
CCA220XJ.....	52	CCA2340SL.....	57	CCA3400XGSL.....	52	CCA4940.....	57	CCA82300XRSL.....	55	CCA82400XE.....	54
CCA220XJSL.....	52	CCA2340XC.....	54	CCA3400XJSL.....	52	CCA4940XC.....	55	CCA82300XRSL.....	55	CCA82400XG.....	54
CCA220XN.....	52	CCA2340XC.....	54	CCA3400XNSL.....	52	CCA4940XE.....	55	CCA82300XRSL.....	55	CCA82400XG.....	54
CCA220XNSL.....	52	CCA2340XCSL.....	55	CCA3400XRSL.....	52	CCA4940XG.....	55	CCA82300XRSL.....	55	CCA82400XGSL.....	55
CCA220XR.....	52	CCA2340XE.....	54	CCA3401SL.....	50	CCA4940XJ.....	55	CCA82300XRSL.....	55	CCA82400XJ.....	54
CCA220XRSL.....	52	CCA2340XESL.....	55	CCA3402SL.....	50	CCA4940XN.....	55	CCA82300XRSL.....	55	CCA82400XJSL.....	55
CCA221.....	50	CCA2340XG.....	54	CCA3450SL.....	53	CCA4940XR.....	55	CCA82300XRSL.....	55	CCA82400XN.....	54
CCA222.....	50	CCA2340XGSL.....	55	CCA3450XCSL.....	52	CCA4945.....	59	CCA82300XRSL.....	55	CCA82400XNSL.....	55
CCA230.....	53	CCA2340XJ.....	54	CCA3450XGSL.....	52	CCA81100.....	58	CCA82300XRSL.....	55	CCA82400XR.....	54
CCA2300.....	56	CCA2340XJSL.....	55	CCA3450XJSL.....	52	CCA81125.....	58	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA2300SL.....	57	CCA2340XN.....	54	CCA3450XNSL.....	52	CCA81127.....	58	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA2300XC.....	54	CCA2340XNSL.....	55	CCA3450XRSL.....	52	CCA81133.....	58	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA2300XCNSL.....	55	CCA2340XR.....	54	CCA3500XCSL.....	52	CCA81145.....	58	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA2300XE.....	54	CCA2340XRSL.....	55	CCA3500XGSL.....	52	CCA81147.....	58	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA2300XESL.....	55	CCA2350.....	56	CCA3500XJSL.....	52	CCA81149.....	58	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA2300XG.....	54	CCA2350XC.....	54	CCA3500XNSL.....	52	CCA81158.....	58	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA2300XGSL.....	55	CCA2350XE.....	54	CCA3500XRSL.....	52	CCA81166.....	58	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA2300XJ.....	54	CCA2350XG.....	54	CCA3501SL.....	50	CCA81223SL.....	51	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA2300XJSL.....	55	CCA2350XJ.....	54	CCA3502SL.....	50	CCA8210.....	53	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA2300XNSL.....	55	CCA2350XN.....	54	CCA3560SL.....	53	CCA8210XC.....	52	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA2300XR.....	54	CCA2350XR.....	54	CCA3560XCSL.....	52	CCA8210XG.....	52	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA2300XRSL.....	55	CCA2360.....	56	CCA3560XGSL.....	52	CCA8210XJ.....	52	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA230XC.....	52	CCA2360XC.....	54	CCA3560XJSL.....	52	CCA8210XN.....	52	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA230XG.....	52	CCA2360XE.....	54	CCA3560XNSL.....	52	CCA8210XR.....	52	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA230XJ.....	52	CCA2360XG.....	54	CCA3560XRSL.....	52	CCA8211.....	50	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA230XN.....	52	CCA2360XJ.....	54	CCA4900.....	57	CCA8212.....	50	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA230XR.....	52	CCA2360XN.....	54	CCA4900XC.....	55	CCA8220.....	53	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA231.....	50	CCA2360XR.....	54	CCA4900XE.....	55	CCA8220XC.....	52	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA2310.....	56	CCA2370.....	56	CCA4900XG.....	55	CCA8220XG.....	52	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA2310SL.....	57	CCA2370XC.....	54	CCA4900XJ.....	55	CCA8220XJ.....	52	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA2310XC.....	54	CCA2370XE.....	54	CCA4900XN.....	55	CCA8220XR.....	52	CCA82300XRSL.....	55	CCA82400XRSL.....	55
CCA2310XCNSL.....	55	CCA2370XG.....	54	CCA4900XR.....	55	CCA8221.....	50	CCA82300XRSL.....	55	CCA82400XRSL.....	55
		CCA2370XJ.....	54	CCA4905.....	59			CCA82300XRSL.....	55	CCA82400XRSL.....	55
		CCA2370XN.....	54	CCA4910L.....	57			CCA82300XRSL.....	55	CCA82400XRSL.....	55

CCA84910LXE.....	55	CCA9300.....	51	CCM3509SL.....	64	BEET-B.....	78	CCR3400SL.....	85	CCR81846.....	82
CCA84910LXG.....	55	HW30T.....	50	CCM3510BSL.....	65	BERT-B.....	78	CCR3400XCSL.....	84	CCR81846A.....	82
CCA84910LXJ.....	55	HWRT.....	50	CCM600.....	70	CBHRT.....	81	CCR3400XESL.....	84	CCR81847.....	82
CCA84910LXN.....	55	Mahogany		CCM600.....	69	CC040T.....	80	CCR3400XGSL.....	84	CCR81847A.....	82
CCA84910LXR.....	55	Collection..		CCM600XE.....	68	CC060T.....	76	CCR3400XHSL.....	79	CCR81851SL.....	82
CCA84910R.....	57	19020T.....	69	CCM603.....	67	CC090T.....	81	CCR3400XJSL.....	84	CCR8200.....	86
CCA84910RXC.....	55	1920T.....	69	CCM609.....	64	CC400T.....	80	CCR3400XNSL.....	77	CCR820020.....	85
CCA84910RXE.....	55	19200T.....	69	CCM610B.....	65	CC420T.....	80	CCR3400XNSL.....	84	CCR820020XC.....	84
CCA84910RXG.....	55	19210T.....	69	CCM612.....	68	CC600T.....	76	CCR3400XRSL.....	84	CCR820020XN.....	84
CCA84910RXJ.....	55	19220T.....	69	CCM700.....	68	CC620T.....	76	CCR3406SL.....	81	CCR820023.....	81
CCA84910RXN.....	55	AB30T.....	66	CCM701.....	70	CC900T.....	81	CCR3407SL.....	81	CCR820024B.....	78
CCA84910RXR.....	55	ABRT.....	66	CCM702.....	68	CC920T.....	81	CCR3408SL.....	80	CCR820026.....	81
CCA84915L.....	59	ARHRT.....	64	CCM703.....	67	CCR040.....	86	CCR3409SL.....	76	CCR820027.....	77
CCA84915R.....	59	BEBHRT.....	65	CCM709.....	64	CCR04020.....	85	CCR3410BSL.....	78	CCR820028.....	80
CCA84920L.....	57	BEET-B.....	65	CCM710B.....	65	CCR04020XC.....	84	CCR3412SL.....	83	CCR820029.....	76
CCA84920LXC.....	55	BERT-B.....	65	CCM800.....	69	CCR04020XN.....	84	CCR8000SL.....	85	CCR820030.....	85
CCA84920LXE.....	55	CC060T.....	64	CCM8000SL.....	69	CCR04022.....	83	CCR8000XCSL.....	84	CCR820030A.....	85
CCA84920LXG.....	55	CC600T.....	64	CCM8000XCSL.....	68	CCR04023.....	81	CCR8000XGSL.....	84	CCR820030AXC.....	84
CCA84920LXJ.....	55	CC620T.....	64	CCM8000XGSL.....	68	CCR04027.....	77	CCR8000XHSL.....	79	CCR820030AXN.....	84
CCA84920LXN.....	55	CCM100.....	69	CCM8000XHSL.....	66	CCR04037.....	77	CCR8000XJSL.....	84	CCR820030XC.....	84
CCA84920LXR.....	55	CCM10022.....	68	CCM8000XJSL.....	68	CCR04037A.....	77	CCR8000XNSL.....	77	CCR820030XN.....	84
CCA84920R.....	57	CCM103.....	67	CCM8000XNSL.....	65	CCR040R.....	86	CCR8000XNSL.....	84	CCR820032.....	83
CCA84920RXC.....	55	CCM109.....	64	CCM8000XRSL.....	68	CCR100.....	86	CCR8000XRSL.....	84	CCR820032A.....	83
CCA84920RXE.....	55	CCM110B.....	65	CCM8001SL.....	64	CCR10022.....	83	CCR8005.....	86	CCR820037.....	77
CCA84920RXG.....	55	CCM11419.....	66	CCM8003SL.....	67	CCR100A.....	86	CCR8005A.....	86	CCR820037A.....	77
CCA84920RXJ.....	55	CCM1423.....	66	CCM8004BSL.....	65	CCR100R.....	86	CCR8006SL.....	81	CCR8200A.....	86
CCA84920RXN.....	55	CCM1423SL.....	66	CCM801.....	70	CCR1414.....	78	CCR8007SL.....	81	CCR8205.....	86
CCA84920RXR.....	55	CCM1424.....	66	CCM803.....	67	CCR1415.....	78	CCR8008SL.....	80	CCR820520.....	85
CCA84925L.....	59	CCM1465.....	66	CCM805027.....	65	CCR1417.....	78	CCR8009SL.....	76	CCR820520XC.....	84
CCA84925R.....	59	CCM1475.....	66	CCM809.....	64	CCR1423.....	78	CCR8010BSL.....	78	CCR820520XN.....	84
CCA84930.....	57	CCM1485.....	65	CCM8102SL.....	68	CCR1423SL.....	78	CCR8040.....	86	CCR820522.....	83
CCA84930XC.....	55	CCM1495.....	65	CCM810B.....	65	CCR1511.....	79	CCR804020.....	85	CCR820523.....	81
CCA84930XE.....	55	CCM1528.....	66	CCM81418.....	66	CCR1511A.....	79	CCR804020XC.....	84	CCR820524B.....	78
CCA84930XG.....	55	CCM1842.....	67	CCM81418.....	66	CCR1512.....	79	CCR804020XN.....	84	CCR820526.....	81
CCA84930XJ.....	55	CCM1843SL.....	67	CCM81423SL.....	66	CCR1512A.....	79	CCR804022.....	83	CCR820527.....	77
CCA84930XN.....	55	CCM1844.....	67	CCM81519.....	66	CCR1514.....	79	CCR804023.....	81	CCR820528.....	80
CCA84930XR.....	55	CCM1851.....	67	CCM81843.....	67	CCR1514A.....	79	CCR804024B.....	78	CCR820529.....	76
CCA84935.....	59	CCM1851SL.....	67	CCM81851SL.....	67	CCR1515.....	79	CCR804026.....	81	CCR820530.....	85
CCA84940.....	57	CCM200.....	69	CCM822.....	68	CCR1516.....	79	CCR804027.....	77	CCR820530A.....	85
CCA84940XC.....	55	CCM200XC.....	68	CCM890.....	70	CCR1518.....	79	CCR804028.....	80	CCR820530XC.....	84
CCA84940XE.....	55	CCM200XN.....	68	CCM891.....	69	CCR1528.....	79	CCR804029.....	76	CCR820530AXC.....	84
CCA84940XG.....	55	CCM203.....	67	CCM892.....	67	CCR1838.....	82	CCR804030.....	85	CCR820530AXN.....	84
CCA84940XJ.....	55	CCM204.....	68	CCM894.....	64	CCR1839.....	82	CCR804030A.....	85	CCR820530AXN.....	84
CCA84940XN.....	55	CCM209.....	64	CCM895B.....	65	CCR1841.....	82	CCR804030AXC.....	84	CCR820532.....	83
CCA84940XR.....	55	CCM210B.....	65	CCM898.....	68	CCR1851.....	82	CCR804030AXN.....	84	CCR820532A.....	83
CCA84945.....	59	CCM300.....	69	CCM89922.....	64	CCR1851SL.....	82	CCR804030XC.....	84	CCR820537.....	77
CCA87100.....	53	CCM30027.....	65	CCM89925SL.....	64	CCR200.....	86	CCR804030XN.....	84	CCR820537A.....	77
CCA87100XG.....	52	CCM300XC.....	68	CCM9923.....	64	CCR20020.....	85	CCR804032.....	83	CCR8205A.....	86
CCA87100XR.....	52	CCM300XN.....	68	CCM9925.....	64	CCR20020XC.....	84	CCR804032A.....	83	CCR8220.....	86
CCA87111.....	51	CCM302.....	68	CCM9925SL.....	64	CCR20020XN.....	84	CCR804037.....	77	CCR8220R.....	86
CCA87112.....	50	CCM303.....	67	CCM9926.....	64	CCR20022.....	83	CCR804037A.....	77	CCR8222.....	86
CCA87121.....	51	CCM309.....	64	DLHRT.....	69	CCR20023.....	81	CCR8040R.....	86	CCR822214.....	78
CCA87122.....	50	CCM310B.....	65	HW30T.....	64	CCR20027.....	77	CCR8100.....	86	CCR822215.....	79
CCA87131.....	51	CCM3300SL.....	69	HWRT.....	64	CCR20037.....	77	CCR8100A.....	86	CCR822218.....	76
CCA87132.....	50	CCM3302SL.....	68	LC30T.....	68	CCR20037A.....	77	CCR8102SL.....	83	CCR822220.....	85
CCA87200.....	53	CCM3303SL.....	67	LCET.....	68	CCR200A.....	86	CCR81414.....	78	CCR822220XC.....	84
CCA87200XG.....	52	CCM3309SL.....	64	LCHRT.....	68	CCR205.....	86	CCR81415.....	78	CCR822220XN.....	84
CCA87200XR.....	52	CCM3310BSL.....	65	LCRT.....	68	CCR20520.....	85	CCR81417.....	78	CCR822222.....	83
CCA87300.....	53	CCM3400SL.....	69	LF30T.....	67	CCR20520XC.....	84	CCR81423SL.....	78	CCR822223.....	81
CCA87300XG.....	52	CCM3400XCSL.....	68	LFET.....	67	CCR20520XN.....	84	CCR81511.....	79	CCR822224B.....	78
CCA87300XR.....	52	CCM3400XESL.....	68	LFHRT.....	67	CCR20522.....	83	CCR81511A.....	79	CCR822226.....	81
CCA87400.....	53	CCM3400XGSL.....	68	LFRT.....	67	CCR20523.....	81	CCR81512.....	79	CCR822227.....	77
CCA87400XG.....	52	CCM3400XHSL.....	66	ZHHRT.....	67	CCR20527.....	77	CCR81512A.....	79	CCR822228.....	80
CCA87400XR.....	52	CCM3400XJSL.....	68	ZHRT.....	67	CCR20537.....	77	CCR81514.....	79	CCR822229.....	76
CCA87600.....	53	CCM3400XNSL.....	65	Rustic Collection..		CCR20537A.....	77	CCR81514A.....	79	CCR822238.....	82
CCA87600XG.....	52	CCM3400XNSL.....	68	19020T.....	85	CCR205A.....	86	CCR81515.....	79	CCR8225.....	86
CCA87600XR.....	52	CCM3400XRSL.....	68	19200T.....	85	CCR30020.....	85	CCR81516.....	79	CCR8225R.....	86
CCA89100.....	51	CCM3403SL.....	67	19210T.....	85	CCR30023.....	81	CCR81518.....	79	CCR89918.....	76
CCA89200.....	51	CCM3409SL.....	64	19220T.....	85	CCR30024B.....	78	CCR81838.....	82	CCR89919.....	76
CCA89300.....	51	CCM3410BSL.....	65	AB30T.....	78	CCR30026.....	81	CCR81839.....	82	CCR89921.....	76
CCA9100.....	51	CCM3412SL.....	68	ABRT.....	78	CCR30027.....	77	CCR81841.....	82	CCR89925SL.....	76
CCA9100SL.....	51	CCM3500SL.....	69	ARHRT.....	78	CCR30028.....	80	CCR81845.....	82	CCR9918.....	76
CCA9200.....	51	CCM3502SL.....	68	BEBHRT.....	76	CCR30029.....	76	CCR81845A.....	82	CCR9919.....	76
		CCM3503SL.....	67								

CCR9921	76	CC2025XRSL	97	CC900T	95	CCV10024B	106	CCV805015	113	CCV820530	114
CCR9925	76	CC2040SL	94	CC901B	93	CCV10026	110	CCV805020	114	CCV820530A	114
CCR9925SL	76	CC2044SL	95	CC91	99	CCV10027	106	CCV805022	111	CCV820530AXC	113
DLHRT	85	CC2060SL	92	CC92	97	CCV10028	108	CCV805023	109	CCV820530AXN	113
HW30T	76	CC2080BSL	93	CC920T	95	CCV10029	105	CCV805024B	106	CCV820530XC	113
HWRT	76	CC2120SL	98	CC922	96	CCV1005L	114	CCV805026	110	CCV820530XN	113
LC30T	83	CC2122SL	96	CC96	95	CCV100XCSL	113	CCV805027	106	CCV820532	111
LCET	83	CC2140SL	94	CC97	94	CCV100KESL	113	CCV805028	108	CCV820532A	111
LCHRT	83	CC2144SL	95	CC99	92	CCV100XGSL	113	CCV805029	105	CCV820537	106
LCRT	83	CC2160SL	92	CC9922	92	CCV100XHSL	108	CCV8060	115	CCV820537A	106
LF30T	81	CC2272SL	96	CC9925	92	CCV100XJSL	113	CCV806012	113	CCV8205A	115
LFET	81	CC2276SL	95	CC9925SL	92	CCV100XNSL	106	CCV806012XC	112	CCV8220	115
LFHRT	81	CC2277SL	94	CC9926	92	CCV100XNSL	113	CCV806012XN	112	CCV822012	113
LFRT	81	CC2279SL	92	DLHRT	98	CCV100XRSL	113	CCV806020	114	CCV822012XC	112
PRHRT	80	CC2270SL	98	HW30T	92	CCV103SL	109	CCV806020XC	112	CCV822012XN	112
ZHHRT	82	CC3412SL	96	HWRT	92	CCV104BSL	107	CCV806020XN	112	CCV822020	114
ZHRT	82	CC3502SL	96	LC30T	96	CCV106SL	110	CCV806022	111	CCV822020XC	112
		CC40	99	LCET	96	CCV108SL	109	CCV806023	109	CCV822020XN	112
		CC400T	94	LCHRT	96	CCV109SL	105	CCV806024B	106	CCV822022	111
		CC420T	94	LCRT	96	CCV1414	107	CCV806026	110	CCV822023	109
		CC44	95	PRHRT	94	CCV1415	107	CCV806027	106	CCV822024B	106
		CC45	92			CCV1418	107	CCV806028	108	CCV822026	110
		CC47	94			CCV1423	107	CCV806029	105	CCV822027	106
		CC48	98			CCV1423SL	107	CCV8100SL	114	CCV822028	108
		CC48XE	97			CCV1424	107	CCV8100XCSL	113	CCV822029	105
		CC49	97			CCV1512	108	CCV8100XGSL	113	CCV831	115
		CC49XE	97			CCV1512A	108	CCV8100XHSL	108	CCV8950SL	113
		CC60	99			CCV1515	108	CCV8100XHSL	113	CCV8950XCSL	112
		CC612	96			CCV1516	108	CCV8100XNSL	106	CCV8950XGSL	112
		CC620T	92			CCV1519	108	CCV8100XNSL	113	CCV8950XJSL	112
		CC70	98			CCV1528	108	CCV8100XRSL	113	CCV8950XNSL	112
		CC76	95			CCV1838	110	CCV8102SL	111	CCV8950XRSL	112
		CC77	94			CCV1839	110	CCV8103SL	109	CCV89918	104
		CC78	96			CCV1843	110	CCV8104BSL	107	CCV89919	104
		CC79	92			CCV1851	110	CCV8106SL	110	CCV89921	104
		CC8000SL	98			CCV1851SL	111	CCV8108SL	109	CCV89922	104
		CC8000XCSL	97			CCV200	115	CCV8109SL	105	CCV89924	104
		CC8000XGSL	97			CCV205	115	CCV8111SL	104	CCV9010SL	114
		CC8000XJSL	97			CCV20520	114	CCV8112SL	104	CCV9011SL	104
		CC8000XNSL	97			CCV20520XC	112	CCV81414	107	CCV9012SL	104
		CC8000XRSL	97			CCV20520XN	112	CCV81415	107	CCV9020SL	113
		CC8006SL	95			CCV20522	111	CCV81418	107	CCV910	114
		CC8007SL	94			CCV20523	109	CCV81420	107	CCV910XC	113
		CC8009SL	92			CCV20527	106	CCV81423SL	107	CCV910XC	113
		CC8010BSL	93			CCV20537	106	CCV81512	108	CCV910XG	113
		CC810	99			CCV20537A	106	CCV81512A	108	CCV910XGSL	113
		CC8102SL	96			CCV205A	115	CCV81515	108	CCV910XJ	113
		CC811	98			CCV220	115	CCV81516	108	CCV910XJSL	113
		CC81418	93			CCV22020	114	CCV81518	108	CCV910XN	113
		CC81420	93			CCV22020XC	112	CCV81519	108	CCV910XNSL	113
		CC81423SL	93			CCV22020XN	112	CCV81520	108	CCV910XR	113
		CC822	96			CCV22022	111	CCV81838	110	CCV910XRSL	113
		CC830	98			CCV22023	109	CCV81839	110	CCV911	104
		CC831	99			CCV22027	106	CCV81840	111	CCV911SL	104
		CC832	97			CCV3412SL	111	CCV81841	110	CCV912	104
		CC833	96			CCV400	115	CCV81843	110	CCV912SL	104
		CC836	95			CCV4100	107	CCV81846	111	CCV920	113
		CC837	94			CCV4100SL	107	CCV81846A	111	CCV920XC	112
		CC839	92			CCV4200	107	CCV81851SL	111	CCV920XC	112
		CC860	99			CCV4300	107	CCV8205	115	CCV920XG	112
		CC890	98			CCV803012	113	CCV820512	113	CCV920XGSL	112
		CC892	97			CCV803012XC	112	CCV820512XC	112	CCV920XJ	112
		CC896	95			CCV803012XN	112	CCV820512XN	112	CCV920XJSL	112
		CC897	94			CCV803020	114	CCV820520	114	CCV920XN	112
		CC898	96			CCV803020XC	112	CCV820520XC	112	CCV920XNSL	112
		CC899	92			CCV803020XN	112	CCV820520XN	112	CCV920XR	112
		CC89922	92			CCV803022	111	CCV820522	111	CCV920XRSL	112
		CC89924	92			CCV803023	109	CCV820523	109	CCV921	104
		CC89925SL	92			CCV803024B	106	CCV820524B	106	CCV922	104
		CC90	98			CCV803026	110	CCV820526	110	CCV930	113
		CC900B	93			CCV803027	106	CCV820527	106	CCV930XC	112
						CCV10020	114	CCV820528	108	CCV930XG	112
						CCV10022	111	CCV820529	105	CCV930XJ	112
						CCV10023	109				

Oak Collection.

19020T	97
19020T	98
19200T	97
19200T	98
19210T	98
19220T	97
19220T	98
AB30T	93
ABRT	93
ARHRT	92
BEBHRT	93
BEET-B	93
BERT-B	93
CBHRT	95
CC040T	94
CC060T	92
CC090T	95
CC10	98
CC100	98
CC10022	96
CC1010SL	98
CC1016SL	95
CC1017SL	94
CC1019SL	92
CC102	97
CC1020BSL	93
CC106	95
CC107	94
CC109	92
CC11	99
CC110B	93
CC111B	93
CC112B	93
CC113B	93
CC114B	93
CC1418	93
CC1423	93
CC1423SL	93
CC1424	93
CC16	95
CC17	94
CC19	92
CC2020SL	98
CC2020XCSL	97
CC2020XESL	97
CC2020XGSL	97
CC2020XJSL	97
CC2020XNSL	97
CC2020XRSL	97
CC2025SL	97
CC2025XCSL	97
CC2025XESL	97
CC2025XGSL	97
CC2025XJSL	97
CC2025XNSL	97

Canvas Collection.

19020T	113
19020T	114
19200T	113
19200T	114
19210T	114
19220T	113
19220T	114
AB30T	107
ABRT	107
ARHRT	105
BEBHRT	107
BEET-B	107
BERT-B	107
CBHRT	110
CC040T	109
CC060T	105
CC090T	110
CC400T	109
CC420T	109
CC600T	105
CC620T	105
CC900T	110
CC920T	110
CCV050	115
CCV05012	113
CCV05012XC	112
CCV05012XN	112
CCV05020	114
CCV05020XC	112
CCV05020XN	112
CCV05022	111
CCV05023	109
CCV05024B	106
CCV05026	110
CCV05027	106
CCV05028	108
CCV05029	105
CCV060	115
CCV06020	114
CCV06020XE	112
CCV06022	111
CCV06023	109
CCV06024B	106
CCV06026	110
CCV06028	108
CCV0609	113
CCV0609XE	112
CCV10015	113
CCV10020	114
CCV10022	111
CCV10023	109

Fiber-Classic® & Smooth-Star®

CCV930XN.....	112	Fiber-Classic	FCM1284.....	189	FCM198.....	191	FCM6023.....	169	FCM6124SL.....	190
CCV930XR.....	112	Mahogany	FCM1284XC.....	174	FCM205.....	204	FCM6025.....	134	FCM6124XCSL.....	174
CCV931.....	104	Collection™	FCM1284XE.....	174	FCM2101SL.....	190	FCM6026.....	156	FCM6124XESL.....	174
CCV932.....	104		FCM1284XG.....	174	FCM2106.....	189	FCM6027.....	132	FCM6124XGSL.....	174
CCV940.....	113		FCM1284XJ.....	174	FCM2107.....	189	FCM6029.....	146	FCM6124XJSL.....	174
CCV940XC.....	112		FCM1284XN.....	174	FCM2108.....	189	FCM6030.....	150	FCM6124XNSL.....	174
CCV940XG.....	112		FCM1284XR.....	174	FCM220.....	204	FCM6031.....	138	FCM6124XRSL.....	174
CCV940XJ.....	112		FCM1285.....	189	FCM241.....	134	FCM6032.....	129	FCM6125SL.....	190
CCV940XN.....	112		FCM1285XC.....	174	FCM31.....	204	FCM6035.....	181	FCM6125XCSL.....	174
CCV940XR.....	112		FCM1285XE.....	174	FCM310.....	129	FCM6036.....	159	FCM6125XESL.....	174
CCV950SL.....	113		FCM1285XG.....	174	FCM32.....	200	FCM604.....	135	FCM6125XGSL.....	174
CCV950XCSL.....	112		FCM1285XJ.....	174	FCM32SL.....	200	FCM6041.....	200	FCM6125XJSL.....	174
CCV950XESL.....	112		FCM1285XN.....	174	FCM32XC.....	177	FCM6041XC.....	177	FCM6125XNSL.....	174
CCV950XGSL.....	112		FCM1285XR.....	174	FCM32XCSSL.....	178	FCM6041XE.....	177	FCM6125XRSL.....	174
CCV950XJSL.....	112		FCM1286.....	181	FCM32XE.....	177	FCM6041XG.....	177	FCM6126SL.....	190
CCV950XNSL.....	112		FCM1286SL.....	181	FCM32XESL.....	178	FCM6041XJ.....	177	FCM6126XCSL.....	174
CCV950XRSL.....	112		FCM1289.....	191	FCM32XG.....	177	FCM6041XN.....	177	FCM6126XESL.....	174
CCV960.....	113		FCM1289SL.....	191	FCM32XGSL.....	178	FCM6041XR.....	177	FCM6126XGSL.....	174
CCV960XC.....	112		FCM131.....	134	FCM32XJ.....	177	FCM6042.....	190	FCM6126XJSL.....	174
CCV960XG.....	112		FCM13101SL.....	169	FCM32XJSL.....	178	FCM6042XC.....	174	FCM6126XNSL.....	174
CCV960XJ.....	112		FCM131SL.....	135	FCM32XN.....	177	FCM6042XE.....	174	FCM6126XRSL.....	174
CCV960XN.....	112		FCM132.....	200	FCM32XNSL.....	178	FCM6042XG.....	174	FCM61XC.....	178
CCV960XR.....	112		FCM134.....	204	FCM32XR.....	177	FCM6042XJ.....	174	FCM61XE.....	178
CCV9918.....	104		FCM138.....	188	FCM32XRSL.....	178	FCM6042XN.....	174	FCM61XG.....	178
CCV9919.....	104		FCM138XC.....	174	FCM3487SL.....	190	FCM6042XR.....	174	FCM61XJ.....	178
CCV9922.....	104		FCM138XE.....	174	FCM3487XCSL.....	174	FCM6043.....	169	FCM61XN.....	178
CCV9925.....	104		FCM138XG.....	174	FCM3487XESL.....	174	FCM6045.....	134	FCM61XR.....	178
CCV9926.....	104		FCM138XJ.....	174	FCM3487XGSL.....	174	FCM6046.....	156	FCM62.....	200
DLHRT.....	114		FCM138XN.....	174	FCM3487XJSL.....	174	FCM6047.....	132	FCM626.....	159
HW30T.....	104		FCM138XR.....	174	FCM3487XNSL.....	174	FCM6049.....	146	FCM62SL.....	200
HWRT.....	104		FCM1400SL.....	191	FCM3487XRSL.....	174	FCM605.....	190	FCM62XC.....	177
LC30T.....	111		FCM1402.....	191	FCM369.....	138	FCM6050.....	150	FCM62XCSL.....	178
LCET.....	111		FCM1405.....	191	FCM38.....	132	FCM6051.....	138	FCM62XE.....	177
LCHRT.....	111		FCM1405SL.....	191	FCM38SL.....	132	FCM6052.....	129	FCM62XESL.....	178
LCRT.....	111		FCM1406.....	191	FCM45.....	132	FCM6055.....	181	FCM62XG.....	177
LF30T.....	109		FCM1408.....	191	FCM45SL.....	132	FCM6056.....	159	FCM62XGSL.....	178
LFET.....	109		FCM141.....	181	FCM506.....	153	FCM605XC.....	174	FCM62XJ.....	177
LFHRT.....	109		FCM143.....	148	FCM508.....	153	FCM605XE.....	174	FCM62XJSL.....	178
LFRT.....	109		FCM143SL.....	148	FCM5425.....	181	FCM605XG.....	174	FCM62XN.....	177
PRHRT.....	109		FCM144.....	148	FCM5425SL.....	181	FCM605XJ.....	174	FCM62XNSL.....	178
ZHHRT.....	111		FCM1442SL.....	159	FCM543.....	152	FCM605XN.....	174	FCM62XR.....	177
ZHRT.....	111		FCM144SL.....	148	FCM545SL.....	153	FCM605XR.....	174	FCM62XRSL.....	178
			FCM147.....	150	FCM571.....	152	FCM606.....	190	FCM63.....	189
			FCM147SL.....	150	FCM572SL.....	153	FCM606XC.....	174	FCM65.....	189
			FCM148.....	159	FCM574.....	152	FCM606XE.....	174	FCM6500.....	162
			FCM149.....	159	FCM575.....	152	FCM606XG.....	174	FCM6500SL.....	162
			FCM149SL.....	159	FCM577.....	152	FCM606XJ.....	174	FCM6520.....	162
			FCM150.....	159	FCM581.....	152	FCM606XN.....	174	FCM6532.....	162
			FCM151.....	159	FCM583SL.....	153	FCM606XR.....	174	FCM6550.....	162
			FCM156.....	159	FCM60.....	204	FCM607.....	190	FCM6560.....	162
			FCM16.....	132	FCM600.....	204	FCM607A.....	148	FCM6565.....	162
			FCM160.....	200	FCM601.....	200	FCM6075.....	148	FCM6565SL.....	162
			FCM163.....	150	FCM601XC.....	178	FCM607XC.....	174	FCM6568.....	162
			FCM164.....	129	FCM601XE.....	178	FCM607XE.....	174	FCM6570.....	162
			FCM1645.....	166	FCM601XG.....	178	FCM607XJ.....	174	FCM6575.....	162
			FCM1646SL.....	166	FCM601XJ.....	178	FCM607XN.....	174	FCM6577.....	162
			FCM1647.....	166	FCM601XN.....	178	FCM607XR.....	174	FCM6580SL.....	162
			FCM1650.....	166	FCM601XR.....	178	FCM608.....	190	FCM6582.....	162
			FCM1651.....	166	FCM602.....	146	FCM608XC.....	174	FCM65SL.....	190
			FCM1651SL.....	166	FCM6021.....	200	FCM608XE.....	174	FCM65XC.....	174
			FCM1652.....	166	FCM6021XC.....	177	FCM608XG.....	174	FCM65XCSL.....	174
			FCM1654.....	166	FCM6021XE.....	177	FCM608XJ.....	174	FCM65XE.....	174
			FCM1656.....	166	FCM6021XG.....	177	FCM608XN.....	174	FCM65XESL.....	174
			FCM1656SL.....	166	FCM6021XJ.....	177	FCM608XR.....	174	FCM65XGSL.....	174
			FCM1658.....	166	FCM6021XN.....	177	FCM609.....	141	FCM65XJ.....	174
			FCM18.....	189	FCM6021XR.....	177	FCM6093.....	146	FCM65XN.....	174
			FCM18283.....	200	FCM6022.....	189	FCM6094.....	150	FCM65XNSL.....	174
			FCM18283XC.....	177	FCM6022XC.....	174	FCM6095.....	156	FCM65XR.....	174
			FCM18283XE.....	177	FCM6022XE.....	174	FCM6097.....	189	FCM65XRSL.....	174
			FCM18283XG.....	177	FCM6022XG.....	174	FCM61.....	200	FCM66.....	169
			FCM18283XJ.....	177	FCM6022XJ.....	174	FCM6107.....	141	FCM668.....	132
			FCM18283XN.....	177	FCM6022XN.....	174	FCM6108.....	141		
			FCM18283XR.....	177	FCM18XR.....	174				

FCM66SL.....	169	FCM8145SL.....	191	FCM862XG.....	177	FCM888SL.....	146	12102XJSL.....	175	81200PXG.....	178
FCM670.....	200	FCM8149.....	159	FCM862XGSL.....	178	FCM889SL.....	146	12102XNSL.....	175	81200PXGSL.....	179
FCM678.....	181	FCM814SL.....	138	FCM862XJ.....	177	FCM890.....	156	12102XRSL.....	175	81200PXJ.....	178
FCM678SL.....	181	FCM815SL.....	146	FCM862XJSL.....	178	FCM890SL.....	156	1283XC.....	178	81200PXJSL.....	179
FCM704.....	191	FCM816.....	129	FCM862XN.....	177	FCM891.....	156	1283XE.....	178	81200PXN.....	178
FCM707.....	146	FCM81645.....	166	FCM862XNSL.....	178	FCM891SL.....	156	1283XG.....	178	81200PXNSL.....	179
FCM708.....	200	FCM81646SL.....	166	FCM862XR.....	177	FCM892SL.....	156	1283XJ.....	178	81200PXR.....	178
FCM7125SL.....	190	FCM81651.....	166	FCM862XRSL.....	178	FCM893SL.....	146	1283XN.....	178	81200PXRSL.....	179
FCM721.....	150	FCM81651SL.....	166	FCM863.....	129	FCM896.....	144	1283XR.....	178	81200SL.....	201
FCM735.....	156	FCM81652.....	166	FCM863SL.....	129	FCM896SL.....	144	1284XC.....	175	81200XC.....	178
FCM736.....	141	FCM81652SL.....	166	FCM864.....	134	FCM898.....	132	1284XE.....	175	81200XCSL.....	179
FCM745.....	162	FCM81654.....	166	FCM864SL.....	135	FCM898SL.....	132	1284XG.....	175	81200XE.....	178
FCM752.....	190	FCM81654SL.....	166	FCM865.....	138	FCM899.....	148	1284XJ.....	175	81200XESL.....	179
FCM755.....	204	FCM816SL.....	135	FCM86500.....	162	FCM899SL.....	148	1284XN.....	175	81200XG.....	178
FCM758.....	144	FCM817.....	138	FCM86500SL.....	162	FCM900.....	141	1284XR.....	175	81200XGSL.....	179
FCM760.....	129	FCM81800SL.....	132	FCM86550.....	162	FCM901.....	141	1285XC.....	174	81200XJ.....	178
FCM761.....	144	FCM81828.....	189	FCM86550SL.....	162	FCM901SL.....	141	1285XE.....	174	81200XJSL.....	179
FCM761SL.....	144	FCM81829.....	189	FCM86560.....	162	FCM902.....	141	1285XG.....	174	81200XN.....	178
FCM764.....	144	FCM818SL.....	150	FCM86560SL.....	162	FCM902SL.....	141	1285XJ.....	174	81200XNSL.....	179
FCM764SL.....	144	FCM81900SL.....	190	FCM86570.....	162	FCM904.....	141	1285XN.....	174	81200XR.....	178
FCM765.....	129	FCM81918SL.....	129	FCM86580SL.....	162	FCM905.....	146	1285XR.....	174	81200XRSL.....	179
FCM765SL.....	129	FCM81919SL.....	138	FCM865SL.....	138	FCM906.....	146	1286SL.....	182	81208P.....	192
FCM784.....	169	FCM81921SL.....	150	FCM866.....	150	FCM906SL.....	146	13101SL.....	169	81208PSL.....	193
FCM785.....	144	FCM81928SL.....	156	FCM866SL.....	150	FCM907.....	146	18101SL.....	133	81208SL.....	193
FCM787.....	169	FCM81944SL.....	191	FCM8675SL.....	190	FCM907SL.....	146	1964P.....	181	81225P.....	181
FCM788.....	144	FCM81947SL.....	190	FCM8678.....	181	FCM909.....	146	2000SL.....	188	81225PSL.....	182
FCM789.....	159	FCM81949SL.....	191	FCM8678SL.....	181	FCM910.....	156	2000XC.....	173	81225SL.....	182
FCM80.....	200	FCM81968SL.....	135	FCM867SL.....	159	FCM911.....	156	2000XCSL.....	173	81800P.....	132
FCM800.....	144	FCM81986SL.....	146	FCM870.....	200	FCM911SL.....	156	2000XE.....	173	81800PSL.....	133
FCM807SL.....	144	FCM82.....	189	FCM8704.....	191	FCM912.....	156	2000XESL.....	173	81800SL.....	133
FCM808SL.....	129	FCM820.....	156	FCM8707.....	146	FCM912SL.....	156	2000XG.....	173	81900PSL.....	194
FCM809SL.....	156	FCM821.....	150	FCM8708.....	200	FCM914.....	156	2000XGSL.....	173	81918P.....	129
FCM81000.....	204	FCM822.....	134	FCM870SL.....	200	FCM915.....	156	2000XJ.....	173	81918PSL.....	130
FCM8101SL.....	190	FCM828.....	189	FCM870XC.....	177	FCM916.....	156	2000XJSL.....	173	81918SL.....	130
FCM8101XCSSL.....	174	FCM82XC.....	174	FCM870XCSSL.....	178	FCM92XCSSL.....	174	2000XN.....	173	81919P.....	138
FCM8101XESL.....	174	FCM82XE.....	174	FCM870XE.....	177	FCM92XESL.....	174	2000XNSL.....	173	81919PSL.....	139
FCM8101XGSL.....	174	FCM82XG.....	174	FCM870XESL.....	178	FCM92XGSL.....	174	2000XR.....	173	81919SL.....	139
FCM8101XJSL.....	174	FCM82XJ.....	174	FCM870XG.....	177	FCM92XJSL.....	174	2000XRSL.....	173	81921P.....	150
FCM8101XNSL.....	174	FCM82XN.....	174	FCM870XGSL.....	178	FCM92XNSL.....	174	2009SL.....	184	81921PSL.....	151
FCM8101XRSL.....	174	FCM82XR.....	174	FCM870XJ.....	177	FCM92XRSL.....	174	2010XC.....	170	81921SL.....	151
FCM8104SL.....	144	FCM8311SL.....	190	FCM870XJSL.....	178	FCM966.....	144	2010XE.....	170	81928P.....	156
FCM8105SL.....	132	FCM8313SL.....	190	FCM870XN.....	177	FCM968.....	144	2010XG.....	170	81928PSL.....	157
FCM8107SL.....	159	FCM8321.....	190	FCM870XNSL.....	178	Fiber-Classic		2010XJ.....	170	81928SL.....	157
FCM8109SL.....	169	FCM8321XC.....	174	FCM870XR.....	177	Oak Collection.		2010XN.....	170	81929P.....	201
FCM811.....	189	FCM8321XE.....	174	FCM870XRSL.....	178	1000.....	205	2010XR.....	170	81929PSL.....	201
FCM8110SL.....	181	FCM8321XG.....	174	FCM871.....	129	1283.....	200	2050SL.....	184	81929PXC.....	178
FCM8114.....	132	FCM8321XJ.....	174	FCM871SL.....	129	1284.....	192	2050XC.....	170	81929PXCSSL.....	179
FCM8114SL.....	132	FCM8321XN.....	174	FCM872.....	134	1285.....	192	2050XCSL.....	170	81929PXE.....	178
FCM8115.....	181	FCM8321XR.....	174	FCM8721.....	150	1286.....	181	2050XE.....	170	81929PXESL.....	179
FCM8115SL.....	181	FCM8322.....	189	FCM872SL.....	135	1289.....	194	2050XESL.....	170	81929PXG.....	178
FCM81200.....	200	FCM8323.....	189	FCM873.....	138	2000.....	188	2050XG.....	170	81929PXGSL.....	179
FCM81200SL.....	200	FCM8324.....	189	FCM8735.....	156	2009.....	184	2050XGSL.....	170	81929PXJ.....	178
FCM81200XC.....	177	FCM8545SL.....	153	FCM8736.....	141	2010.....	184	2050XJ.....	170	81929PXJSL.....	179
FCM81200XCSSL.....	178	FCM8571.....	152	FCM873SL.....	138	2050.....	184	2050XJSL.....	170	81929PXN.....	178
FCM81200XE.....	177	FCM8572SL.....	153	FCM874.....	150	2100.....	188	2050XN.....	170	81929PXNSL.....	179
FCM81200XESL.....	178	FCM8573SL.....	153	FCM8745.....	162	2150.....	184	2050XNSL.....	170	81929PXR.....	178
FCM81200XG.....	177	FCM8574.....	152	FCM874SL.....	150	8000.....	188	2050XR.....	170	81929PXRSL.....	179
FCM81200XGSL.....	178	FCM8581.....	152	FCM8752.....	190	81000.....	205	2050XRSL.....	170	81932P.....	144
FCM81200XJ.....	177	FCM8583SL.....	153	FCM881SL.....	200	81200.....	200	8000-12.....	184	81932PSL.....	145
FCM81200XJSL.....	178	FCM860.....	204	FCM881XCSSL.....	178	81208.....	192	8000-18.....	184	81933P.....	129
FCM81200XN.....	177	FCM861.....	200	FCM881XESL.....	178	81225.....	181	8000-9.....	184	81933PSL.....	130
FCM81200XNSL.....	178	FCM861XC.....	178	FCM881XGSL.....	178	81828.....	192	8000XC.....	173	81935P.....	132
FCM81200XR.....	177	FCM861XE.....	178	FCM881XJSL.....	178	12101SL.....	201	8000XE.....	173	81935PSL.....	133
FCM81200XRSL.....	178	FCM861XG.....	178	FCM881XJSL.....	178	12101XSL.....	201	8000XG.....	173	81936P.....	135
FCM81208P.....	189	FCM861XJ.....	178	FCM881XNSL.....	178	12101XCSSL.....	179	8000XJ.....	173	81936PSL.....	136
FCM81208PSL.....	190	FCM861XN.....	178	FCM881XRSL.....	178	12101XESL.....	179	8000XN.....	173	81937P.....	138
FCM81208SL.....	190	FCM861XR.....	178	FCM882SL.....	129	12101XGSL.....	179	8000XR.....	173	81937PSL.....	139
FCM81225.....	181	FCM862.....	200	FCM883SL.....	135	12101XJSL.....	179	81200P.....	200	81938P.....	147
FCM81225SL.....	181	FCM862SL.....	200	FCM884SL.....	138	12101XNSL.....	179	81200PSL.....	201	81938PSL.....	147
FCM812SL.....	141	FCM862XC.....	177	FCM885SL.....	150	12101XRSL.....	179	81200PXC.....	178	81939P.....	141
FCM813SL.....	159	FCM862XCSSL.....	178	FCM886.....	141	12102SL.....	193	81200PXCSL.....	179	81939PSL.....	142
FCM814.....	132	FCM862XE.....	177	FCM886SL.....	141	12102XCSSL.....	175	81200PXESL.....	179	81940P.....	149
FCM8145.....	191	FCM862XESL.....	178	FCM887SL.....	141	12102XESL.....	175	81200PXESL.....	179	81940PSL.....	149
				FCM888.....	146	12102XGSL.....	175				

81941P.....	151	81971PXJ.....	178	FC105.....	151	FC138XJ.....	174	FC32.....	200	FC571.....	153
81941PSL.....	151	81971PXN.....	178	FC105SL.....	151	FC138XN.....	174	FC32SL.....	201	FC5710.....	184
81942P.....	156	81971PXR.....	178	FC108.....	129	FC138XR.....	174	FC32XC.....	178	FC5710SL.....	185
81942PSL.....	157	81974P.....	144	FC1089.....	192	FC1400.....	194	FC32XCSSL.....	179	FC5710XC.....	170
81943P.....	201	81975P.....	130	FC1089SL.....	194	FC1400SL.....	195	FC32XE.....	178	FC5710XCSSL.....	171
81943PSL.....	201	81977P.....	132	FC108SL.....	130	FC1402.....	194	FC32XESL.....	179	FC5710XE.....	170
81943PXC.....	178	81978P.....	135	FC109.....	129	FC1404.....	195	FC32XG.....	178	FC5710XESL.....	171
81943PXCSSL.....	179	81980P.....	138	FC109SL.....	130	FC1408.....	194	FC32XGSL.....	179	FC5710XG.....	170
81943PXE.....	178	81981P.....	147	FC10XC.....	178	FC1408SL.....	195	FC32XJ.....	178	FC5710XGSL.....	171
81943PXESL.....	179	81982P.....	141	FC10XE.....	178	FC1409.....	184	FC32XJSL.....	179	FC5710XJ.....	170
81943PXG.....	178	81983P.....	149	FC10XG.....	178	FC141.....	181	FC32XN.....	178	FC5710XJSL.....	171
81943PXGSL.....	179	81984P.....	151	FC10XJ.....	178	FC1411.....	194	FC32XNSL.....	179	FC5710XN.....	170
81943PXJ.....	178	81985P.....	156	FC10XN.....	178	FC1415L.....	182	FC32XR.....	178	FC5710XNSL.....	171
81943PXJSL.....	179	81986PSL.....	147	FC10XR.....	178	FC143.....	149	FC32XRSL.....	179	FC5710XR.....	170
81943PXN.....	178	81986SL.....	147	FC113.....	138	FC143SL.....	149	FC3487SL.....	194	FC5710XRSL.....	171
81943PXNSL.....	179	FC06184SL.....	194	FC113SL.....	139	FC144.....	149	FC3487XCSSL.....	175	FC5720.....	184
81943PXR.....	178	FC06184XCSSL.....	175	FC114.....	138	FC1442SL.....	160	FC3487XESL.....	175	FC5720SL.....	185
81943PXRSL.....	179	FC06184XESL.....	175	FC114SL.....	139	FC144SL.....	149	FC3487XGSL.....	175	FC5720XC.....	170
81944P.....	194	FC06184XGSL.....	175	FC115.....	138	FC145.....	149	FC3487XJSL.....	175	FC5720XCSSL.....	171
81944PSL.....	195	FC06184XJSL.....	175	FC115SL.....	139	FC147.....	150	FC3487XNSL.....	175	FC5720XE.....	170
81945P.....	192	FC06184XNSL.....	175	FC116.....	181	FC147SL.....	151	FC3487XRSL.....	175	FC5720XESL.....	171
81945PXC.....	175	FC06184XRSL.....	175	FC118.....	138	FC148.....	159	FC369.....	138	FC5720XG.....	170
81945PXE.....	175	FC06185SL.....	194	FC11SL.....	169	FC148SL.....	160	FC38.....	132	FC5720XGSL.....	171
81945PXG.....	175	FC06185XCSSL.....	175	FC1200.....	192	FC149.....	159	FC38SL.....	133	FC5720XJ.....	170
81945PXJ.....	175	FC06185XESL.....	175	FC1200SL.....	193	FC149SL.....	160	FC43.....	133	FC5720XJSL.....	171
81945PXN.....	175	FC06185XGSL.....	175	FC1201.....	191	FC150.....	160	FC43SL.....	133	FC5720XN.....	170
81945PXR.....	175	FC06185XJSL.....	175	FC1201SL.....	193	FC151.....	160	FC44.....	169	FC5720XNSL.....	171
81946PSL.....	194	FC06185XNSL.....	175	FC1202.....	191	FC152.....	159	FC44SL.....	169	FC5720XR.....	170
81946PXC.....	175	FC06185XRSL.....	175	FC1202SL.....	193	FC156.....	159	FC45.....	132	FC5720XRSL.....	171
81946PXCSSL.....	175	FC06186SL.....	194	FC1203.....	191	FC16.....	132	FC46SL.....	133	FC572SL.....	153
81946PXE.....	175	FC06186XCSSL.....	175	FC1204.....	184	FC160.....	201	FC47SL.....	201	FC573SL.....	153
81946PXESL.....	175	FC06186XESL.....	175	FC1204SL.....	184	FC163.....	151	FC47XCSSL.....	179	FC574.....	153
81946PXG.....	175	FC06186XGSL.....	175	FC1205.....	184	FC164.....	130	FC47XESL.....	179	FC581.....	153
81946PXGSL.....	175	FC06186XJSL.....	175	FC1205SL.....	184	FC1645.....	167	FC47XGSL.....	179	FC583SL.....	154
81946PXJ.....	175	FC06186XNSL.....	175	FC1205XC.....	170	FC1646.....	166	FC47XJSL.....	179	FC585.....	153
81946PXJSL.....	175	FC06186XRSL.....	175	FC1205XE.....	170	FC1646SL.....	167	FC47XNSL.....	179	FC60.....	205
81946PXN.....	175	FC06188SL.....	194	FC1205XG.....	170	FC1647.....	166	FC47XRSL.....	179	FC6093.....	146
81946PXNSL.....	175	FC06188XCSSL.....	175	FC1205XJ.....	170	FC1651.....	166	FC48.....	201	FC6094.....	150
81946PXR.....	175	FC06188XESL.....	175	FC1205XN.....	170	FC1651SL.....	167	FC48SL.....	201	FC6095.....	156
81946PXRSL.....	175	FC06188XGSL.....	175	FC1205XR.....	170	FC1652.....	166	FC48XC.....	178	FC61.....	201
81947PSL.....	194	FC06188XJSL.....	175	FC1206.....	184	FC1652SL.....	167	FC48XCSSL.....	179	FC61XC.....	179
81949PSL.....	194	FC06188XNSL.....	175	FC1206SL.....	184	FC1654.....	166	FC48XE.....	178	FC61XE.....	179
81952P.....	129	FC06188XRSL.....	175	FC1207.....	184	FC1655.....	167	FC48XESL.....	179	FC61XG.....	179
81952PSL.....	130	FC06189SL.....	194	FC1207XC.....	170	FC1656SL.....	167	FC48XG.....	178	FC61XJ.....	179
81953P.....	132	FC06189XCSSL.....	175	FC1207XE.....	170	FC1661.....	167	FC48XGSL.....	179	FC61XN.....	179
81953PSL.....	133	FC06189XESL.....	175	FC1207XG.....	170	FC18.....	192	FC48XJ.....	178	FC61XR.....	179
81954P.....	135	FC06189XGSL.....	175	FC1207XJ.....	170	FC18SL.....	193	FC48XJSL.....	179	FC62.....	201
81954PSL.....	136	FC06189XJSL.....	175	FC1207XN.....	170	FC18XC.....	175	FC48XN.....	178	FC626.....	159
81955P.....	138	FC06189XNSL.....	175	FC1207XR.....	170	FC18XCSSL.....	175	FC48XNSL.....	179	FC62X.....	178
81955PSL.....	139	FC06189XRSL.....	175	FC1208.....	192	FC18XE.....	175	FC48XR.....	178	FC62XC.....	178
81956P.....	147	FC06190SL.....	194	FC1208SL.....	193	FC18XESL.....	175	FC48XRSL.....	179	FC62XE.....	178
81956PSL.....	147	FC06190XCSSL.....	175	FC1209.....	191	FC18XG.....	175	FC506.....	153	FC62XJ.....	178
81957P.....	141	FC06190XESL.....	175	FC1209SL.....	193	FC18XGSL.....	175	FC507.....	153	FC62XN.....	178
81957PSL.....	142	FC06190XGSL.....	175	FC1211.....	191	FC18J.....	175	FC529.....	153	FC62XR.....	178
81959P.....	150	FC06190XJSL.....	175	FC1211SL.....	193	FC18JSL.....	175	FC5425.....	181	FC63.....	193
81959PSL.....	151	FC06190XNSL.....	175	FC1212.....	191	FC18XN.....	175	FC5425SL.....	182	FC63SL.....	194
81960P.....	156	FC06190XRSL.....	175	FC124.....	133	FC18XNSL.....	175	FC543.....	153	FC63XCSSL.....	175
81960PSL.....	157	FC06575.....	163	FC125.....	151	FC18XR.....	175	FC545SL.....	154	FC63XESL.....	175
81961P.....	159	FC10.....	200	FC126.....	135	FC18XRSL.....	175	FC549.....	153	FC63XGSL.....	175
81961PSL.....	160	FC100.....	135	FC127.....	151	FC198.....	194	FC5700.....	184	FC63XJSL.....	175
81963PSL.....	169	FC1006.....	141	FC128.....	135	FC198SL.....	195	FC5700SL.....	185	FC63XNSL.....	175
81964P.....	181	FC100SL.....	135	FC1289SL.....	195	FC20042.....	159	FC5700XC.....	170	FC63XRSL.....	175
81964P.....	192	FC101.....	135	FC129.....	130	FC21.....	133	FC5700XCSSL.....	171	FC65.....	193
81964PSL.....	182	FC101SL.....	136	FC130.....	138	FC2101.....	192	FC5700XE.....	170	FC6500.....	162
81967P.....	144	FC1027.....	144	FC131.....	135	FC2101SL.....	194	FC5700XESL.....	171	FC6500SL.....	163
81967PSL.....	145	FC104.....	150	FC131SL.....	136	FC2102.....	192	FC5700XG.....	170	FC6532.....	163
81968P.....	135	FC104SL.....	151	FC132.....	201	FC2106.....	192	FC5700XGSL.....	171	FC6534.....	163
81968PSL.....	135	FC104XC.....	178	FC134.....	205	FC2107.....	192	FC5700XJ.....	170	FC6550.....	162
81968SL.....	136	FC104XE.....	178	FC1350.....	184	FC2108.....	192	FC5700XJSL.....	171	FC6550SL.....	163
81971P.....	201	FC104XG.....	178	FC138.....	191	FC23.....	193	FC5700XN.....	170	FC6560.....	163
81971PXC.....	178	FC104XJ.....	178	FC138XC.....	174	FC241.....	135	FC5700XNSL.....	171	FC6565SL.....	163
81971PXE.....	178	FC104XN.....	178	FC138XE.....	174	FC31.....	204	FC5700XR.....	170	FC6570.....	163
81971PXG.....	178	FC104XR.....	178	FC138XG.....	174	FC310.....	129	FC5700XRSL.....	171	FC6572.....	163

FC6576.....	163	FC778.....	149	FC81652SL.....	167	FC8581.....	153	FC8707.....	147	AVRT.....	146
FC6577.....	163	FC779.....	150	FC81653.....	167	FC8583SL.....	154	FC8708.....	201	AXRT.....	168
FC6580.....	163	FC780.....	156	FC81654.....	166	FC860.....	205	FC8721.....	151	BLHRT.....	134
FC6580SL.....	163	FC782.....	144	FC81654SL.....	167	FC861.....	201	FC8735.....	157	BSHRT.....	131
FC6582.....	163	FC784.....	169	FC816SL.....	136	FC861XC.....	179	FC8736.....	142	BSRT.....	131
FC65XC.....	175	FC785.....	144	FC817.....	138	FC861XE.....	179	FC8745.....	163	CNHRT.....	158
FC65XE.....	175	FC787.....	169	FC818SL.....	151	FC861XG.....	179	FC8752.....	193	CNRT.....	158
FC65XG.....	175	FC788.....	144	FC82.....	192	FC861XJ.....	179	FC8867SL.....	160	DLHRT.....	203
FC65XJ.....	175	FC789.....	201	FC820.....	156	FC861XN.....	179	FC89701.....	159	FWRT.....	143
FC65XN.....	175	FC791.....	169	FC821.....	150	FC861XR.....	179	FC8971.....	182	KNRT.....	161
FC65XR.....	175	FC792.....	144	FC822.....	135	FC862.....	204	FC8972.....	182	PBRT.....	165
FC66.....	169	FC794.....	130	FC828.....	192	FC86220.....	201	FC900.....	141	RSRT.....	155
FC668.....	132	FC796.....	151	FC82XC.....	175	FC862203.....	193	FC900SL.....	142	S10.....	202
FC670.....	201	FC797.....	157	FC82XE.....	175	FC862203XC.....	175	FC901.....	141	S100.....	205
FC678.....	181	FC798.....	160	FC82XG.....	175	FC862203XE.....	175	FC901SL.....	142	S1000.....	158
FC678SL.....	182	FC800.....	145	FC82XJ.....	175	FC862203XG.....	175	FC902.....	141	S1001.....	161
FC685L.....	185	FC801.....	130	FC82XN.....	175	FC862203XJ.....	175	FC902SL.....	142	S1006.....	142
FC685LXC.....	170	FC807.....	193	FC82XR.....	175	FC862203XN.....	175	FC903.....	141	S100SL.....	203
FC685LXE.....	170	FC807SL.....	145	FC8310.....	192	FC862203XR.....	175	FC904.....	142	S100XCSL.....	180
FC685LXG.....	170	FC807XC.....	175	FC8310SL.....	194	FC86220XC.....	178	FC905.....	146	S100XESL.....	180
FC685LXJ.....	170	FC807XE.....	175	FC8311.....	192	FC86220XE.....	178	FC905SL.....	147	S100XGSL.....	180
FC685LXN.....	170	FC807XG.....	175	FC8311SL.....	194	FC86220XG.....	178	FC906.....	147	S100XJSL.....	180
FC685LXR.....	170	FC807XJ.....	175	FC8313.....	192	FC86220XJ.....	178	FC906SL.....	147	S100XNSL.....	180
FC685R.....	185	FC807XN.....	175	FC8313SL.....	194	FC86220XN.....	178	FC907.....	147	S100XRSL.....	180
FC685RXC.....	170	FC807XR.....	175	FC8316.....	192	FC86220XR.....	178	FC907SL.....	147	S1027.....	145
FC685RXE.....	170	FC808.....	204	FC8318.....	193	FC86241.....	133	FC908.....	147	S104.....	202
FC685RXG.....	170	FC808SL.....	130	FC8319.....	193	FC86242.....	160	FC909.....	147	S104XC.....	179
FC685RXJ.....	170	FC809.....	204	FC832.....	193	FC86243.....	130	FC910.....	156	S104XE.....	179
FC685RXN.....	170	FC80920.....	201	FC8320.....	193	FC86245.....	169	FC910SL.....	157	S104XG.....	179
FC685RXR.....	170	FC809203.....	193	FC8321.....	193	FC86247.....	157	FC911.....	156	S104XJ.....	179
FC691.....	184	FC809203XC.....	175	FC8321XC.....	175	FC86249.....	151	FC911SL.....	157	S104XN.....	179
FC691XC.....	170	FC809203XE.....	175	FC8321XE.....	175	FC86252.....	135	FC912.....	156	S104XR.....	179
FC691XE.....	170	FC809203XG.....	175	FC8321XG.....	175	FC86253.....	139	FC912SL.....	157	S105.....	202
FC691XG.....	170	FC809203XJ.....	175	FC8321XJ.....	175	FC86254.....	147	FC913.....	157	S108.....	195
FC691XJ.....	170	FC809203XN.....	175	FC8321XN.....	175	FC86255.....	142	FC914.....	157	S1089.....	196
FC691XN.....	170	FC809203XR.....	175	FC8321XR.....	175	FC86256.....	145	FC915.....	157	S1089SL.....	197
FC691XR.....	170	FC80920XC.....	178	FC8322.....	192	FC86257.....	149	FC916.....	157	S108XC.....	176
FC704.....	195	FC80920XE.....	178	FC8323.....	193	FC86500.....	162	FC917.....	157	S108XE.....	176
FC707.....	147	FC80920XG.....	178	FC8324.....	193	FC86500SL.....	163	FC92.....	192	S108XG.....	176
FC708.....	201	FC80920XJ.....	178	FC832XC.....	175	FC86533.....	163	FC925.....	182	S108XJ.....	176
FC709.....	160	FC80920XN.....	178	FC832XE.....	175	FC86536.....	163	FC92SL.....	194	S108XN.....	176
FC710.....	201	FC80920XR.....	178	FC832XG.....	175	FC86550.....	162	FC92XC.....	175	S108XR.....	176
FC7125SL.....	194	FC80941.....	133	FC832XJ.....	175	FC86550SL.....	163	FC92XCSL.....	175	S11.....	205
FC713.....	151	FC80942.....	160	FC832XN.....	175	FC86560.....	163	FC92XE.....	175	S1100.....	205
FC714.....	130	FC80943.....	130	FC832XR.....	175	FC86560SL.....	163	FC92XESL.....	175	S115.....	197
FC721.....	151	FC80945.....	169	FC8529.....	153	FC86570.....	163	FC92XG.....	175	S1170SL.....	197
FC735.....	157	FC80947.....	157	FC8545SL.....	154	FC86580.....	163	FC92XGSL.....	175	S1170XCSL.....	176
FC736.....	142	FC80949.....	151	FC85700.....	184	FC86580SL.....	163	FC92XJ.....	175	S1170XESL.....	176
FC745.....	163	FC80952.....	135	FC85700XC.....	170	FC8675SL.....	194	FC92XJSL.....	175	S1170XGSL.....	176
FC752.....	193	FC80953.....	138	FC85700XE.....	170	FC8678.....	181	FC92XN.....	175	S1170XJSL.....	176
FC755.....	205	FC80954.....	147	FC85700XG.....	170	FC8678SL.....	182	FC92XNSL.....	175	S1170XNSL.....	176
FC758.....	144	FC80955.....	142	FC85700XJ.....	170	FC8685.....	185	FC92XR.....	175	S1170XRSL.....	176
FC758SL.....	145	FC80956.....	145	FC85700XN.....	170	FC8685LXC.....	170	FC92XRSL.....	175	S118.....	202
FC761.....	144	FC80957.....	149	FC85700XR.....	170	FC8685LXE.....	170	FCC803.....	201	S118XC.....	179
FC761SL.....	145	FC809SL.....	157	FC8571.....	153	FC8685LXG.....	170	Smooth-Star.		S118XE.....	179
FC764.....	144	FC812SL.....	142	FC85710.....	184	FC8685LXJ.....	170	19020T.....	199	S118XG.....	179
FC764SL.....	145	FC813SL.....	160	FC85710XC.....	170	FC8685LXN.....	170	19020T.....	203	S118XJ.....	179
FC765.....	129	FC814.....	132	FC85710XE.....	170	FC8685LXR.....	170	19055T.....	137	S118XN.....	179
FC765SL.....	130	FC8141.....	195	FC85710XG.....	170	FC8685R.....	185	19080T.....	134	S118XR.....	179
FC766.....	201	FC8144.....	194	FC85710XJ.....	170	FC8685RXC.....	170	19200T.....	199	S12.....	205
FC766XC.....	178	FC8145.....	194	FC85710XN.....	170	FC8685RXE.....	170	19200T.....	203	S1200.....	195
FC766XE.....	178	FC8145SL.....	195	FC85710XR.....	170	FC8685RXG.....	170	19210T.....	203	S1200SL.....	197
FC766XG.....	178	FC8149.....	159	FC85720.....	184	FC8685RXJ.....	170	19220T.....	199	S1201.....	195
FC766XJ.....	178	FC814SL.....	139	FC85720XC.....	170	FC8685RXN.....	170	19220T.....	203	S1201SL.....	197
FC766XN.....	178	FC815SL.....	147	FC85720XE.....	170	FC8685RXR.....	170	19520T.....	137	S1202.....	195
FC766XR.....	178	FC816.....	129	FC85720XG.....	170	FC8691.....	184	19720T.....	152	S1202SL.....	197
FC769.....	144	FC81645.....	167	FC85720XJ.....	170	FC8691XC.....	170	19730T.....	152	S1203.....	195
FC770.....	129	FC81646.....	166	FC85720XN.....	170	FC8691XE.....	170	19740T.....	148	S1204.....	185
FC772.....	132	FC81646SL.....	167	FC85720XR.....	170	FC8691XG.....	170	19750T.....	148	S1204SL.....	186
FC773.....	135	FC81649.....	167	FC8572SL.....	153	FC8691XJ.....	170	19800T.....	134	S1205.....	185
FC775.....	138	FC81651.....	166	FC8573SL.....	153	FC8691XN.....	170	19810T.....	134	S1205SL.....	186
FC776.....	147	FC81651SL.....	167	FC8574.....	153	FC8691XR.....	170	19820T.....	134	S1205XC.....	171
FC777.....	141	FC81652.....	166	FC8579.....	153	FC8704.....	195	85919SL.....	149		

S1205XE.....	171	S160.....	160	S2050.....	185	S289ESL.....	170	S4810XGSL.....	173	S5710.....	187
S1205XG.....	171	S160SL.....	161	S206.....	202	S289XC.....	179	S4810XJ.....	173	S5710SL.....	187
S1205XJ.....	171	S161.....	160	S206E.....	169	S289XE.....	179	S4810XJSL.....	173	S5710XC.....	171
S1205XN.....	171	S161SL.....	161	S206XC.....	179	S289XG.....	179	S4810XN.....	173	S5710XCSSL.....	172
S1205XR.....	171	S162.....	160	S206XE.....	179	S289XJ.....	179	S4810XNSL.....	173	S5710XE.....	171
S1206.....	185	S163.....	161	S206XG.....	179	S289XN.....	179	S4810XR.....	173	S5710XESL.....	172
S1206SL.....	186	S1645.....	168	S206XJ.....	179	S289XR.....	179	S4810XRSL.....	173	S5710XG.....	171
S1207.....	185	S1646.....	167	S206XN.....	179	S291.....	148	S4812.....	186	S5710XGSL.....	172
S1207XC.....	171	S1646SL.....	168	S206XR.....	179	S291SL.....	148	S4812SL.....	186	S5710XJ.....	171
S1207XE.....	171	S1647.....	167	S2070SL.....	170	S292.....	152	S4812XC.....	171	S5710XJSL.....	172
S1207XG.....	171	S1650.....	168	S210.....	205	S292SL.....	152	S4812XCSSL.....	171	S5710XN.....	171
S1207XJ.....	171	S1651.....	167	S2100.....	188	S294.....	136	S4812XE.....	171	S5710XNSL.....	172
S1207XN.....	171	S1651SL.....	168	S2101.....	196	S294SL.....	137	S4812XESL.....	171	S5710XR.....	171
S1207XR.....	171	S1652.....	167	S2101SL.....	197	S296.....	203	S4812XG.....	171	S5710XRSL.....	172
S1208.....	195	S1652SL.....	168	S2102.....	196	S296XC.....	180	S4812XGSL.....	171	S5715.....	187
S1208SL.....	197	S1653.....	167	S2103.....	185	S296XE.....	180	S4812XJ.....	171	S5715XC.....	172
S1209.....	195	S1654.....	167	S2103SL.....	186	S296XG.....	180	S4812XJSL.....	171	S5715XE.....	172
S1209SL.....	197	S1655.....	168	S2104.....	185	S296XJ.....	180	S4812XN.....	171	S5715XG.....	172
S1211.....	195	S1656.....	167	S2104SL.....	186	S296XN.....	180	S4812XNSL.....	171	S5715XJ.....	172
S1211SL.....	197	S1656SL.....	168	S2105.....	185	S296XR.....	180	S4812XR.....	171	S5715XN.....	172
S1212.....	195	S1658.....	167	S2106.....	196	S30.....	202	S4812XRSL.....	171	S5715XR.....	172
S128.....	195	S1661.....	168	S2107.....	196	S308SL.....	197	S4813.....	186	S5720.....	187
S128XC.....	176	S17.....	158	S2108.....	196	S308XCSSL.....	176	S4813XC.....	171	S5720SL.....	187
S128XE.....	176	S198.....	198	S210SL.....	203	S308XESL.....	176	S4813XE.....	171	S5720XC.....	172
S128XG.....	176	S198SL.....	199	S210XCSL.....	180	S308XGSL.....	176	S4813XG.....	171	S5720XCSSL.....	172
S128XJ.....	176	S20.....	148	S210XESL.....	180	S308XJSL.....	176	S4813XJ.....	171	S5720XE.....	172
S128XN.....	176	S200.....	205	S210XGSL.....	180	S308XNSL.....	176	S4813XN.....	171	S5720XESL.....	172
S128XR.....	176	S2000.....	188	S210XJSL.....	180	S308XRSL.....	176	S4813XR.....	171	S5720XG.....	172
S130.....	182	S2000SL.....	188	S210XNSL.....	180	S30XC.....	179	S4814.....	186	S5720XGSL.....	172
S130SL.....	182	S2000SL-2C.....	186	S210XRSL.....	180	S30XE.....	179	S4814XC.....	171	S5720XJ.....	172
S131.....	182	S2000SL-4C.....	186	S211.....	136	S30XG.....	179	S4814XE.....	171	S5720XJSL.....	172
S132.....	182	S2000XC.....	173	S213.....	147	S30XJ.....	179	S4814XG.....	171	S5720XN.....	172
S132SL.....	183	S2000XCSSL.....	173	S214.....	151	S30XN.....	179	S4814XJ.....	171	S5720XNSL.....	172
S1350.....	186	S2000XCSSL-2C.....	171	S2150.....	186	S30XR.....	179	S4814XN.....	171	S5720XR.....	172
S137.....	183	S2000XCSSL-4C.....	171	S220.....	205	S31.....	205	S4814XR.....	171	S5720XRSL.....	172
S138SL.....	170	S2000XE.....	173	S2200.....	188	S310.....	130	S4816.....	186	S5725.....	187
S139.....	136	S2000XESL.....	173	S2250.....	185	S32.....	197	S4816XC.....	171	S5725XC.....	172
S139SL.....	137	S2000XESL-2C.....	171	S236.....	197	S32XC.....	176	S4816XE.....	171	S5725XE.....	172
S140.....	202	S2000XESL-4C.....	171	S237.....	197	S32XE.....	176	S4816XG.....	171	S5725XG.....	172
S1400.....	198	S2000XG.....	173	S241.....	136	S32XG.....	176	S4816XJ.....	171	S5725XJ.....	172
S1400SL.....	199	S2000XGSL.....	173	S243.....	183	S32XJ.....	176	S4816XN.....	171	S5725XN.....	172
S1401.....	186	S2000XGSL-2C.....	171	S255.....	197	S32XN.....	176	S4816XR.....	171	S5725XR.....	172
S1401SL.....	186	S2000XGSL-4C.....	171	S256.....	203	S32XR.....	176	S506.....	154	S572SL.....	155
S1402.....	198	S2000XJ.....	173	S2600.....	180	S34.....	169	S507.....	154	S5730.....	187
S1404.....	199	S2000XJSL.....	173	S2610.....	202	S3487SL.....	198	S508.....	154	S573SL.....	154
S1405.....	199	S2000XJSL-2C.....	171	S2610XC.....	179	S3487XCSSL.....	176	S529.....	154	S574.....	154
S1405SL.....	199	S2000XJSL-4C.....	171	S2610XE.....	179	S3487XESL.....	176	S5425.....	182	S575.....	154
S1406.....	199	S2000XN.....	173	S2610XG.....	179	S3487XGSL.....	176	S5425SL.....	183	S577.....	154
S1407.....	199	S2000XNSL.....	173	S2610XJ.....	179	S3487XJSL.....	176	S543.....	154	S579.....	154
S1408.....	198	S2000XNSL-2C.....	171	S2610XN.....	179	S3487XNSL.....	176	S545SL.....	155	S581.....	154
S1409.....	186	S2000XNSL-4C.....	171	S2610XR.....	179	S3487XRSL.....	176	S549.....	154	S583SL.....	155
S140STC.....	204	S2000XR.....	173	S262.....	196	S35.....	136	S5700.....	187	S585.....	154
S140XC.....	179	S2000XRSL.....	173	S2620.....	167	S369.....	140	S5700SL.....	187	S5870SL.....	152
S140XE.....	179	S2000XRSL-2C.....	171	S262XC.....	176	S37.....	158	S5700XC.....	171	S600.....	205
S140XG.....	179	S2000XRSL-4C.....	171	S262XE.....	176	S38.....	133	S5700XCSSL.....	172	S6000.....	130
S140XJ.....	179	S20042.....	160	S262XG.....	176	S4070SL.....	158	S5700XE.....	171	S60006SL.....	140
S140XN.....	179	S2009.....	186	S262XJ.....	176	S41.....	148	S5700XESL.....	172	S6000SL.....	131
S140XR.....	179	S2009SL.....	186	S262XN.....	176	S416SL.....	158	S5700XG.....	171	S6002.....	130
S141.....	195	S2010.....	185	S262XR.....	176	S42.....	152	S5700XGSL.....	172	S6002SL.....	131
S1411.....	199	S2010SL.....	186	S2630.....	142	S426.....	157	S5700XJ.....	171	S6006.....	140
S141STC.....	204	S2010XC.....	171	S263SL.....	198	S43.....	160	S5700XJSL.....	172	S6008.....	140
S141XC.....	176	S2010XCSSL.....	171	S263XCSL.....	176	S430.....	158	S5700XN.....	171	S6008SL.....	140
S141XE.....	176	S2010XE.....	171	S263XESL.....	176	S430SL.....	158	S5700XNSL.....	172	S6009.....	140
S141XG.....	176	S2010XESL.....	171	S263XGSL.....	176	S454.....	158	S5700XR.....	171	S6009SL.....	140
S141XJ.....	176	S2010XG.....	171	S263XJSL.....	176	S4570SL.....	131	S5700XRSL.....	172	S601.....	202
S141XN.....	176	S2010XGSL.....	171	S263XNSL.....	176	S4800.....	205	S5705.....	187	S6010.....	140
S141XR.....	176	S2010XJ.....	171	S263XRSL.....	176	S4810.....	188	S5705XC.....	172	S6012.....	140
S1442SL.....	161	S2010XJSL.....	171	S2640.....	164	S4810SL.....	188	S5705XE.....	172	S6013.....	131
S154.....	147	S2010XN.....	171	S2650.....	136	S4810XC.....	173	S5705XG.....	172	S6014.....	140
S154SL.....	148	S2010XNSL.....	171	S2660.....	148	S4810XCSSL.....	173	S5705XJ.....	172	S601SL.....	203
S155.....	151	S2010XR.....	171	S2670.....	154	S4810XE.....	173	S5705XN.....	172	S601XC.....	179
S155SL.....	152	S2010XRSL.....	171	S289.....	202	S4810XESL.....	173	S5705XR.....	172	S601XCSSL.....	180
S156.....	160	S205.....	205	S289E.....	169	S4810XG.....	173	S571.....	154	S601XE.....	179

S601XESL.....	180	S605XN.....	177	S6097.....	196	S685LXG.....	172	S80XN.....	179	S81941P.....	151
S601XG.....	179	S605XNSL.....	177	S6100.....	142	S685LXJ.....	172	S80XR.....	179	S81942P.....	157
S601XGSL.....	180	S605XR.....	177	S6100SL.....	143	S685LXN.....	172	S810.....	205	S81983.....	149
S601XJ.....	179	S605XRSL.....	177	S6101.....	142	S685LXR.....	172	S81000.....	205	S82.....	196
S601XJSL.....	180	S6061.....	182	S6101SL.....	143	S685R.....	187	S81086SL.....	203	S820.....	157
S601XN.....	179	S6062.....	198	S6102.....	142	S685RXC.....	172	S81086XCSL.....	180	S8200.....	205
S601XNSL.....	180	S6062SL.....	199	S6102SL.....	143	S685RXE.....	172	S81086XESL.....	180	S8201.....	205
S601XR.....	179	S6063.....	195	S6103.....	142	S685RXG.....	172	S81086XGSL.....	180	S8202SL.....	198
S601XRSL.....	180	S6063STC.....	204	S6104.....	142	S685RXJ.....	172	S81086XJSL.....	180	S8204SL.....	198
S602.....	148	S6063XC.....	176	S6105.....	142	S685RXN.....	172	S81086XNSL.....	180	S8207SL.....	198
S6021.....	202	S6063XE.....	176	S6106.....	142	S685RXR.....	172	S81086XRSL.....	180	S821.....	151
S6021XC.....	179	S6063XG.....	176	S6107.....	142	S691.....	187	S811.....	196	S82103.....	185
S6021XE.....	179	S6063XJ.....	176	S6108.....	142	S691XC.....	172	S81100.....	205	S82103XC.....	171
S6021XG.....	179	S6063XN.....	176	S6111.....	131	S691XE.....	172	S81186SL.....	197	S82103XE.....	171
S6021XJ.....	179	S6063XR.....	176	S6113.....	134	S691XG.....	172	S8120.....	205	S82103XG.....	171
S6021XN.....	179	S606.....	198	S6117.....	152	S691XJ.....	172	S81208.....	195	S82103XJ.....	171
S6021XR.....	179	S606SL.....	198	S6119.....	161	S691XN.....	172	S81225.....	182	S82103XN.....	171
S6022.....	196	S606XC.....	177	S6121.....	145	S691XR.....	172	S8132.....	182	S82103XR.....	171
S6022XC.....	176	S606XCSL.....	177	S6123.....	134	S704.....	199	S8132SL.....	183	S82104.....	185
S6022XE.....	176	S606XE.....	177	S6124SL.....	198	S707.....	148	S814.....	133	S82105.....	185
S6022XG.....	176	S606XESL.....	177	S6124XCSL.....	177	S708.....	203	S8140.....	202	S82105XC.....	171
S6022XJ.....	176	S606XG.....	177	S6124XESL.....	177	S709.....	160	S81401.....	186	S82105XE.....	171
S6022XN.....	176	S606XGSL.....	177	S6124XGSL.....	177	S7125SL.....	198	S8140STC.....	204	S82105XG.....	171
S6022XR.....	176	S606XJ.....	177	S6124XJSL.....	177	S721.....	152	S8140XC.....	179	S82105XJ.....	171
S6023.....	169	S606XJSL.....	177	S6124XNSL.....	177	S735.....	158	S8140XE.....	179	S82105XN.....	171
S6025.....	136	S606XN.....	177	S6124XRSL.....	177	S736.....	143	S8140XG.....	179	S82105XR.....	171
S6026.....	157	S606XNSL.....	177	S6125SL.....	198	S745.....	164	S8140XJ.....	179	S82106.....	185
S6027.....	133	S606XR.....	177	S6125XCSL.....	177	S751SL.....	203	S8140XN.....	179	S82106XC.....	171
S6029.....	147	S606XRSL.....	177	S6125XESL.....	177	S751XCSL.....	180	S8140XR.....	179	S82106XE.....	171
S602SL.....	148	S607.....	198	S6125XGSL.....	177	S751XESL.....	180	S8141.....	199	S82106XG.....	171
S6030.....	151	S6071.....	149	S6125XJSL.....	177	S751XGSL.....	180	S8144.....	199	S82106XJ.....	171
S6031.....	140	S6071SL.....	149	S6125XNSL.....	177	S751XJSL.....	180	S8145.....	198	S82106XN.....	171
S6032.....	130	S6072.....	149	S6125XRSL.....	177	S751XNSL.....	180	S8145SL.....	199	S82106XR.....	171
S6034.....	183	S6073.....	149	S6126SL.....	198	S751XRSL.....	180	S8149.....	160	S82107.....	186
S6035.....	182	S6073SL.....	149	S6126XCSL.....	177	S752.....	197	S814SL.....	134	S82107XC.....	171
S6036.....	160	S6074.....	149	S6126XESL.....	177	S755.....	205	S815.....	133	S82107XE.....	171
S604.....	136	S6075.....	149	S6126XGSL.....	177	S757SL.....	158	S816.....	130	S82107XG.....	171
S6041.....	202	S6076.....	149	S6126XJSL.....	177	S758SL.....	134	S81645.....	168	S82107XJ.....	171
S6041XC.....	179	S6077.....	149	S6126XNSL.....	177	S770.....	202	S81646.....	167	S82107XN.....	171
S6041XE.....	179	S607SL.....	198	S6126XRSL.....	177	S771.....	131	S81646SL.....	168	S82107XR.....	171
S6041XG.....	179	S607XC.....	177	S6127SL.....	146	S773.....	158	S81649.....	168	S82200.....	188
S6041XJ.....	179	S607XCSL.....	177	S6128SL.....	183	S774.....	152	S81650.....	168	S82200XC.....	173
S6041XN.....	179	S607XE.....	177	S6130SL.....	134	S80.....	202	S81651.....	167	S82200XE.....	173
S6041XR.....	179	S607XESL.....	177	S6131SL.....	143	S8000.....	188	S81651SL.....	168	S82200XG.....	173
S6042.....	196	S607XG.....	177	S6132SL.....	161	S8000-12.....	185	S81652.....	167	S82200XJ.....	173
S6042XC.....	176	S607XGSL.....	177	S6134SL.....	140	S8000-18.....	185	S81652SL.....	168	S82200XN.....	173
S6042XE.....	176	S607XJ.....	177	S626.....	160	S8000-9.....	186	S81653.....	167	S82200XR.....	173
S6042XG.....	176	S607XJSL.....	177	S63.....	196	S8000SL.....	188	S81654.....	167	S82250.....	185
S6042XJ.....	176	S607XN.....	177	S6500.....	164	S8000XC.....	173	S81654SL.....	168	S822XC.....	176
S6042XN.....	176	S607XNSL.....	177	S6500SL.....	165	S8000XCSL.....	173	S817.....	140	S822XE.....	176
S6042XR.....	176	S607XR.....	177	S6520.....	164	S8000XE.....	173	S818.....	202	S822XG.....	176
S6043.....	169	S607XRSL.....	177	S6532.....	164	S8000XESL.....	173	S81828.....	195	S822XJ.....	176
S6045.....	136	S608.....	198	S6534.....	164	S8000XG.....	173	S818XC.....	179	S822XN.....	176
S6046.....	158	S6080.....	202	S6536.....	164	S8000XGSL.....	173	S818XE.....	179	S822XR.....	176
S6047.....	133	S6081.....	170	S6550.....	164	S8000XJ.....	173	S818XG.....	179	S82600.....	180
S6049.....	147	S6082.....	152	S6550SL.....	165	S8000XJSL.....	173	S818XJ.....	179	S82610.....	202
S604SL.....	137	S6084.....	158	S6560.....	164	S8000XN.....	173	S818XN.....	179	S82610XC.....	179
S605.....	198	S6085.....	131	S6565.....	164	S8000XNSL.....	173	S818XR.....	179	S82610XE.....	179
S6050.....	151	S608XC.....	177	S6565SL.....	165	S8000XR.....	173	S81929P.....	202	S82610XG.....	179
S6051.....	140	S608XE.....	177	S6568.....	164	S8000XRSL.....	173	S81929PXC.....	179	S82610XJ.....	179
S6052.....	131	S608XG.....	177	S6570.....	165	S807.....	197	S81929PXE.....	179	S82610XN.....	179
S6054.....	183	S608XJ.....	177	S6572.....	164	S807XC.....	176	S81929PXG.....	179	S82610XR.....	179
S6055.....	182	S608XN.....	177	S6575.....	164	S807XE.....	176	S81929PXJ.....	179	S82620.....	167
S6056.....	160	S608XR.....	177	S6576.....	164	S807XG.....	176	S81929PXN.....	179	S82630.....	142
S605SL.....	198	S609.....	142	S6577.....	164	S807XJ.....	176	S81929PXR.....	179	S82640.....	164
S605XC.....	177	S6090.....	157	S6580.....	164	S807XN.....	176	S81932P.....	145	S82650.....	136
S605XCSL.....	177	S6091.....	151	S6580SL.....	165	S807XR.....	176	S81933P.....	130	S82660.....	148
S605XE.....	177	S6091SL.....	152	S6582.....	164	S808.....	195	S81935P.....	133	S82670.....	154
S605XESL.....	177	S6092.....	147	S668.....	133	S808SL.....	197	S81936P.....	136	S828.....	195
S605XG.....	177	S6092SL.....	148	S682.....	182	S80XC.....	179	S81937P.....	140	S829.....	182
S605XGSL.....	177	S6093.....	147	S685L.....	187	S80XE.....	179	S81938P.....	147	S829SL.....	182
S605XJ.....	177	S6094.....	151	S685LXC.....	172	S80XG.....	179	S81939P.....	142	S82SL.....	197
S605XJSL.....	177	S6095.....	157	S685LXE.....	172	S80XJ.....	179	S81940P.....	149	S82XC.....	176

S82XCSL	176	S833	136	S85700XN	171	S85896	151	S8607	198	S880XR	179
S82XE	176	S837	158	S85700XNSL	172	S85896SL	152	S8607SL	198	S880XRSL	180
S82XESL	176	S84586SL	134	S85700XR	171	S85897	142	S8607XC	177	S881	196
S82XG	176	S84800	205	S85700XRSL	172	S85898	142	S8607XE	177	S881SL	198
S82XGSL	176	S84810	188	S85705	187	S85898SL	143	S8607XG	177	S881XC	176
S82XJ	176	S84810SL	188	S85705XC	172	S85900	145	S8607XJ	177	S881XCSL	176
S82XJSL	176	S84810XC	173	S85705XE	172	S85900SL	146	S8607XN	177	S881XE	176
S82XN	176	S84810XCNSL	173	S85705XG	172	S85902	157	S8607XR	177	S881XESL	176
S82XNSL	176	S84810XE	173	S85705XJ	172	S85902SL	158	S8608	198	S881XG	176
S82XR	176	S84810XESL	173	S85705XN	172	S85905	131	S8608XC	177	S881XGSL	176
S82XRSL	176	S84810XG	173	S85705XR	172	S85906	145	S8608XE	177	S881XJ	176
S830	202	S84810XGSL	173	S8571	154	S85907	133	S8608XG	177	S881XJSL	176
S830XC	179	S84810XJ	173	S85710	187	S85908	148	S8608XJ	177	S881XN	176
S830XE	179	S84810XJSL	173	S85710SL	187	S85909	152	S8608XN	177	S881XNSL	176
S830XG	179	S84810XN	173	S85710XC	171	S85910SL	203	S8608XR	177	S881XR	176
S830XJ	179	S84810XNSL	173	S85710XCNSL	172	S85910XCNSL	180	S8609	142	S881XRSL	176
S830XN	179	S84810XR	173	S85710XE	171	S85910XESL	180	S86500	164	S882	196
S830XR	179	S84810XRSL	173	S85710XESL	172	S85910XGSL	180	S86500SL	165	S884SL	170
S831	205	S84812	186	S85710XG	171	S85910XJSL	180	S86520	164	S887	136
S8310	196	S84812SL	186	S85710XGSL	172	S85910XNSL	180	S86533	164	S887SL	137
S8310SL	197	S84812XC	171	S85710XJ	171	S85910XRSL	180	S86536	164	S888	133
S8311	196	S84812XCNSL	171	S85710XJSL	172	S85911SL	146	S86550	164	S888SL	134
S8311SL	197	S84812XE	171	S85710XN	171	S85912SL	131	S86550SL	165	S891	147
S83120	202	S84812XESL	171	S85710XNSL	172	S85914SL	134	S86560	164	S891SL	148
S831203	197	S84812XG	171	S85710XR	171	S85915SL	137	S86560SL	165	S892	151
S831203XC	176	S84812XGSL	171	S85710XRSL	172	S85916SL	140	S86570	165	S892SL	152
S831203XE	176	S84812XJ	171	S85715	187	S85917SL	148	S86580	164	S893	140
S831203XG	176	S84812XJSL	171	S85715XC	172	S85918SL	143	S86580SL	165	S894	130
S831203XJ	176	S84812XN	171	S85715XE	172	S85920SL	158	S8675SL	198	S894SL	131
S831203XN	176	S84812XNSL	171	S85715XG	172	S85922SL	152	S867SL	161	S895	140
S831203XR	176	S84812XR	171	S85715XJ	172	S85924SL	198	S8682	182	S895SL	140
S83120XC	180	S84812XRSL	171	S85715XN	172	S85925SL	198	S8682SL	183	S896	203
S83120XE	180	S84813	186	S85715XR	172	S85926SL	198	S8685L	187	S896XC	180
S83120XG	180	S84813XC	171	S85720	187	S85927SL	131	S8685LXC	172	S896XE	180
S83120XJ	180	S84813XE	171	S85720SL	187	S85928SL	183	S8685LXE	172	S896XG	180
S83120XN	180	S84813XG	171	S85720XC	172	S85930SL	158	S8685LXG	172	S896XJ	180
S83120XR	180	S84813XJ	171	S85720XCNSL	172	S85931SL	140	S8685LXJ	172	S896XN	180
S8313	196	S84813XN	171	S85720XE	172	S85932SL	148	S8685LXN	172	S896XR	180
S8313SL	197	S84813XR	171	S85720XESL	172	S85934SL	152	S8685LXR	172	S897	205
S83141	134	S84814	186	S85720XG	172	S8600	205	S8685R	187	S89701	160
S83142	161	S84814XC	171	S85720XGSL	172	S8600XC	179	S8685RXC	172	S8971	182
S83143	131	S84814XE	171	S85720XJ	172	S8600XE	179	S8685RXE	172	S8972	182
S83145	170	S84814XG	171	S85720XJSL	172	S8600XG	179	S8685RXG	172	S898	198
S83147	158	S84814XJ	171	S85720XN	172	S8600XJ	179	S8685RXJ	172	S898SL	199
S83149	152	S84814XN	171	S85720XNSL	172	S8600XN	179	S8685RXN	172	S90	202
S83152	136	S84814XR	171	S85720XR	172	S8600XR	179	S8685RXR	172	S902	160
S83153	140	S84816	186	S85720XRSL	172	S8601	202	S8691	187	S902SL	161
S83154	148	S84816XC	171	S85725	187	S8601SL	203	S8691XC	172	S90SL	188
S83155	143	S84816XE	171	S85725XC	172	S8601XCSL	180	S8691XE	172	S90XC	179
S83156	146	S84816XG	171	S85725XE	172	S8601XESL	180	S8691XG	172	S90XE	179
S83157	149	S84816XJ	171	S85725XG	172	S8601XGSL	180	S8691XJ	172	S90XG	179
S8316	196	S84816XN	171	S85725XJ	172	S8601XJSL	180	S8691XN	172	S90XJ	179
S8317	197	S84816XR	171	S85725XN	172	S8601XNSL	180	S8691XR	172	S90XN	179
S8318	196	S84886SL	186	S85725XR	172	S8601XRSL	180	S8704	199	S90XR	179
S8319	196	S84886XCNSL	171	S8572SL	155	S8602	148	S8707	148	S91	136
S832	197	S84886XESL	171	S85730	187	S8602SL	148	S8708	203	S9127SL	146
S8320	197	S84886XGSL	171	S85730XC	172	S8604	136	S8721	152	S9127SL	157
S8321	196	S84886XJSL	171	S85730XE	172	S8605	198	S8735	158	S916	133
S8321XC	176	S84886XNSL	171	S85730XG	172	S8605SL	198	S8736	143	S916SL	134
S8321XE	176	S84886XRSL	171	S85730XJ	172	S8605XC	177	S8745	164	S91SL	137
S8321XG	176	S8508	154	S85730XN	172	S8605XE	177	S8752	197	S92	196
S8321XJ	176	S8529	154	S85730XR	172	S8605XG	177	S880	202	S9203XC	176
S8321XN	176	S8545SL	155	S8573SL	154	S8605XJ	177	S880SL	203	S9203XE	176
S8321XR	176	S85700	187	S8574	154	S8605XN	177	S880XC	179	S9203XG	176
S8322	196	S85700SL	187	S8579	154	S8605XR	177	S880XCNSL	180	S9203XJ	176
S8323	196	S85700XC	171	S8581	154	S8606	198	S880XE	179	S9203XN	176
S8324	196	S85700XCNSL	172	S8583SL	155	S8606SL	198	S880XESL	180	S9203XR	176
S832XC	176	S85700XE	171	S85892	130	S8606XC	177	S880XG	179	S925	182
S832XE	176	S85700XESL	172	S85892SL	131	S8606XE	177	S880XGSL	180	S926	133
S832XG	176	S85700XG	171	S85893	140	S8606XG	177	S880XJ	179	S92SL	186
S832XJ	176	S85700XGSL	172	S85893SL	140	S8606XJ	177	S880XJSL	180	S92XC	176
S832XN	176	S85700XJ	171	S85895	157	S8606XN	177	S880XN	179	S92XE	176
S832XR	176	S85700XJSL	172	S85895SL	158	S8606XR	177	S880XNSL	180	S92XG	176

S92XJ.....	176	Profiles™	104XE.....	220	1644SLHD.....	219	263SLHDXX.....	220	606HDXR.....	220
S92XN.....	176	310.....	104XG.....	220	1650HD.....	219	263SLHDXR.....	220	607HD.....	222
S92XR.....	176	100.....	104XJ.....	220	1651HD.....	219	289EHD.....	219	607HDXC.....	220
S93.....	205	104.....	104XN.....	220	1651SL.....	219	289ESLHD.....	219	607HDXE.....	220
S930.....	134	105.....	104XR.....	220	1657HD.....	219	289HD.....	224	607HDXG.....	220
S930SL.....	134	108.....	1055HD.....	211	1657SLHD.....	219	289HDXC.....	221	607HDXJ.....	220
S9320.....	202	118.....	1089SLHD.....	223	1659HD.....	219	289HDXE.....	221	607HDXN.....	220
S93203.....	197	128.....	108XC.....	220	1660HD.....	219	289HDXX.....	221	607HDXR.....	220
S9320XC.....	180	130.....	108XE.....	220	1662HD.....	219	289HDXJ.....	221	608HD.....	222
S9320XE.....	180	131.....	108XG.....	220	19020T.....	223	289HDXN.....	221	608HDXC.....	220
S9320XG.....	180	137.....	108XJ.....	220	19020T.....	224	289HDXR.....	221	608HDXE.....	220
S9320XJ.....	180	139.....	108XN.....	220	19055T.....	212	294HD.....	212	608HDXG.....	220
S9320XN.....	180	198.....	108XR.....	220	19080T.....	212	294SLHD.....	212	608HDXJ.....	220
S9320XR.....	180	369.....	1101HD.....	224	19200T.....	223	296HD.....	224	608HDXN.....	220
S9341.....	134	571.....	1101XCHD.....	220	19200T.....	224	296HDXC.....	221	608HDXR.....	220
S9342.....	161	610.....	1101XEHD.....	220	19210T.....	224	296HDXE.....	221	609HD.....	213
S9343.....	131	620.....	1101XGHD.....	220	19220T.....	223	296HDXG.....	221	610SL.....	215
S9345.....	170	626.....	1101XJHD.....	220	19220T.....	224	296HDXJ.....	221	613HD.....	214
S9347.....	158	916.....	1101XNHD.....	220	19520T.....	212	296HDXN.....	221	615HD.....	214
S9349.....	152	1006.....	1101XRHD.....	220	19720T.....	216	296HDXR.....	221	615SLHD.....	215
S9352.....	136	1027.....	1102HD.....	221	19730T.....	216	296SLHD.....	224	6184SL.....	223
S9353.....	140	1028.....	1107HD.....	214	19740T.....	215	296SLHDXC.....	221	6185SL.....	223
S9354.....	148	1201.....	1110HD.....	219	19750T.....	215	296SLHDXE.....	221	6186SL.....	223
S9355.....	142	1202.....	1111HD.....	215	19800T.....	212	296SLHDXX.....	221	620SL.....	216
S9356.....	145	1203.....	1112HD.....	214	19810T.....	212	296SLHDXJ.....	221	623HD.....	215
S9357.....	149	5425.....	1113HD.....	217	19820T.....	212	296SLHDXX.....	221	625HD.....	215
S95.....	136	03142HD.....	1114HD.....	212	198SL.....	223	296SLHDXR.....	221	625SLHD.....	216
S960.....	205	1001HD.....	1115HD.....	213	203HD.....	224	309HD.....	211	626SL.....	218
S962.....	145	1002HD.....	1116HD.....	213	205HD.....	224	310SL.....	211	627HD.....	217
S962SL.....	146	1004HD.....	1117HD.....	211	206EHD.....	219	311HD.....	211	628HD.....	217
S964.....	145	1005HD.....	1118HD.....	217	206HD.....	224	311SLHD.....	211	628SLHD.....	218
S964SL.....	146	1006SL.....	1119HD.....	211	206HDXC.....	220	369SL.....	213	630HD.....	217
S966.....	145	1007HD.....	1120HD.....	215	206HDXE.....	220	371HD.....	213	631HD.....	217
S968.....	145	1007SLHD.....	1121HD.....	221	206HDXG.....	220	371SLHD.....	213	632SL.....	223
S97.....	157	1008HD.....	1122HD.....	222	206HDXJ.....	220	374HD.....	213	6500HD.....	218
S970.....	145	1009HD.....	1123HD.....	222	206HDXN.....	220	416SL.....	217	6500SL.....	218
S971.....	182	1009SLHD.....	1123HDXC.....	220	206HDXR.....	220	426HD.....	217	6520HD.....	218
S972.....	131	100SL.....	1123HDXE.....	220	2109HD.....	222	430HD.....	217	6560HD.....	218
S973.....	140	100XCSL.....	1123HDXG.....	220	210HD.....	224	430SLHD.....	217	6565HD.....	218
S975.....	130	100XESL.....	1123HDXJ.....	220	210SLHD.....	224	454HD.....	217	6565SLHD.....	218
S975SL.....	131	100XGSL.....	1123HDXN.....	220	210SLHDXC.....	221	4572SLHD.....	223	6568HD.....	218
S976.....	145	100XJSL.....	1123HDXR.....	220	210SLHDXE.....	221	508HD.....	216	6570HD.....	218
S976SL.....	146	100XNSL.....	115HD.....	222	210SLHDXX.....	221	5425SL.....	221	6570SLHD.....	218
S977.....	133	100XRSL.....	118XC.....	220	210SLHDXX.....	221	544HD.....	216	6572HD.....	218
S979.....	130	1011HD.....	118XE.....	220	210SLHDXX.....	221	546SLHD.....	216	6578HD.....	218
S980.....	145	1020HD.....	118XG.....	220	210SLHDXX.....	221	576HD.....	216	6580SLHD.....	218
S981.....	133	1021HD.....	118XJ.....	220	2110HD.....	222	578HD.....	216	6582HD.....	218
S982.....	147	1022HD.....	118XN.....	220	2111HD.....	222	582HD.....	216	6720HDXXCSL.....	220
S983.....	151	1024HD.....	118XR.....	220	211HD.....	212	584SLHD.....	216	6720HDXESL.....	220
S985.....	145	1025HD.....	1200SL.....	223	236HD.....	223	588HD.....	216	6720HDXGSL.....	220
S988.....	145	1027SL.....	1201SL.....	223	237HD.....	223	601HD.....	224	6720HDXJSL.....	220
S989.....	169	1029SL.....	1202SL.....	223	243HD.....	221	601XCHD.....	221	6720HDXNSL.....	220
S991.....	145	1031HD.....	128XC.....	220	255HD.....	222	601XEHD.....	221	6720HDXXRSL.....	220
S992.....	202	1031SLHD.....	128XE.....	220	256HD.....	224	601XGHD.....	221	6720SLHD.....	223
S994.....	170	1032HD.....	128XG.....	220	262HD.....	222	601XJHD.....	221	704HD.....	223
S995.....	145	1032SLHD.....	128XJ.....	220	262HDXC.....	220	601XNHD.....	221	707HD.....	214
S997.....	131	1034HD.....	128XN.....	220	262HDXE.....	220	601XRHD.....	221	708HD.....	224
S999.....	152	1035HD.....	128XR.....	220	262HDXG.....	220	6023HD.....	222	721HD.....	216
SART.....	140	1037HD.....	130SL.....	221	262HDXJ.....	220	602HD.....	214	735HD.....	217
WLHRT.....	152	1037SLHD.....	132HD.....	221	262HDXN.....	220	604HD.....	212	736HD.....	213
		1038HD.....	132SLHD.....	221	262HDXR.....	220	605HD.....	222	745HD.....	218
		1038SLHD.....	138SL.....	219	263HD.....	222	605HDXC.....	220	752HD.....	222
		1039HD.....	139SL.....	212	263HDXC.....	220	605HDXE.....	220	916SL.....	212
		1039SLHD.....	1400SLHD.....	223	263HDXE.....	220	605HDXG.....	220	926HD.....	211
		1040HD.....	1403HD.....	223	263HDXG.....	220	605HDXJ.....	220	930HD.....	211
		1040SLHD.....	1405HD.....	223	263HDXJ.....	220	605HDXN.....	220	930SLHD.....	212
		1041HD.....	1405SLHD.....	223	263HDXN.....	220	605HDXR.....	220	956SLHD.....	212
		1041SLHD.....	1406HD.....	223	263HDXR.....	220	606HD.....	222	959HD.....	224
		1042HD.....	1408HD.....	223	263SLHD.....	223	606HDXC.....	220	959HDXC.....	220
		1044HD.....	1411HD.....	223	263SLHDXC.....	220	606HDXE.....	220	959HDXCSL.....	221
		1045HD.....	1643HD.....	219	263SLHDXE.....	220	606HDXG.....	220	959HDXE.....	220
		1047HD.....	1643SLHD.....	219	263SLHDXX.....	220	606HDXJ.....	220	959HDXESL.....	221
		104XC.....	1644HD.....	219	263SLHDXX.....	220	606HDXN.....	220	959HDXG.....	220

Ari	S81AX.....242	S5LAX.....244	S811XC.....246	S86RCL.....245	S10XESL.....248
S2AX.....240	S81BL.....240	S5LCL.....245	S811XE.....246	S86RPB.....243	S10XGSL.....248
S2CL.....240	S81BS.....240	S5LPB.....242	S811XG.....246	S86RXC.....245	S10XJSL.....248
S2PB.....240	S81CL.....242	S5LXC.....245	S811XJ.....246	S86RXE.....245	S10XNSL.....248
S2RS.....240	S81LAX.....242	S5LXE.....245	S811XN.....246	S86RXG.....245	S10XRSL.....248
S2SG.....240	S81LBL.....240	S5LXG.....245	S811XR.....246	S86RXJ.....245	S1651SL.....247
S2SN.....240	S81LBS.....240	S5LXJ.....245	S84AX.....244	S86RXN.....245	S4570SL.....247
S2XC.....240	S81LCL.....242	S5LXN.....245	S84CL.....245	S86RXX.....245	S4AXSL.....248
S2XE.....240	S81LPB.....242	S5LXR.....245	S84LAX.....244	S86XC.....245	S4CLSL.....248
S2XG.....240	S81LRS.....241	S5SPB.....243	S84LCL.....245	S86XE.....245	S4PBSL.....247
S2XJ.....240	S81LSA.....241	S5RAX.....244	S84LPB.....242	S86XG.....245	S4XCSSL.....248
S2XN.....240	S81LSG.....241	S5RCL.....245	S84LXC.....245	S86XJ.....245	S4XESL.....248
S2XR.....240	S81LXC.....242	S5RPB.....243	S84LXE.....245	S86XN.....245	S4XGSL.....248
S83AX.....240	S81LXE.....242	S5RXC.....245	S84LXG.....245	S86XR.....245	S4XJSL.....248
S83CL.....240	S81LXG.....242	S5RXE.....245	S84LXJ.....245	S8AX.....244	S4XNSL.....248
S83PB.....240	S81LXJ.....242	S5RXG.....245	S84LXN.....245	S8CL.....246	S4XRSL.....248
S83RS.....240	S81LXN.....242	S5RXJ.....245	S84LXR.....245	S8LAX.....244	S572SL.....247
S83SG.....240	S81LXR.....242	S5RXN.....245	S84PB.....242	S8LCL.....246	S5AXSL.....247
S83SN.....240	S81PB.....242	S5RXX.....245	S84RAX.....244	S8LPB.....243	S5CLSL.....248
S83XC.....240	S81RAX.....242	S5XC.....245	S84RCL.....245	S8LXC.....246	S5PBSL.....247
S83XE.....240	S81RBL.....241	S5XE.....245	S84RPB.....242	S8LXE.....246	S5XCSSL.....248
S83XG.....240	S81RBS.....240	S5XG.....245	S84RXC.....245	S8LXG.....246	S5XESL.....248
S83XJ.....240	S81RCL.....242	S5XJ.....245	S84RXE.....245	S8LXJ.....246	S5XGSL.....248
S83XN.....240	S81RPS.....242	S5XN.....245	S84RXG.....245	S8LXN.....246	S5XJSL.....248
S83XR.....240	S81RRS.....242	S5XR.....245	S84RXJ.....245	S8LXR.....246	S5XNSL.....248
Línea	S81RS.....241	S81OAX.....245	S84RXN.....245	S8PB.....243	S5XRSL.....248
S1AX.....242	S81RSA.....241	S81OCL.....246	S84RXX.....245	S8RAX.....244	S601SL.....247
S1BL.....240	S81RSG.....241	S81OLAX.....245	S84XC.....245	S8RCL.....246	S601XCSSL.....247
S1BS.....240	S81RXC.....242	S81OLCL.....246	S84XE.....245	S8RPB.....243	S601XESL.....247
S1CL.....242	S81RXE.....242	S81OLCPB.....243	S84XG.....245	S8RXC.....246	S601XGSL.....247
S1LAV.....241	S81RXG.....242	S81OLXC.....246	S84XJ.....245	S8RXE.....246	S601XJSL.....247
S1LAX.....242	S81RXJ.....242	S81OLXAV.....246	S84XN.....245	S8RXG.....246	S601XNSL.....247
S1LBL.....240	S81RXN.....242	S81OLXG.....246	S84XR.....245	S8RXJ.....246	S601XRSL.....247
S1LBS.....240	S81RXR.....242	S81OLXJ.....246	S85AX.....244	S8RXN.....246	S602SL.....247
S1LCL.....242	S81SA.....241	S81OLXN.....246	S85CL.....245	S8RXX.....246	S604SL.....247
S1LPB.....242	S81SG.....241	S81OLXR.....246	S85LAX.....244	S8XC.....246	S6127SL.....247
S1LRS.....241	S81XC.....242	S81OPB.....243	S85LCL.....245	S8XE.....246	S6130SL.....247
S1LSA.....241	S81XE.....242	S81ORAX.....245	S85LPB.....242	S8XG.....246	S6134SL.....247
S1LSG.....241	S81XG.....242	S81ORCL.....246	S85LXC.....245	S8XJ.....246	S6500SL.....247
S1LSN.....241	S81XJ.....242	S81ORPB.....243	S85LXE.....245	S8XN.....246	S81086SL.....247
S1LXC.....242	S81XN.....242	S81ORXC.....246	S85LXG.....245	S8XR.....246	S81086XCSSL.....247
S1LXE.....242	S81XR.....242	S81ORXE.....246	S85LXJ.....245	S9AX.....244	S81086XESL.....247
S1LXG.....242	Echo	S81ORXG.....246	S85LXN.....245	S9CL.....246	S81086XGSL.....247
S1LXJ.....242	S4AX.....244	S81ORXJ.....246	S85LXR.....245	S9LAX.....244	S81086XJSL.....247
S1LXN.....242	S4CL.....245	S81ORXN.....246	S85LPB.....242	S9LCL.....246	S81086XNSL.....247
S1LXR.....242	S4LAX.....244	S81ORXR.....246	S85RAX.....244	S9LPB.....243	S81086XRSL.....247
S1PB.....242	S4CL.....245	S810XC.....246	S85RCL.....245	S9LXC.....246	S810AXSL.....248
S1RAV.....241	S4LCL.....245	S810XE.....246	S85RPB.....243	S9LXE.....246	S810CLSL.....248
S1RAX.....242	S4LPB.....242	S810XG.....246	S85RXC.....245	S9LXG.....246	S810PBSL.....247
S1RBL.....241	S4LXC.....245	S810XJ.....246	S85RXE.....245	S9LXJ.....246	S810XCSSL.....248
S1RBS.....240	S4LXE.....245	S810XN.....246	S85RXG.....245	S9LXN.....246	S810XESL.....248
S1RCL.....242	S4LXG.....245	S810XR.....246	S85RXJ.....245	S9LXR.....246	S810XGSL.....248
S1RPB.....242	S4LXJ.....245	S811AX.....245	S85RXN.....245	S9PB.....243	S810XJSL.....248
S1RRS.....242	S4LXN.....245	S811CL.....246	S85RXX.....245	S9RAX.....244	S810XNSL.....248
S1RS.....241	S4LXR.....245	S811LAX.....245	S85RXC.....245	S9RCL.....246	S810XRSL.....248
S1RSA.....241	S4PB.....242	S811LCL.....246	S85XE.....245	S9RPB.....243	S811AXSL.....248
S1RSG.....241	S4RAX.....244	S811LPB.....243	S85XG.....245	S9RXC.....246	S811CLSL.....248
S1RSN.....241	S4RCL.....245	S811LXC.....246	S85XJ.....245	S9RXE.....246	S811PBSL.....247
S1RXC.....242	S4RPB.....242	S811LXE.....246	S85XN.....245	S9RXG.....246	S811XCSSL.....248
S1RXE.....242	S4RXC.....245	S811LXG.....246	S85XR.....245	S9RXJ.....246	S811XESL.....248
S1RXG.....242	S4RXE.....245	S811LXJ.....246	S86AX.....244	S9RXN.....246	S811XGSL.....248
S1RXJ.....242	S4RXG.....245	S811LXN.....246	S86CL.....245	S9RXX.....246	S811XJSL.....248
S1RXN.....242	S4RXJ.....245	S811LXR.....246	S86LAX.....244	S9XC.....246	S811XNSL.....248
S1RXX.....242	S4RXN.....245	S811PB.....243	S86LCL.....245	S9XE.....246	S811XRSL.....248
S1SA.....241	S4RXX.....245	S811RAX.....245	S86LPB.....243	S9XG.....246	S81651SL.....247
S1SG.....241	S4XC.....245	S811RCL.....246	S86LXC.....245	S9XJ.....246	S84586SL.....247
S1SN.....241	S4XE.....245	S811RPB.....243	S86LXE.....245	S9XN.....246	S84AXSL.....248
S1XC.....242	S4XG.....245	S811RXC.....246	S86LXG.....245	S9XR.....246	S84CLSL.....248
S1XE.....242	S4XJ.....245	S811RXE.....246	S86LXJ.....245	Sidelites	S84PBSL.....247
S1XG.....242	S4XN.....245	S811RXG.....246	S86LXN.....245	S10AXSL.....248	S84XCSSL.....248
S1XJ.....242	S4XR.....245	S811RXJ.....246	S86LXR.....245	S10CLSL.....248	S84XESL.....248
S1XN.....242	S5AX.....244	S811RXN.....246	S86PB.....243	S10PBSL.....247	S84XGSL.....248
S1XR.....242	S5CL.....245	S811RXX.....246	S86RAX.....244	S10XCSSL.....248	S84XJSL.....248

S84XNSL 248
 S84XRSL 248
 S8572SL 247
 S85927SL 247
 S85931SL 247
 S85932SL 247
 S85AXSL 247
 S85CLSL 248
 S85PBSL 247
 S85XCSSL 248
 S85XESL 248
 S85XGSL 248
 S85XJSL 248
 S85XNSL 248
 S85XRSL 248
 S86500SL 247
 S86AXSL 247
 S86CLSL 248
 S86PBSL 247
 S86XCSSL 248
 S86XESL 248
 S86XGSL 248
 S86XJSL 248
 S86XNSL 248
 S86XRSL 248
 S9AXSL 248
 S9CLSL 248
 S9PBSL 247
 S9XCSSL 248
 S9XESL 248
 S9XGSL 248
 S9XJSL 248
 S9XNSL 248
 S9XRSL 248



Top: Pulse Linea, Geometric Glass with Flat Lite Frame, Doors – FCM81RXG, FCM81LXG
 Bottom: Pulse Ari, Pembridge Glass with Flat Lite Frame, Door – S83PB



Top Left: Smooth-Star Door – S81100; Low-E Glass, Sidelite – S8000SL
Middle Left: Smooth-Star Door – S1100; Low-E Glass with GBGs, Sidelites – S2009SL
Bottom: Classic-Craft American Style Collection, Satin Etch Glass with SDLs, Door – CCA4910RXE, Sidelite – CCA2400XESL

Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles. homestyles.thermatru.com.



Education Center

Learn from the experts in fiberglass doors and test your door IQ on a variety of topics at thermatru.com/learning.



National Home Valuation Study

A stylish new Therma-Tru entry door can increase your home's perceived value by 4.2% or \$18,750 on average.* Learn more and download promotional materials at thermatru.com/curbappeal.



DoorWays™ App

The power to create the perfect entrance is at your fingertips – it's easier than ever to design and visualize entrances at thermatru.com/doorways.



Consumers Digest Best Buy

Order free, ready-to-use promotional material to promote Classic-Craft and Fiber-Classic in your showroom at thermatru.com/professionals/consumersdigest.



Trade Professionals Online

Find and everything from selling tools and training materials to technical information at thermatru.com/professionals.



*Not based on actual home sales. Not a guarantee of investment returns, increase in value or selling price. Based on a nationwide survey of consumers' estimates of perceived home value based on exterior appearance. Results may vary based on region and home style. Therma-Tru's "National Home Valuation Study" was commissioned by Therma-Tru in 2015 and conducted by TNS, and independent provider of internet-based research.

Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Android and Google Play are trademarks of Google, Inc.



Download our DoorWays™ App and visualize the perfect entry for any home and style.



thermatru.com

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle

Maumee, OH 43537



BOISE, ID

BOZEMAN, MT

DENVER, CO

ONTARIO, CA

PHOENIX, AZ


SACRAMENTO, CA

SALT LAKE CITY, UT

SPOKANE, WA

TACOMA, WA

WILSONVILLE, OR



www.orepac.com

Cover: Classic-Craft American Style Collection, Satin Etch Glass with SDLs, Door – CCA4900XE, Sidelites – CCA2400XESL

©2019 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. The Best Buy Seal and other licensed materials are registered certification marks and trademarks of Consumers Digest Communications, LLC, used under license. For award information, visit ConsumersDigest.com. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.

Part #MAFL2019 HESB / JAN 2019