



# EnLiten™ Flush-Glazed Designs

for Fiber-Classic® & Smooth-Star® Doors & Sidelites

**THERMA TRU**  
DOORS



Simplified beauty. Resilient designs.



# Designs for any entry.

At Therma-Tru, we believe your door should always welcome you home – while playing seamlessly into your style. Our EnLiten™ flush-glazed designs create striking profiles that effortlessly combine indoor and outdoor living spaces, inviting in more natural light than ever. The possibilities are endless, giving you doors that perfectly fit your lifestyle.



## Create a clean look with maximum views.

During manufacturing, double- or triple-pane glass is built directly into the door. This design eliminates the need for a lite frame and screw plugs, achieving a seamless, consistent finish. EnLiten™ flush-glazed designs offer up to a 16% increase in visible glass area as compared to conventional lite frames, creating an airy, open feeling in the home with larger daylight openings.



**Flush-Glazed Glass**

**Lip-Lite Frame**

Top Left: Smooth-Star, Reeded Glass with SDLs, Door – S85725XK, Finish – Indigo  
Top Right: Fiber-Classic Mahogany Collection, Saratoga Glass, Door – FCM6240, Sidelites – FCM6201SL, Transom – 19750T, Finish – Sweet Date  
Right Page, Top Left: Smooth-Star, Clear Glass with SDLs, Doors – S85715, Finish – Alpine  
Right Page, Top Right: Smooth-Star, Internal Blinds, Door – S2600



## See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



**Flush-Glazed Glass with Detailed Sticking**  
Look for the (🔥) symbol.



**Flush-Glazed Glass with Square Sticking**  
Look for the (💧) symbol



**Lip-Lite Frame**

## Seamless style. Controllable privacy.

Smooth-Star® doors with internal blinds featuring EnLiten flush-glazed designs deliver simplicity and convenience with contemporary appeal. Discover attractive, durable entry solutions for around the house, including patio, side and back doors allowing for optimal daylight and outdoor views, or complete privacy.



# Strength is built in.

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.



## Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This reduces the potential for air and water infiltration, among other benefits.



### Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



### 11% More Energy-Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.\*



### Withstands Winds Up to 167mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).\*\* (ASTM-E330)

\*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

\*\*Must be installed as part of a Thermo-Tru door system in compliance with a Thermo-Tru product approval. Impact-rated products not available.

Left: Smooth-Star, Chord Glass, Door – S2200XC, Sidelite – S90SLXC

Middle: Smooth-Star, Internal Blinds, Door – S82600

Right Page: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors – 8000-12, Finish – Raven

Right Page: Fiber-Classic Mahogany Collection, Saratoga Glass, Door – FCM86240, Sidelites – FCM86201SL, Finish – Acorn




# Decorative Glass Options with Triple-Pane Construction

## Saratoga™

The first decorative glass available in flush-glazed designs for Fiber-Classic and Smooth-Star, Saratoga evokes a certain urban sophistication while offering modest privacy with its clear bevels, diamond glass, reeded glass and caming. The geometric pattern bridges both modern and traditional designs.



1 7 10  
Privacy Scale



Black Nickel




Brushed Nickel



# Privacy & Textured Glass Options with Triple-Pane Construction

For just the right balance of privacy and natural light, textured glass options provide a smart solution.



Triple-Pane Flush-Glazed Glass

## Reeded (XK)



1 Privacy Scale 7 10

## Satin Etch (XE)



1 Privacy Scale 10

## Chord (XC)



1 Privacy Scale 10

## Chinchilla (XJ)



1 Privacy Scale 10

## Rainglass (XR)



1 Privacy Scale 8 10

## Granite (XN)



1 Privacy Scale 10

# Divided Lites

## For Clear and Privacy Glass

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Coordinate with the home's window patterns for a cohesive look and increased curb appeal. Choose from Colonial, Craftsman, Prairie and Modern styles to suit the home's architectural details. Tailor the look with different texture, profile and color choices. Available glass options include elegant privacy and textured, energy-efficient Low-E and clear glass.

### Simulated Divided Lite (SDL) Bar Options



Grained Scrolled  
(28.6 mm / 1.125 in.)



Smooth Scrolled  
(28.6 mm / 1.125 in.)



Grained Flat  
(28.6 mm / 1.125 in.)



Smooth Flat  
(28.6 mm / 1.125 in.)



Grained Wide  
(88.9 mm / 3.5 in.)



Smooth Wide  
(88.9 mm / 3.5 in.)

### GBG Bar Options



Flat  
(20 mm / 0.787 in.)



Contour  
(18 mm / 0.708 in.)

### GBG Color Options



White



Almond\*



Bronze\*



Black




Tan\*\*



Stone\*\*

Black GBGs available in select grid patterns for Smooth-Star, Profiles, and Traditions only.

### Grid Patterns



\*Almond and Bronze GBGs available in flat bars only.

\*\*Available in Special Quote Program.

Note: see your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on available product sizes and options, and details on glass privacy ratings and designs.

# Full Lites



## Privacy & Textured Glass with Divided Lites

|             |             |             |             |            |             |              |
|-------------|-------------|-------------|-------------|------------|-------------|--------------|
|             |             |             |             |            |             |              |
| Oak         | Oak         | Oak         | Oak         | Oak        | Oak         | Oak          |
| FC1205_     | FC1207_     | 2010_       | 2050_       | 2050_SL    | FC5700_     | FC85700_     |
| ▲ ▲         | ▲ ▲         | ▲ ▲         | ▲ ▲         | ▲ ▲        | ▲ ▲         | ▲ ▲          |
| 2'6" x 6'8" | 2'6" x 6'8" | 2'6" x 6'8" | 2'6" x 6'8" | 12" x 6'8" | 2'6" x 6'8" | 2'6" x 8'0"  |
| 2'8" x 6'8" | 2'8" x 6'8" | 2'8" x 6'8" | 2'8" x 6'8" | 14" x 6'8" | 2'8" x 6'8" | 2'8" x 8'0"  |
| 3'0" x 6'8" | 3'0" x 6'8" | 3'0" x 6'8" | 3'0" x 6'8" |            | 3'0" x 6'8" | 2'10" x 8'0" |
|             |             |             |             |            |             | 3'0" x 8'0"  |

|             |              |             |              |             |              |             |              |             |              |
|-------------|--------------|-------------|--------------|-------------|--------------|-------------|--------------|-------------|--------------|
|             |              |             |              |             |              |             |              |             |              |
| Oak         | Oak          | Oak         | Oak          | Oak         | Oak          | Oak         | Oak          | Oak         | Oak          |
| FC5710_     | FC85710_     | FC5720_     | FC85720_     | FC691_      | FC8691_      | FC685L_     | FC8685L_     | FC685R_     | FC8685R_     |
| ▲ ▲         | ▲ ▲          | ▲ ▲         | ▲ ▲          | ▲ ▲         | ▲ ▲          | ▲ ▲         | ▲ ▲          | ▲ ▲         | ▲ ▲          |
| 2'6" x 6'8" | 2'6" x 8'0"  | 2'6" x 6'8" | 2'6" x 8'0"  | 2'6" x 6'8" | 2'6" x 8'0"  | 2'6" x 6'8" | 2'6" x 8'0"  | 2'6" x 6'8" | 2'6" x 8'0"  |
| 2'8" x 6'8" | 2'8" x 8'0"  | 2'8" x 6'8" | 2'8" x 8'0"  | 2'8" x 6'8" | 2'8" x 8'0"  | 2'8" x 6'8" | 2'8" x 8'0"  | 2'8" x 6'8" | 2'8" x 8'0"  |
| 3'0" x 6'8" | 2'10" x 8'0" | 3'0" x 6'8" | 2'10" x 8'0" | 3'0" x 6'8" | 2'10" x 8'0" | 3'0" x 6'8" | 2'10" x 8'0" | 3'0" x 6'8" | 2'10" x 8'0" |
|             | 3'0" x 8'0"  |             | 3'0" x 8'0"  |             | 3'0" x 8'0"  |             | 3'0" x 8'0"  |             | 3'0" x 8'0"  |

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 6.


XK = Reeded      XC = Chord      XR = Rainglass  
 XE = Satin Etch      XJ = Chinchilla      XN = Granite

\*Not available with Reeded (XK) glass.





|  |  |  |   |   |   |   |
|--|--|--|---|---|---|---|
| <b>Oak</b><br>FC5700_SL<br>▲<br>12" x 6'8"<br>14" x 6'8" | <b>Oak</b><br>FC5710_SL<br>▲<br>12" x 6'8"<br>14" x 6'8" | <b>Oak</b><br>FC5720_SL<br>▲<br>12" x 6'8"<br>14" x 6'8" | <b>Smooth</b><br>S1205_▲<br>▲▲<br>2'6" x 6'8" ▲<br>2'8" x 6'8" ▲<br>2'10" x 6'8" ▲<br>3'0" x 6'8" ▲ | <b>Smooth</b><br>S1207_▲<br>▲▲<br>2'6" x 6'8" ▲<br>2'8" x 6'8" ▲<br>2'10" x 6'8" ▲<br>3'0" x 6'8" ▲ | <b>Smooth</b><br>S2010_▲<br>▲▲<br>2'6" x 6'8" ▲<br>2'8" x 6'8" ▲<br>2'10" x 6'8" ▲<br>3'0" x 6'8" ▲ | <b>Smooth</b><br>S2050_▲<br>▲▲<br>2'6" x 6'8" ▲<br>2'8" x 6'8" ▲<br>2'10" x 6'8" ▲<br>3'0" x 6'8" ▲ |
|--|--|--|---|---|---|---|



|   |  |   |  |   |  |   |  |   |
|---|--|---|--|---|--|---|--|---|
| <b>Smooth</b><br>S5705_▲<br>▲▲<br>2'6" x 6'8" ▲<br>2'8" x 6'8" ▲<br>2'10" x 6'8" ▲<br>3'0" x 6'8" ▲ | <b>Smooth</b><br>S85705_▲<br>▲▲<br>2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>Smooth</b><br>S5715_▲<br>▲▲<br>2'6" x 6'8" ▲<br>2'8" x 6'8" ▲<br>2'10" x 6'8" ▲<br>3'0" x 6'8" ▲ | <b>Smooth</b><br>S85715_▲<br>▲▲<br>2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>Smooth</b><br>S5725_▲<br>▲▲<br>2'6" x 6'8" ▲<br>2'8" x 6'8" ▲<br>2'10" x 6'8" ▲<br>3'0" x 6'8" ▲ | <b>Smooth</b><br>S85725_▲<br>▲▲<br>2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>Smooth</b><br>S2010_SL<br>▲▲<br>10" x 6'8" ▲<br>12" x 6'8" ▲ (7'0")<br>14" x 6'8" ▲ (7'0") | <b>Smooth</b><br>S84886_SL<br>▲▲<br>12" x 8'0"<br>14" x 8'0" | <b>Smooth</b><br>S2000_SL-2C*<br>▲▲<br>10" x 6'8" ▲<br>12" x 6'8" ▲<br>14" x 6'8" ▲ |
|---|--|---|--|---|--|---|--|---|



|   |   |  |   |  |   |  |  |   |
|---|---|--|---|--|---|--|--|---|
| <b>Smooth</b><br>S2000_SL-4C*<br>▲▲<br>10" x 6'8" ▲<br>12" x 6'8" ▲<br>14" x 6'8" ▲ | <b>Smooth</b><br>S5700_▲<br>▲▲<br>2'6" x 6'8" ▲<br>2'8" x 6'8" ▲<br>2'10" x 6'8" ▲<br>3'0" x 6'8" ▲ | <b>Smooth</b><br>S85700_▲<br>▲▲<br>2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>Smooth</b><br>S5710_▲<br>▲▲<br>2'6" x 6'8" ▲<br>2'8" x 6'8" ▲<br>2'10" x 6'8" ▲<br>3'0" x 6'8" ▲ | <b>Smooth</b><br>S85710_▲<br>▲▲<br>2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>Smooth</b><br>S5720_▲<br>▲▲<br>2'6" x 6'8" ▲<br>2'8" x 6'8" ▲<br>2'10" x 6'8" ▲<br>3'0" x 6'8" ▲ | <b>Smooth</b><br>S85720_▲<br>▲▲<br>2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>Smooth</b><br>S691_▲<br>▲▲<br>2'6" x 6'8" ▲<br>2'8" x 6'8" ▲<br>2'10" x 6'8" ▲<br>3'0" x 6'8" ▲ | <b>Smooth</b><br>S8691_▲<br>▲▲<br>2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" |
|---|---|--|---|--|---|--|--|---|

**Privacy & Textured Glass with Divided Lites** *Continues on next page.*




- Key**
- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
  - ▲ Simulated Divided Lites (SDL)
  - ▲ Simulated Divided Lites (SDLF1)
  - ▲ Simulated Divided Lites (SDLF2)
  - Vented Sidelite Options
  - ▲ Elevated 10" Bottom Rail Options
  - ▲ 6'6" Height Available

## Privacy & Textured Glass with Divided Lites *Continued*



Smooth

S685L\_     
 2'6" x 6'8"  $\Delta$   
 2'8" x 6'8"  $\Delta$   
 2'10" x 6'8"  $\Delta$   
 3'0" x 6'8"  $\Delta$

S8685L\_     
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"






Smooth



S685R\_     
 2'6" x 6'8"  $\Delta$   
 2'8" x 6'8"  $\Delta$   
 2'10" x 6'8"  $\Delta$   
 3'0" x 6'8"  $\Delta$

S8685R\_     
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"






Smooth

S5700\_SL     
 10" x 6'8"  $\Delta$   
 12" x 6'8"  $\Delta$  (7'0")  
 14" x 6'8"  $\Delta$  (7'0")

S85700\_SL    
 12" x 8'0"  
 14" x 8'0"






Smooth



S5710\_SL     
 10" x 6'8"  $\Delta$   
 12" x 6'8"  $\Delta$  (7'0")  
 14" x 6'8"  $\Delta$  (7'0")

S85710\_SL    
 12" x 8'0"  
 14" x 8'0"



Smooth

S5720\_SL     
 10" x 6'8"  $\Delta$   
 12" x 6'8"  $\Delta$  (7'0")  
 14" x 6'8"  $\Delta$  (7'0")


S85720\_SL    
 12" x 8'0"  
 14" x 8'0"

## Privacy & Textured Glass



Oak


2000\_   
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"

8000\_   
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"





Oak

2000\_SL   
 12" x 6'8"  
 14" x 6'8"





Smooth

S2000\_    
 2'6" x 6'8"  $\Delta$   
 2'8" x 6'8"  $\Delta$   
 2'10" x 6'8"  $\Delta$   
 3'0" x 6'8"  $\Delta$

S8000\_    
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth




S2000\_SL    
 10" x 6'8"  $\Delta$   
 12" x 6'8"  $\Delta$  (7'0")  
 14" x 6'8"  $\Delta$  (7'0")




S8000\_SL   
 12" x 8'0"  
 14" x 8'0"

## Internal Blinds



Smooth

S2600     
 2'6" x 6'8"  $\Delta$   
 2'8" x 6'8"  $\Delta$   
 2'10" x 6'8"  $\Delta$   
 3'0" x 6'8"  $\Delta$

S82600     
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

## Clear Glass with Divided Lites



Mahogany

FCM1205SL     
 12" x 6'8"  
 14" x 6'8"



Mahogany

FCM1206SL     
 12" x 6'8"  
 14" x 6'8"



Mahogany

FCM1204SL     
 12" x 6'8"  
 14" x 6'8"



Mahogany

FCM2009SL     
 12" x 6'8"  
 14" x 6'8"



Oak

FC1205     
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



Oak

FC1206     
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



Oak

FC1207     
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"




### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 6.

XK = Reeded  
 XE = Satin Etch

XC = Chord  
 XJ = Chinchilla

XR = Rainglass  
 XN = Granite



Clear Glass with Divided Lites *Continues on next page.*

**Key**

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Vented Sidelite Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available



Oak

FC5700SL  
 ☀️🔥🔥  
 12" x 6'8"  
 14" x 6'8"



Oak

FC5710SL  
 ☀️🔥🔥  
 12" x 6'8"  
 14" x 6'8"



Oak

FC5720SL  
 ☀️🔥🔥  
 12" x 6'8"  
 14" x 6'8"



Smooth

S1205  
 ☀️🔥🔥🔥🔥🔥  
 2'6" x 6'8" ⚠️  
 2'8" x 6'8" ⚠️  
 2'10" x 6'8" ⚠️  
 3'0" x 6'8" ⚠️



Smooth

S1206  
 ☀️🔥🔥🔥🔥  
 2'6" x 6'8" ⚠️  
 2'8" x 6'8" ⚠️  
 2'10" x 6'8" ⚠️  
 3'0" x 6'8" ⚠️



Smooth

S1207  
 ☀️🔥🔥🔥🔥  
 2'6" x 6'8" ⚠️  
 2'8" x 6'8" ⚠️  
 2'10" x 6'8" ⚠️  
 3'0" x 6'8" ⚠️



Smooth

S2010  
 ☀️🔥🔥🔥🔥  
 2'6" x 6'8" ⚠️  
 2'8" x 6'8" ⚠️  
 2'10" x 6'8" ⚠️  
 3'0" x 6'8" ⚠️



Smooth

S1204  
 ☀️🔥🔥🔥🔥  
 2'6" x 6'8" ⚠️  
 2'8" x 6'8" ⚠️  
 2'10" x 6'8" ⚠️  
 3'0" x 6'8" ⚠️



Smooth

S2050  
 ☀️🔥🔥🔥🔥  
 2'6" x 6'8" ⚠️  
 2'8" x 6'8" ⚠️  
 2'10" x 6'8" ⚠️  
 3'0" x 6'8" ⚠️



Smooth

S8000-12  
 ☀️🔥🔥🔥🔥  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S8000-18  
 ☀️🔥🔥🔥🔥  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S5705  
 ☀️🔥🔥  
 2'6" x 6'8" ⚠️  
 2'8" x 6'8" ⚠️  
 2'10" x 6'8" ⚠️  
 3'0" x 6'8" ⚠️

S85705  
 ☀️🔥🔥  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S5715  
 ☀️🔥🔥  
 2'6" x 6'8" ⚠️  
 2'8" x 6'8" ⚠️  
 2'10" x 6'8" ⚠️  
 3'0" x 6'8" ⚠️

S85715  
 ☀️🔥🔥  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S5725  
 ☀️🔥🔥  
 2'6" x 6'8" ⚠️  
 2'8" x 6'8" ⚠️  
 2'10" x 6'8" ⚠️  
 3'0" x 6'8" ⚠️

S85725  
 ☀️🔥🔥  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S1205SL  
 ☀️🔥🔥🔥  
 10" x 6'8" ⚠️  
 12" x 6'8" ⚠️ (7'0")  
 14" x 6'8" ⚠️ (7'0")



Smooth

S1206SL  
 ☀️🔥🔥🔥  
 10" x 6'8" ⚠️  
 12" x 6'8" ⚠️ (7'0")  
 14" x 6'8" ⚠️ (7'0")



Smooth

S1204SL  
 ☀️🔥🔥🔥  
 10" x 6'8" ⚠️  
 12" x 6'8" ⚠️ (7'0")  
 14" x 6'8" ⚠️ (7'0")



Smooth

S2010SL  
 ☀️🔥🔥🔥  
 10" x 6'8" ⚠️  
 12" x 6'8" ⚠️ (7'0")  
 14" x 6'8" ⚠️ (7'0")



Smooth

S2000SL-2C  
 ☀️🔥🔥  
 10" x 6'8" ⚠️  
 12" x 6'8" ⚠️ (7'0")  
 14" x 6'8" ⚠️ (7'0")



Smooth

S2000SL-4C  
 ☀️🔥🔥  
 10" x 6'8" ⚠️  
 12" x 6'8" ⚠️ (7'0")  
 14" x 6'8" ⚠️ (7'0")



Smooth

S2009

▲ ★ ◆ ◆ ◆ ◆ E  
2'0" x 6'8" ▲  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8" ▲

S8000-9

▲ ★ ◆ ◆ ◆ ◆ E  
2'0" x 8'0" ▲  
2'6" x 8'0" ▲  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0" ▲



Smooth

S2009SL

▲ ★ ◆ ◆ ◆ ◆ ●  
10" x 6'8" ▲  
12" x 6'8" ▲ (7'0")  
14" x 6'8" ▲ (7'0")



Smooth

S5700

▲ ★ ◆ ◆ E  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8" ▲

S85700

▲ ★ ◆ ◆ E  
2'6" x 8'0" ▲  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0" ▲



Smooth

S5710

▲ ★ ◆ ◆ E  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8" ▲

S85710

▲ ★ ◆ ◆ E  
2'6" x 8'0" ▲  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0" ▲



Smooth

S5720

▲ ★ ◆ ◆ E  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8" ▲

S85720

▲ ★ ◆ ◆ E  
2'6" x 8'0" ▲  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0" ▲



Smooth

S691

▲ ★ ◆ ◆ E  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8" ▲

S8691

▲ ★ ◆ ◆ E  
2'6" x 8'0" ▲  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0" ▲



Smooth

S685L

▲ ★ ◆ ◆ E  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8" ▲

S8685L

▲ ★ ◆ ◆ E  
2'6" x 8'0" ▲  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0" ▲



Smooth

S685R

▲ ★ ◆ ◆ E  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8" ▲

S8685R

▲ ★ ◆ ◆ E  
2'6" x 8'0" ▲  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0" ▲



Smooth

S5700SL

▲ ★ ◆ ◆ ●  
10" x 6'8" ▲  
12" x 6'8" ▲  
14" x 6'8" ▲

S85700SL

▲ ★ ◆ ◆ ●  
12" x 8'0" ▲  
14" x 8'0" ▲



Smooth

S5710SL

▲ ★ ◆ ◆ ●  
10" x 6'8" ▲  
12" x 6'8" ▲  
14" x 6'8" ▲

S85710SL

▲ ★ ◆ ◆ ●  
12" x 8'0" ▲  
14" x 8'0" ▲



Smooth

S5720SL

▲ ★ ◆ ◆ ●  
10" x 6'8" ▲  
12" x 6'8" ▲  
14" x 6'8" ▲

S85720SL

▲ ★ ◆ ◆ ●  
12" x 8'0" ▲  
14" x 8'0" ▲

## Clear Glass



Oak

2000

▲ ★  
2'0" x 6'8" ▲  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
3'0" x 6'8" ▲

8000

▲ ★  
2'0" x 8'0" ▲  
2'6" x 8'0" ▲  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0" ▲



Oak

2000SL

▲ ★  
12" x 6'8" ▲  
14" x 6'8" ▲



Smooth

S2000

▲ ★ ◆ E  
2'0" x 6'8" ▲  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8" ▲

S8000

▲ ★ ◆ E  
2'0" x 8'0" ▲  
2'6" x 8'0" ▲  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0" ▲



Smooth

S2000SL

▲ ★ ◆ ●  
10" x 6'8" ▲  
12" x 6'8" ▲ (7'0")  
14" x 6'8" ▲ (7'0")

S8000SL

▲ ★ ◆ ●  
12" x 8'0" ▲  
14" x 8'0" ▲

## Key

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ★ Low-E Glass (LE)
- ◆ Simulated Divided Lites (SDL)
- ◆ Simulated Divided Lites (SDLF1)

- ◆ Simulated Divided Lites (SDLF2)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)

- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options

- E Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available



**Privacy & Textured Glass with Divided Lites** 🌧️

|              |              |              |              |              |              |              |            |
|--------------|--------------|--------------|--------------|--------------|--------------|--------------|------------|
|              |              |              |              |              |              |              |            |
| Smooth       | Smooth       | Smooth       | Smooth       | Smooth       | Smooth       | Smooth       | Smooth     |
| S2103_       | S82103_      | S2104_       | S82105_      | S82106_      | S2250_       | S82107_      | S2103_SL   |
| ▲ ▲          | ▲ ▲          | ▲ ▲          | ▲ ▲          | ▲ ▲          | ▲ ▲          | ▲ ▲          | ▲ ▲        |
| 2'6" x 6'8"  | 2'6" x 8'0"  | 2'6" x 6'8"  | 2'6" x 8'0"  | 2'6" x 8'0"  | 2'6" x 6'8"  | 2'6" x 8'0"  | 12" x 6'8" |
| 2'8" x 6'8"  | 2'8" x 8'0"  | 2'8" x 6'8"  | 2'8" x 8'0"  | 2'8" x 8'0"  | 2'8" x 6'8"  | 2'8" x 8'0"  | 14" x 6'8" |
| 2'10" x 6'8" | 2'10" x 8'0" | 2'10" x 6'8" | 2'10" x 8'0" | 2'10" x 8'0" | 2'10" x 6'8" | 2'10" x 8'0" |            |
| 3'0" x 6'8"  | 3'0" x 8'0"  | 3'0" x 6'8"  | 3'0" x 8'0"  | 3'0" x 8'0"  | 3'0" x 6'8"  | 3'0" x 8'0"  |            |

**Privacy & Textured Glass** 🌧️

|            |            |              |              |            |
|------------|------------|--------------|--------------|------------|
|            |            |              |              |            |
| Smooth     | Smooth     | Smooth       | Smooth       | Smooth     |
| S2104_SL   | S2250_SL   | S2200_       | S82200_      | S2200_SL   |
| ▲          | ▲          | ▲            | ▲            | ▲          |
| 12" x 6'8" | 12" x 6'8" | 2'6" x 6'8"  | 2'6" x 8'0"  | 12" x 6'8" |
| 14" x 6'8" | 14" x 6'8" | 2'8" x 6'8"  | 2'8" x 8'0"  | 14" x 6'8" |
|            |            | 2'10" x 6'8" | 2'10" x 8'0" |            |
|            |            | 3'0" x 6'8"  | 3'0" x 8'0"  |            |

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 6.

- XK = Reeded
- XC = Chord
- XR = Rainglass
- XE = Satin Etch
- XJ = Chinchilla
- XN = Granite

## Clear Glass with Divided Lites



Smooth

S2103  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S82103  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S2104  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S82104  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S2105  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S82105  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S2250  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S82250  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S82106  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S82107  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

## Clear Glass



Smooth

S2103SL  
  
 12" x 6'8"  
 14" x 6'8"



Smooth

S2104SL  
  
 12" x 6'8"  
 14" x 6'8"



Smooth

S92SL  
  
 12" x 6'8"  
 14" x 6'8"



Smooth

S1401  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S81401  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S1401SL  
  
 12" x 6'8"  
 14" x 6'8"



Smooth

S2200  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S82200  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S90SL  
  
 12" x 6'8"  
 14" x 6'8"

## 1/2 Lites



## Clear Glass with Divided Lites



Smooth

S1350  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



Smooth

S2150  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



Smooth

S1409  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"

## Clear Glass



Smooth

S2100  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"

### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)


- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)

- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)


# Craftsman Lites



## Optional Dentil Shelves\*\*





**4-Block Dentil Shelf**  
Available for all Craftsman-style  
Fiber-Classic Mahogany Collection doors.





**4-Block Dentil Shelf**  
Available for all Craftsman-style  
Smooth-Star doors.

## Saratoga™

|  |  |  |   |  |  |
|--|--|--|---|--|--|
|  |  |  |  |  |  |
| <b>NEW</b>   | <b>NEW</b>   | <b>NEW</b>   |   |  |  |
| <b>Mahogany</b>  | <b>Mahogany</b>  | <b>Mahogany</b>  | <b>Smooth</b>   | <b>Smooth</b>  | <b>Smooth</b>  |
| FCM6240<br>▲ E<br>2'8" x 6'8" (7'0")<br>2'10" x 6'8" (7'0")<br>3'0" x 6'8" (7'0")  | FCM86240<br>▲<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0"                        | FCM6201SL<br>▲<br>12" x 6'8" (7'0")<br>14" x 6'8" (7'0")                           | FCM86201SL<br>▲<br>12" x 8'0"<br>14" x 8'0"   | FCM6240SL<br>▲<br>12" x 6'8" (7'0")<br>14" x 6'8" (7'0")                             | FCM86240SL<br>▲<br>12" x 8'0"<br>14" x 8'0"  |
| S6240<br>▲ E<br>2'8" x 6'8" (7'0")<br>2'10" x 6'8" (7'0")<br>3'0" x 6'8" (7'0")    | S86240<br>▲<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0"                          | S6201SL<br>▲<br>10" x 6'8"<br>12" x 6'8" (7'0")<br>14" x 6'8" (7'0")               | S86201SL<br>▲<br>12" x 8'0"<br>14" x 8'0"   | S6240SL<br>▲<br>12" x 6'8" (7'0")<br>14" x 6'8" (7'0")                               | S86240SL<br>▲<br>12" x 8'0"<br>14" x 8'0"  |

## Privacy & Textured Glass with Divided Lites

|   |   |   |  |   |
|---|---|---|--|---|
|    |    |    |  |  |
| <b>NEW</b>  | <b>NEW</b>  | <b>NEW</b>  | <b>NEW</b>   | <b>NEW</b>  |
| <b>Mahogany</b>   | <b>Mahogany</b>   | <b>Mahogany</b>   | <b>Mahogany</b>  | <b>Mahogany</b>   |
| FCM4812_*<br>▲ R E<br>2'8" x 6'8" (7'0")<br>2'10" x 6'8" (7'0")<br>3'0" x 6'8" (7'0") | FCM84812_*<br>▲ R<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0"                       | FCM4813_*<br>▲ R E<br>2'8" x 6'8" (7'0")<br>2'10" x 6'8" (7'0")<br>3'0" x 6'8" (7'0") | FCM84813_*<br>▲ R<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0"                      | FCM4814_*<br>▲ R E<br>2'8" x 6'8" (7'0")<br>2'10" x 6'8" (7'0")<br>3'0" x 6'8" (7'0") |
| FCM84814_*<br>▲ R<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0"                       | FCM4816_*<br>▲ R E<br>2'8" x 6'8" (7'0")<br>2'10" x 6'8" (7'0")<br>3'0" x 6'8" (7'0") | FCM84816_*<br>▲ R<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0"                       | FCM2050_SL<br>▲ R<br>12" x 6'8" (7'0")<br>14" x 6'8" (7'0")                          | FCM84886_SL<br>▲ R<br>12" x 8'0"<br>14" x 8'0"  |

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 6.

XK = Reeded      XC = Chord      XR = Rainglass  
XE = Satin Etch      XJ = Chinchilla      XN = Granite

\*Not available with Reeded (XK) glass.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Top: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Clear Glass with Grille Sticks, Transom – 19200T, Finish – Acorn; Dentil Shelf






Mahogany

FCM4812\_SL\* FCM84812\_SL\*  
 ▲ 12" x 6'8" (7'0") ▲ 12" x 8'0"  
 ▲ 14" x 6'8" (7'0") ▲ 14" x 8'0"



Smooth

S4812\_\* S84812\_\*  
 ▲ 2'8" x 6'8" (7'0") ▲ 2'8" x 8'0"  
 ▲ 2'10" x 6'8" (7'0") ▲ 2'10" x 8'0"  
 ▲ 3'0" x 6'8" (7'0") ▲ 3'0" x 8'0"



Smooth

S4813\_\* S84813\_\*  
 ▲ 2'8" x 6'8" (7'0") ▲ 2'8" x 8'0"  
 ▲ 2'10" x 6'8" (7'0") ▲ 2'10" x 8'0"  
 ▲ 3'0" x 6'8" (7'0") ▲ 3'0" x 8'0"



Smooth

S4814\_\* S84814\_\*  
 ▲ 2'8" x 6'8" (7'0") ▲ 2'8" x 8'0"  
 ▲ 2'10" x 6'8" (7'0") ▲ 2'10" x 8'0"  
 ▲ 3'0" x 6'8" (7'0") ▲ 3'0" x 8'0"



Smooth

S4816\_\* S84816\_\*  
 ▲ 2'8" x 6'8" (7'0") ▲ 2'8" x 8'0"  
 ▲ 2'10" x 6'8" (7'0") ▲ 2'10" x 8'0"  
 ▲ 3'0" x 6'8" (7'0") ▲ 3'0" x 8'0"

## Privacy & Textured Glass



Smooth

S2010\_SL  
 ▲ 10" x 6'8" ▲  
 ▲ 12" x 6'8" ▲ (7'0")  
 ▲ 14" x 6'8" ▲ (7'0")



Smooth

S84886\_SL S4812\_SL\* S84812\_SL\*  
 ▲ 12" x 8'0" ▲ 12" x 6'8" (7'0") ▲ 12" x 8'0"  
 ▲ 14" x 8'0" ▲ 14" x 6'8" (7'0") ▲ 14" x 8'0"



Mahogany

FCM4810\_\* FCM84810\_\*  
 ▲ 2'8" x 6'8" (7'0") ▲ 2'8" x 8'0"  
 ▲ 2'10" x 6'8" (7'0") ▲ 2'10" x 8'0"  
 ▲ 3'0" x 6'8" (7'0") ▲ 3'0" x 8'0"



Mahogany

FCM2000\_SL FCM8000\_SL  
 ▲ 12" x 6'8" (7'0") ▲ 12" x 8'0"  
 ▲ 14" x 6'8" (7'0") ▲ 14" x 8'0"



Mahogany

FCM4810\_SL\* FCM84810\_SL\*  
 ▲ 12" x 6'8" (7'0") ▲ 12" x 8'0"  
 ▲ 14" x 6'8" (7'0") ▲ 14" x 8'0"



Smooth

S4810\_\* S84810\_\*  
 ▲ 2'8" x 6'8" (7'0") ▲ 2'8" x 8'0"  
 ▲ 2'10" x 6'8" (7'0") ▲ 2'10" x 8'0"  
 ▲ 3'0" x 6'8" (7'0") ▲ 3'0" x 8'0"



Smooth

S2000\_SL S8000\_SL  
 ▲ 10" x 6'8" ▲ 12" x 8'0"  
 ▲ 12" x 6'8" ▲ (7'0") ▲ 14" x 8'0"  
 ▲ 14" x 6'8" ▲ (7'0")



Smooth

S4810\_SL\* S84810\_SL\*  
 ▲ 12" x 6'8" (7'0") ▲ 12" x 8'0"  
 ▲ 14" x 6'8" (7'0") ▲ 14" x 8'0"

## Clear Glass with Divided Lites



Mahogany

FCM4812 FCM84812  
 ▲ 2'8" x 6'8" (7'0") ▲ 2'8" x 8'0"  
 ▲ 2'10" x 6'8" (7'0") ▲ 2'10" x 8'0"  
 ▲ 3'0" x 6'8" (7'0") ▲ 3'0" x 8'0"



Mahogany

FCM4813 FCM84813  
 ▲ 2'8" x 6'8" (7'0") ▲ 2'8" x 8'0"  
 ▲ 2'10" x 6'8" (7'0") ▲ 2'10" x 8'0"  
 ▲ 3'0" x 6'8" (7'0") ▲ 3'0" x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

### Key

▲ Flush-Glazed Glass with Detailed Sticking (FG)  
 ▲ Flush-Glazed Glass with Square Sticking (FG)

▲ Low-E Glass (LE)  
 ▲ Black Nickel Caming (1D)  
 ▲ Brushed Nickel Caming (1C)




▲ Simulated Divided Lites (SDL)  
 ▲ Simulated Divided Lites (SDLF1)  
 ▲ Vented Sidelite Options

▲ Elevated 10" Bottom Rail Options  
 ▲ 6'6" Height Available

## Clear Glass with Divided Lites *Continued*






Mahogany



**FCM4814**  
   **E**  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FCM84814**  
  **E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM4816**  
   **E**  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FCM84816**  
  **E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"






Mahogany

**FCM2050SL**  
       
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**FCM84886SL**  
       
 12" x 8'0"  
 14" x 8'0"






Mahogany

**FCM4812SL**  
   **E**  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")


**FCM84812SL**  
   **E**  
 12" x 8'0"  
 14" x 8'0"






Smooth

**S4812**  
   **E**  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S84812**  
   **E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"






Smooth




**S4813**  
   **E**  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S84813**  
   **E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"






Smooth




**S4814**  
   **E**  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S84814**  
   **E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S4816**  
   **E**  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S84816**  
   **E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth



**S2010SL**  
       
 10" x 6'8"  $\Delta$   
 12" x 6'8"  $\Delta$  (7'0")  
 14" x 6'8"  $\Delta$  (7'0")

**S84886SL**  
   **E**  
 12" x 8'0"  
 14" x 8'0"



Smooth




**S4812SL**  
   **E**  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")


**S84812SL**  
   **E**  
 12" x 8'0"  
 14" x 8'0"


## Clear Glass






Mahogany

**FCM4810**  
   **E**  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FCM84810**  
  **E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"





Mahogany

**FCM2000SL**  
    
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")


**FCM8000SL**  
  **E**  
 12" x 8'0"  
 14" x 8'0"






Mahogany

**FCM4810SL**  
  **E**  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**FCM84810SL**  
  **E**  
 12" x 8'0"  
 14" x 8'0"






Smooth

**S4810**  
   **E**  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S84810**  
  **E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"






Smooth

**S2000SL**  
    
 10" x 6'8"  $\Delta$   
 12" x 6'8"  $\Delta$  (7'0")  
 14" x 6'8"  $\Delta$  (7'0")

**S8000SL**  
  **E**  
 12" x 8'0"  
 14" x 8'0"






Smooth




**S4810SL**  
   **E**  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**S84810SL**  
   **E**  
 12" x 8'0"  
 14" x 8'0"

### Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)

-  Simulated Divided Lites (SDLF1)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)

-  Flat Bronze Grilles Between Glass (GBGF)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  Vented Sidelite Options

-  Elevated 10" Bottom Rail Options
-  6'6" Height Available





Where Home Begins™

thermatru.com

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle  
Maumee, OH 43537



#thermatru



EnLiten™ flush-glazed designs are backed by the industry's most comprehensive lifetime limited warranty, plus warranty riders for peace of mind – all from the entry door brand building professionals choose most.\*

### EnLiten™ Flush-Glazed Riders

#### For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

#### For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

\*Brand Use Study, 2022 *Builder* magazine.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on available product sizes and options, limited warranties and exclusions, riders and ENERGY STAR qualified products.

Cover: Smooth-Star, Clear Glass with SDLs, Doors – S85715, Finish – Alpine, Onyx

©2023 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Innovations, Inc. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. Part #PODMAFFGB23 MTZT / DEC 2022




# Veris™

COLLECTION



The Veris™ collection embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.



Visit [VerisCollection.com](http://VerisCollection.com) for details.