



Primed Wood Doors

In Stock Interior Collection

FLAT PANEL




20* 6/8, 7/0, 8/0 (*1-3/4" in 6/8 & 8/0 only) (ovolo sticking in 6/8 only)



6/8, 7/0, 8/0 (*1-3/4" in 6/8 & 8/0 only)







30





Bifold Available (6/8 only) 55

6/8, 8/0* (*8/0 includes 6 panels)








ATTRIBUTE KEY:

⊾ Ovolo Sticking 📩 Square Sticking

OPTIONS KEY: A Fire-Rated Available Door thickness is 1-3/8" unless otherwise noted.



33 6/8



CLEAR GLASS





1501 6/8, 7/0*, 8/0 (*ovolo sticking for 7/0 only)

1510 6/8, 7/0* (*7/0 available while supplies last)



1512 8/0

DECORATIVE GLASS





1501 | RAIN 6/8



1501 | PANTRY (CURSIVE) 6/8



1501 | NARROW REED 6/8



1501 | MIRROR 6/8



1501 | WHITE LAMI 6/8, 7/0*, 8/0 (*square sticking for 7/0 only)



1501 | SATIN ETCH

6/8, 7/0*, 8/0

(*7/0 only available with square sticking)

1502 | SATIN ETCH 6/8, 8/0 (available while supplies last)



1503 | SATIN ETCH 6/8, 8/0



1505 | SATIN ETCH 6/8, 8/0* (*8/0 includes 6 lites)

LOUVER



Bifold Available (6/8 only)

730 LOUVER/LOUVER 6/8







©2022 OrePac Building Products. All rights reserved. OP-0222 California Updated Model #s