Hinged Patio Doors

Hinged Patio Door Systems

A Therma-Tru_{*} patio door with genuine Therma-Tru parts is a complete door system with doors, glass and parts engineered to work together for durability and reliability through the years.



Vented Sidelites*



*For inswing use only. Left: Smooth-Star, Clear Glass, Doors – S2000, Sidelites –S2000SL Right: Smooth-Star, Door – S8200; Granite Glass, Sidelites – S81086XNSL

Enjoy the view – and a fresh breeze, too.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens available in bronze and white – are designed for worry-free use.

EnLiten_{TM} Flush-Glazed Internal Blinds



Available Door Collections Smooth-Star.

Available Door Styles & Sizes

Widths

2'6" 2'8"

2'10" 3'0" Heights 6'8" 8'0"

Available Configurations



EnLiten™ Flush-Glazed Low-E Glass



Available Door Collections

Fiber-Classic, Mahogany / Fiber-Classic, Oak / Smooth-Star,

Available Door Styles & Sizes



Widths

5'0" 5'4" 5'8" (Can be used as a 6'0" replacement size.) 6'0"

Heights

- 6'6" 6'8"
- 8'0"
-) 81



EnLiten_{III} Flush-Glazed Low-E Grilles Between Glass



Available Door Collections Fiber-Classic. Oak / Smooth-Star.

Available Door Styles & Sizes



Widths	Heights
5'0"	6'6"
5'4"	6'8"
5'8" (Can be used as a 6'0" replacement size.)	8'0"
6'0"	

Available Configurations







Low-E Internal Blinds



Available Door Collections

Fiber-Classic. Mahogany / Fiber-Classic. Oak / Smooth-Star.

Available Door Styles & Sizes



Widths 5'0"

5'4"

6'0"

Heights

6'6" 6'8"

5'8" (Can be used as a 6'0" replacement size.) 8'0"

Available Configurations

	11 11		





Low-E Glass



Available Door Collections Fiber-Classic, Mahogany / Fiber-Classic, Oak / Smooth-Star,

Heights

6'6"

6'8"

8'0"

Available Door Styles & Sizes



Widths

4'8" (Can be used as a 5'0" replacement size.) 5'0" 5'4"

5'8" (Can be used as a 6'0" replacement size.) 6'0"

Available Configurations



