

*Builders*  
CHOICE

**Wood Doors**  
EXTERIOR & INTERIOR



SACRAMENTO

# Exterior

## CRAFTSMAN

### FLAT PANEL

#### KNOTTY ALDER



6826  
2 PANEL/6 LITE



6804



6821  
2 PANEL/1 LITE



6802

#### OPTIONAL SHELVES



Large Block (4)



Large Block (2)



6826 shown in knotty alder

## CLEAR FRENCH

### THERMAL

#### KNOTTY ALDER



8002 (WLO\*)  
1 LITE



8701



8010  
10 LITE



8012  
12 LITE - 8'

## TRADITIONAL

### RAISED PANEL

#### KNOTTY ALDER




3082  
2 PANEL



3082V  
2 PANEL  
V-GROOVE



3083  
2 PANEL ARCH



3083V  
2 PANEL ARCH  
V-GROOVE



8701

### FLAT PANEL

#### KNOTTY ALDER



6902  
2 PANEL



6801S

#### ATTRIBUTE KEY:

Clear Beveled Glass

Low-E Glass

\*WLO = Wide Layout Stiles

Ovolo Sticking

Square Sticking

#### OPTIONS KEY:

Available in 8'


Glass is clear and insulated unless otherwise noted. Exterior door height is 6'8" / thickness is 1-3/4" unless otherwise noted. Doors are shown with clear coat finish.

# Interior

## TRADITIONAL

### RAISED PANEL

#### KNOTTY ALDER



82  
2 PANEL



82V  
2 PANEL  
V-GROOVE



83  
2 PANEL ARCH



83V  
2 PANEL ARCH  
V-GROOVE

## TRADITIONAL

### RAISED PANEL

#### PRIMED



82PR  
2 PANEL



83PR  
2 PANEL ARCH



83VPR  
2 PANEL ARCH  
V-GROOVE



66PR  
6 PANEL

### FLAT PANEL

#### KNOTTY ALDER



782  
2 PANEL



760  
3 PANEL

## TRADITIONAL

### FLAT PANEL

#### PRIMED



720 / P20\*  
*(\*Only 6/8, Ovolo Sticking)*  
1 PANEL



782  
2 PANEL



730  
3 PANEL SHAKER



760  
3 PANEL



755  
5 PANEL

### LOUVER

#### PRIMED



LOUVER/LOUVER

#### ATTRIBUTE KEY:

Ovolo Sticking Square Sticking

#### OPTIONS KEY:


Available in 8'

Glass is clear and insulated unless otherwise noted. Interior door height is 6'8" / thickness is 1-3/8" unless otherwise noted. Doors are shown with clear coat finish (except primed).

# Interior

## CLEAR FRENCH

### KNOTTY ALDER




1501  
1 LITE


### PRIMED



1501  
1 LITE



1510  
10 LITE



1512-8  
12 LITE - 8'

## DECORATIVE

### PRIMED



301  
PANTRY



306  
PRIVACY



801  
WHITE LAMI



402  
RAIN



601  
MIRROR



401  
NARROW REED



301 Pantry shown in primed

### ATTRIBUTE KEY:

White Laminate Glass

Ovolo Sticking

### OPTIONS KEY:

Available in 8'

Glass is clear and insulated unless otherwise noted. Interior door height is 6'8" / thickness is 1-3/8" unless otherwise noted. Doors are shown with clear coat finish (except primed).

# Fire-Rated\* | 20-minute rating

## TRADITIONAL

### FLAT PANEL PRIMED



9720  
1 PANEL



9782  
2 PANEL



9730  
3 PANEL SHAKER



9760  
3 PANEL



9755  
5 PANEL

### FLAT PANEL KNOTTY ALDER



9782  
2 PANEL



9760  
3 PANEL

### RAISED PANEL KNOTTY ALDER




9082V  
2 PANEL  
V-GROOVE



9083V  
2 PANEL ARCH  
V-GROOVE

### RAISED PANEL KNOTTY ALDER



9082  
2 PANEL



9083  
2 PANEL ARCH



9083 shown in knotty alder

#### ATTRIBUTE KEY:

Ovolo Sticking Square Sticking

#### OPTIONS KEY:

Available in 8'

Doors are shown with clear coat finish (except primed).

\*To confirm fire door requirements in your jurisdiction, always check with your local building code.

# Interior

## TRADITIONAL

### RAISED PANEL BIFOLD KNOTTY ALDER



82BF  
2 PANEL



83BF  
2 PANEL ARCH

### RAISED PANEL BIFOLD PRIMED



82PR BF  
2 PANEL



83PR BF  
2 PANEL ARCH



83VPR BF  
2 PANEL ARCH  
V-GROOVE



66PR BF  
6 PANEL

## TRADITIONAL

### FLAT PANEL BIFOLD KNOTTY ALDER



782BF  
2 PANEL



760BF  
3 PANEL

## TRADITIONAL

### FLAT PANEL BIFOLD PRIMED



720BF  
1 PANEL



782BF  
2 PANEL



730BF  
3 PANEL



760BF  
2 PANEL ARCH



755BF  
2 PANEL ARCH

### LOUVER BIFOLD PRIMED



LOUVER/LOUVER

#### ATTRIBUTE KEY:

Ovolo Sticking Square Sticking

Interior door height is 6'8" / thickness is 1-3/8" unless otherwise noted.  
Doors are shown with clear coat finish (except primed).

Cover: 3083 with 8701 sidelites  
Shown in knotty alder



**WARNING:** Cancer and Reproductive Harm  
[www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)

